

11-11-00

FISH & RICHARDSON P.C.

4350 La Jolla Village Drive
Suite 500
San Diego, California
92122

Telephone
858 678-5070

Facsimile
858 678-5099

Web Site
www.fr.com

November 13, 2000

Attorney Docket No.: 07419-030001

Box Patent Application

Commissioner for Patents
Washington, DC 20231

Presented for filing is a new continuation-in-part patent application of:

Applicant: EISENBERG ET AL.

Title: DETERMINING THE FUNCTIONS AND INTERACTIONS OF
PROTEINS BY COMPARATIVE ANALYSIS

Enclosed are the following papers, including those required to receive a filing date
under 37 CFR §1.53(b):

	<u>Pages</u>
Specification	192
Claims	7
Abstract	1
Declaration	[To be Filed at a Later Date]
Drawing(s)	5

Enclosures:

— Postcard.

This application is a continuation-in-part (and claims the benefit of priority under 35 USC §120) of U.S. application serial no. PCT/US00/02246, filed January 28, 2000, and this application claims the benefit of priority under 35 U.S.C. § 119(e) of U.S. Provisional Application Nos. 60/165,124 and 60/165,086, both filed November 12, 1999, and U.S. Provisional Application No. 60/179,531, filed February 1, 2000.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL584780681US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit November 13, 2000

Signature

Derek Norwood
Typed or Printed Name of Person Signing Certificate

11/13/00

Frederick P. Fish
1855-1930

W.K. Richardson
1859-1951

FR

BOSTON

DALLAS

DELAWARE

NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

11-11-00
JC688 U.S. PTO
09/712363
11/13/00

FISH & RICHARDSON P.C.

Commissioner for Patents

November 13, 2000

Page 2

International Application Serial No. PCT/US00/02246 claims the benefit of priority under 35 U.S.C. § 119(e) of U.S. Provisional Application Serial No. 60/117,844, filed January 29, 1999, U.S. Provisional Application Serial No. 60/118,206, filed February 1, 1999, U.S. Provisional Application Serial No. 60/126,593, filed March 26, 1999, U.S. Provisional Applications Serial No. 60/134,093, filed May 14, 1999, and U.S. Provisional Application Serial No. 60/134,092, filed May 14, 1999. The disclosure of each of the aforementioned applications is considered part of (and is incorporated by reference in) the disclosure of this application.

This applicant is entitled to Small Entity Status.

Basic filing fee	\$355
Total claims in excess of 20 times \$9	\$207
Independent claims in excess of 3 times \$40	\$80
Fee for multiple dependent claims	\$135
Total filing fee:	\$777

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.


If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (858) 678-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

GREGORY P. EINHORN
Fish & Richardson P.C.
4350 La Jolla Village Drive, Suite 500
San Diego, CA 92122

Respectfully submitted,


Gregory P. Einhorn
Reg. No. 38,440

Enclosures

GPE/mc
10070701.doc

APPLICATION FOR UNITED STATES PATENT

DETERMINING THE FUNCTIONS AND INTERACTIONS OF PROTEINS BY COMPARATIVE ANALYSIS

Inventors: David Eisenberg
Sergio H. Rotstein
Edward M. Marcotte

Assignee: The Regents of the University of California

Fish & Richardson P.C.
4350 La Jolla Village Drive, Suite 500
San Diego, CA 92122
Tel.: (858) 678-5070
Fax: (858) 678-5099

ATTORNEY DOCKET:

07419-030001

DATE OF DEPOSIT: November 13, 2000

EXPRESS MAIL NO.: EL ~~EM~~ 584780681 US

DETERMINING THE FUNCTIONS AND INTERACTIONS OF PROTEINS BY COMPARATIVE ANALYSIS

Related Applications

The present application is a continuation-in-part application ("CIP") of Patent
5 Convention Treaty (PCT) International Application Serial No: PCT/US00/02246, filed in the
U.S. receiving office on January 28, 2000, and this application claims the benefit of priority
under 35 U.S.C. § 119(e) of U.S. Provisional Application Nos. 60/165,124, and 60/165,086,
both filed November 12, 1999, and U.S. Provisional Application No. 60/179,531, filed February
1, 2000. International Application Serial No: PCT/US00/02246 claims the benefit of priority
10 under 35 U.S.C. § 119(e) of U.S. Provisional Application Serial No. 60/117,844, filed January
29, 1999, U.S. Provisional Application Serial No. 60/118,206, filed February 1, 1999, U.S.
Provisional Application Serial No. 60/126,593, filed March 26, 1999, U.S. Provisional
Applications Serial No. 60/134,093, filed May 14, 1999, and U.S. Provisional Application
Serial No. 60/134,092, filed May 14, 1999. Each of the aforementioned applications is
15 explicitly incorporated herein by reference in their entirety and for all purposes.

TECHNICAL FIELD

This invention generally relates to genetics and microbiology. The invention
provides novel methods to identify the function of and relationships between nucleic acid and
protein sequences. The method is particularly useful for finding the identifying genes and
20 polypeptides having potential therapeutic relevance in organisms, e.g., microorganisms, such
as *Mycobacterium tuberculosis*. The invention also provides *Mycobacterium tuberculosis*
genes and polypeptides found by these methods. These genes and polypeptides are useful as
potential drug targets.

BACKGROUND

25 The determination of the functions of and relationships between nucleic acid
and protein sequences has traditionally relied on either the study of homology and sequence
identity with genes and proteins of known function or, in the absence of informative
homology, laborious experimental work. The availability of many complete genome
sequences has made it possible to develop new strategies for computational determination of
30 protein functions. Several methods have been developed which can predict the general

function of proteins by analyzing their functional relationships rather than sequence similarity. Generally, two proteins can be considered functionally related when they form part of the same biochemical pathway or biological process. For example, although malate dehydrogenase is not homologous to pyruvate carboxylase, and the two enzymes do not
5 catalyze the same reaction, they are functionally related because they both catalyze steps of a common biochemical pathway, namely the tricarboxylic acid cycle.

New methods that can establish such functional relationships could provide valuable information on the functions of uncharacterized nucleic acid and protein sequences.

The disease tuberculosis, caused *Mycobacterium tuberculosis* (MTB) is one
10 of the world's leading killers. The World Health Organization estimates that 30 million deaths from pulmonary tuberculosis will occur during this decade. Alarming reports on the emergence of drug-resistant strains of this bacterium underscore the importance of the search for new therapeutic agents. Identifying the function of every protein produced by MTB will provide researchers with promising new targets for anti-tuberculosis drug design.

15 SUMMARY

The invention provides novel methods for characterizing the function of nucleic acids and polypeptides. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be essential
20 for the growth or viability of an organism. The characterization is based on use of methods of the invention comprising algorithms that can identify functional relationships between diverse sets of non-homologous nucleic acid and polypeptide sequences. Characterization of nucleic acid and protein sequences can be the basis for the development of compositions that can interact with those nucleic acids and polypeptides. For example, such characterization can
25 provide a basis for screening methods. Such characterization may allow use of these sequences as targets for drug discovery. Discovery of such compositions can provide the basis for the design of novel drugs, particularly if the characterized sequences are derived from a pathogen.

The invention provides a method for identifying a nucleic acid or a
30 polypeptide sequence that may be a target for a drug comprising the following steps: (a)

providing a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) providing at least one algorithm selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method, wherein the algorithm is capable analyzing a functional relationship between nucleic acid or polypeptide sequences; and, (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug.

The invention provides a method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism comprising the following steps: (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism; (b) providing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and, (c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

In one aspect of the methods of the invention, the drug is an anti-microbial drug. In another aspect, the first nucleic acid or a polypeptide sequence is derived from a pathogen. The pathogen can be a microorganism, such as *Mycobacterium tuberculosis* (MTB).

The plurality of sequences used to identify a second sequence can comprise a database of the gene sequences of an entire genome of an organism. The plurality of sequences used to identify a second sequence can comprise a database of the gene sequences derived from a pathogen.

In one aspect of the methods of the invention, the “phylogenetic profile” method algorithm comprises (a) obtaining data, comprising a list of proteins from at least two genomes; (b) comparing the list of proteins to form a protein phylogenetic profile for each protein, wherein the protein phylogenetic profile indicates the presence or absence of a

protein belonging to a particular protein family in each of the at least two genomes based on homology of the proteins; and (c) grouping the list of proteins based on similar profiles, wherein proteins with similar profiles are indicated to have a functional relationship. The phylogenetic profile can be in the form of a vector, matrix or phylogenetic tree. The

5 “phylogenetic profile” method can further comprise determining the significance of homology between the proteins by computing a probability (p) value threshold. The probability can be set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in the first organism’s genome and M in all other genomes. The presence or absence of a protein

10 belonging to a particular protein family in each of the at least two genomes can be determined by calculating an evolutionary distance. The evolutionary distance can be calculated by: (a) aligning two sequences from the list of proteins; (b) determining an evolution probability process by constructing a conditional probability matrix: $p(aa \rightarrow aa')$, where aa and aa' are any amino acids, said conditional probability matrix being constructed

15 by converting an amino acid substitution matrix from a log odds matrix to said conditional probability matrix; (c) accounting for an observed alignment of the constructed conditional probability matrix by taking the product of the conditional probabilities for each aligned pair during the alignment of the two sequences, represented by $P(p) = \prod_n p(aa_n \rightarrow aa'_n)$; and, (d)

determining an evolutionary distance α from powers equation $p' = p^\alpha(aa \rightarrow aa')$, maximizing

20 for P . The conditional probability matrix can be defined by a Markov process with substitution rates, over a fixed time interval. The conversion from an amino acid substitution matrix to a conditional probability matrix can be represented by:

$$P_B(i \rightarrow j) = p(j)2^{\frac{\text{BLOSUM62}_{ij}}{2}},$$

where BLOSUM62 is an amino acid substitution matrix, and $P(i \rightarrow j)$ is the

25 probability that amino acid i is replaced by amino acid j through point mutations according to BLOSUM62 scores. In one aspect, the P_j ’s are the abundances of amino acid j and are computed by solving a plurality of linear equations given by the normalization condition that:

$$\sum_i P_B(i \rightarrow j) = 1.$$

In alternative aspects of the methods of the invention, the “physiologic linkage” method algorithm identifies proteins and nucleic acids that participate in a common functional pathway; identifies proteins and nucleic acids that participate in the synthesis of a common structural complex; and, identifies proteins and nucleic acids that participate in a common metabolic pathway.

In one aspect of the invention, the “domain fusion” method algorithm comprises (a) aligning a first primary amino acid sequence of multiple distinct non-homologous polypeptides to second primary amino acid sequence of a plurality of proteins; and, (b) for any alignment found between the first primary amino acid sequences of all of such multiple distinct non-homologous polypeptides and at least one protein of the second primary amino acid sequences, outputting an indication identifying the aligned second primary amino acid sequence as an indication of a functional link between the aligned first and second polypeptide sequences. The aligning can be performed by an algorithm selected from the group consisting of a Smith-Waterman algorithm, Needleman-Wunsch algorithm, a BLAST algorithm, a FASTA algorithm, and a PSI-BLAST algorithm. The multiple distinct non-homologous polypeptides can be obtained by translating a nucleic acid sequence from a genome database. The plurality of proteins can have a known function. At least one of the multiple distinct non-homologous polypeptides can have a known function. At least one of the multiple distinct non-homologous polypeptides can have an unknown function. The alignment can be based on the degree of homology of the multiple distinct non-homologous polypeptides to the plurality of proteins. The “domain fusion” method can comprise determining the significance of the aligned and identified second primary amino acid sequence by computing a probability (p) value threshold. The probability threshold can be set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in a first organism’s genome and M in all other genomes. The “domain fusion” method can further comprising filtering excessive functional links between one first primary amino acid sequence of multiple distinct non-homologous polypeptides and an excessive number of other distinct non-homologous polypeptides for any alignment found between the first primary amino acid sequences of the

distinct non-homologous polypeptides and at least one of the second primary amino acid sequences of the plurality of proteins.

5 The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, the computer program product comprising instructions for causing a computer system to be capable of: (a) inputting a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a
10 "physiologic linkage" method; and (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

15 The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism, the computer program product comprising instructions for causing a computer system to be capable of: (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or
20 viability of an organism; (b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a "physiologic linkage" method; and, (c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a
25 second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

The invention provides a computer system, comprising: (a) a processor; and, a computer program product of the invention.

All publications, patents, patent applications, GenBank sequences and ATCC deposits, cited herein are hereby expressly incorporated by reference for all purposes.

The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

Figure 1 is an example of functional linkages predicted between InhA (Rv 1484) and other TB genes.

Figure 2 is an example of predicted functional linkages between embB (Rv 3795), which is a target of the drug ethambutol, and other TB genes using the phylogenetic profile method.

Figure 3 is an example of predicted functional linkages between five TB genes having homology to penicillin binding proteins and other TB genes.

Figure shows that gcpE (Rv 2868C) is predicted to be functional linked to cell wall metabolism.

Figure 5 shows predicted functional linkages of htrA (Rv 1223C) with other TB genes.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

The present invention provides novel methods for identifying the relationships between and the function of nucleic acid and polypeptide sequences. The methods of the invention identify novel genes and polypeptides on the basis of their functional linkage to other proteins whose biological function or processes is known or inferred by homology.

The genes and polypeptides identified by the methods of the invention can be used in screening methods for the identification of compositions which, by binding or otherwise interacting with the gene or polypeptide, are capable of modifying the physiology and growth of an organism. The compositions identified by these screening methods are useful as drugs and pharmaceuticals. Thus, genes and polypeptides identified by the methods

of the invention, including the genes and polypeptides identified herein, can be used as potential drug targets.

One aspect of the invention provides methods for identifying the function of genes and polypeptides from *Mycobacterium tuberculosis* (MTB or TB). Based on this new functional determination, these genes and polypeptides can be used to screen for compositions capable of modifying the physiology and growth of *Mycobacterium tuberculosis* (TB). Thus, genes and polypeptides identified by the methods of the invention, including the genes and polypeptides identified herein, can be used as targets in screening protocols and can be useful as potential drug targets.

The function of the TB genes and polypeptides of the present invention were identified using the methods of the invention; i.e., they were identified on the basis of their functional linkage to other proteins whose biological function or processes were known by experiment or inferred by homology. TB genes and polypeptides that are functionally linked to genes known to be involved in pathogenesis or organisms survival are potential drug targets. Genes or polypeptides associated with TB pathogenesis, survival or that are important or unique to TB biochemical pathways are potential drug targets. TB genes and polypeptides that have no homologues identified in humans are potential drug targets. The function of many of the TB genes and polypeptides identified is based on the genes or polypeptides with which they are functionally linked.

TB genes whose function was identified using the methods of the invention are effectively targeted by a drug (i.e., they can act as *bona fide* drug targets) provides proof of principle that the invention's methods for identifying functionally linked genes can identify TB genes and polypeptides that are drug targets. Further confirmation that the genes identified by the methods of the invention include *bona fide* drug targets can be supported by the fact that genes already known to be targets for drugs have been independently identified, or "re-discovered," by the invention's methods.

The novel TB genes described herein are identified as being functionally related or linked to other genes, including other TB genes, such as a known TB drug target (e.g., InhA polypeptide, which is a target of isoniazid). These functional linkages are established using mathematical algorithms. The assignment or inference of a function to TB genes and polypeptides based on their linkage or relatedness to other genes and polypeptides

is described in U.S. provisional application serial no. 60/165,086. Potential TB drug targets are identified by several methods discussed herein and in further detail in U.S. provisional application serial no. 60/134,092. Through the use of these methods, TB genes and polypeptides have been identified as potential drug targets and are illustrated on Tables 1 and 2, and Figures 1 to 5. The nucleotide and amino acid sequences of these potential drug targets are illustrated on Tables 3 and 4, respectively (see below).

The phrase “functional link,” “functionally related” and grammatical variations thereof, when used in reference to genes or polypeptides, means that the genes or polypeptides are predicted to be linked or related. A particular example of functionally related or linked proteins is where two proteins participate in a biochemical or metabolic pathway (*e.g.*, malate dehydrogenase and fumarase, which are both present in the TCA cycle). Thus, although functionally linked or related proteins may not have sequence homology to each other, they are linked by virtue of their participation in the same biochemical pathway. Other examples of linked or related polypeptides are where two polypeptides are part of a protein complex, physically interact, or act upon each another.

The “domain fusion” or “Rosetta Stone” method searches protein sequences across all known genomes and identifies proteins that are separate in one organism but joined as intramolecular domains into one larger protein in another organism. Such proteins that are separate in some organisms but joined in others often carry out related or sequential functions and are therefore functionally linked.

The phylogenetic profile method compares protein sequences across all known genomes and analyzes the pattern of inheritance of each protein across the different organisms. Proteins that have similar patterns of inheritance, either acquired or lost as a part of a group of proteins through evolution, are functionally linked. The gene proximity method identifies genes that remain physically close or “clustered” throughout evolution and are therefore functionally linked.

A particular example of the identification of a potential TB drug target would be to identify a TB gene or polypeptide functionally linked to a known drug target. Anti-TB drugs include isoniazid, rifampicin, ethambutol, streptomycin, pyrazinamide, and thiacetazone. For isoniazid, this drug is believed to act through enoyl-acyl reductase InhA, resulting in mycolic acid biosynthesis inhibition. Thus, TB genes or polypeptides

functionally linked to enoyl-acyl reductase InhA are potential drug targets; see Figure 1, which shows an analysis of InhA, the target for isoniazid, the most widely used anti-tuberculosis drug, and functional linkages to a set of genes mostly known or hypothesized to be involved in cell wall-related processes and lipid and polyketide metabolism. Particular
5 examples of the identification of several TB genes and polypeptides that are functionally related to the target of these anti-TB drugs is shown in Figures 1 to 5.

“Domain Fusion” or “Rosetta Stone” Method

The “domain fusion” or “Rosetta Stone” method compares protein sequences across known nucleic acid databases (e.g., known genomes) to identify genes and proteins
10 that are separate entities in one organism but are joined into one larger multidomain protein in another organism. In such cases, the two separate proteins often carry out related or sequential functions or form part of a larger protein complex. Therefore, the general function of one component (e.g., one or more of the unknown proteins) can be inferred from the known function of the other component. In addition, merely identifying links between
15 proteins using the method described herein provides valuable information (e.g., usefulness as a target for an antibacterial drug), regardless of whether the function of one or more of the proteins used to form the link(s) is known. Because the two components do not have similar amino acid sequence the function of one could not be inferred from the other on the basis of sequence similarity alone.

20 The methods for identifying drug targets (e.g., TB drug targets) described herein (e.g., the “Rosetta Stone Method”) are based on the idea that proteins that participate in a common structural complex, metabolic pathway, biological process or with closely related physiological functions, are functionally linked. In addition, these methods also are capable of identifying proteins that interact physically with one another. Functionally linked
25 proteins in one organism can often be found fused into a single polypeptide chain in a different organism. Similarly, fused proteins in one organism can be found as individual proteins in other organisms. For example, in a first organism one might identify two unlinked proteins “A” and “B” with unknown function. In another organism, one may find a single protein “AB” with a part that resembles “A” and a part that resembles “B”. Protein
30 AB allows one to predict that “A” and “B” are functionally related.

The functional activity of each distinct protein in the “Rosetta Stone” method need not be known prior to performing the method (*i.e.*, the function of A, B, or AB need not be known). Using the “Rosetta Stone” method to compare and analyze several unknown protein sequences can provide information regarding relationships of each protein absent
5 knowledge about the functional activity of the initially analyzed proteins themselves. For example, the information (*i.e.*, the links) can provide information that the proteins are part of a common pathway, function in a related process or physically interact. Such information need not be based on the biological function of the individual proteins.

These methods can provide information regarding links between previously
10 un-linked proteins that function, for example, in a concerted process. A marker, for example, for a particular disease state is identified by the presence or absence of a protein (*e.g.*, Her2/neu in breast cancer detection). Links (*i.e.*, information) identified by the method, which link proteins “B” and “C” to such a marker suggest that proteins “B” and “C” are related by function, physical interaction or part of a common biological pathway with the
15 marker. Such information is useful in designing screening methods and identifying drug targets (*e.g.*, TB drug targets), making diagnostics, and designing therapeutics.

In one approach, the “Rosetta Stone” method is performed by sequence comparison that searches for incomplete “triangle relationships” between, for example, three proteins, *i.e.*, for two proteins A’ and B’ that are different from one another but similar in
20 sequence to another protein AB. Completing the triangle relationship provides useful information regarding the proteins’ biological function(s), functional interaction, pathway relationships or physical relationships with other proteins in the “triangle.”

Either nucleotide sequences or amino acid sequences can be used in the methods for identifying functionally related or linked genes or polypeptides. Where a
25 nucleic sequence is to be used it can be first translated from a nucleic acid sequence to amino acid sequence. Such translation may be performed in all frames if the coding sequence is not known. Programs that can translate a nucleic acid sequence are known in the art. In addition, for simplicity, the description of this method discusses the use of a “pair” of proteins in the determination of a “Rosetta Stone” protein, more than 2 may be used (*e.g.*, 3,
30 4, 5, 10, 100 or more proteins). Accordingly, one can analyze chains of linked proteins, such as “A” linked by a Rosetta Stone protein to “B” linked by a Rosetta Stone protein to “C”, etc.

By this method, groups of functionally related proteins can be found and their function identified.

A method can start with identifying the primary amino acid sequence for a plurality of proteins whose functional relationship is to be determined (*e.g.*, protein A' and protein B'). A number of source databases are available, as described above, that contain either a nucleic acid sequence and/or a deduced amino acid sequence for use with the first step. The plurality of sequences (the "probe sequences") are then used to search a sequence database, *e.g.*, GenBank (NCBI, NLM, NIH), PFAM (a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains; Washington University, St. Louis MO) or ProDom (a database based on recursive PSI-BLAST searches and designed as a tool to help analyze domain arrangements of proteins and protein families, see, *e.g.*, Corpet (1999) *Nucleic Acids Res.* 27:263-267), either simultaneously or individually. Every protein in the sequence database is examined for its ability to act as a "Rosetta Stone" protein (*i.e.*, a single protein containing polypeptide sequences or domains from both protein A' and protein B'). A number of different methods of performing such sequence searches are known in the art. Such sequence alignment methods include, for example, BLAST (see, *e.g.*, Altschul (1990) *J. Mol. Biol.* 215: 403-410), BLITZ (MPsrch) (see, *e.g.*, Brenner (1995) *Trends Genet.* 11:330-331; and *infra*), and FASTA (see, *e.g.*, Pearson (1988) *Proc. Natl. Acad. Sci. USA* 85(8):2444-2448; and *infra*). The probe sequence can be any length (*e.g.*, about 50 amino acid residues to about 1000 amino acid residues).

Probe sequences (*e.g.*, polypeptide sequences or domains) found in a single protein (*e.g.*, an "AB" multidomain protein) are defined as being "linked" by that protein. Where the probe sequences are used individually to search the sequence database, one can mask those segments having homology to the first probe sequence found in the proteins of the sequence database prior to searching with the subsequent probe sequence. In this way, one eliminates any potential overlapping sequences between the two or more probe sequences.

The linked proteins can then be further compared for similarity with one another by amino acid sequence comparison. Where the sequences are identical or have high homology, such a finding can be indicative of the formation of homo-dimers, -trimers, etc.

Typically, “Rosetta Stone”-linked proteins are only kept when the linked proteins show no homology to one another (*e.g.*, hetero-dimers, trimers, etc.).

In another method for identifying functional linkages, a potential fusion protein lacking any functional information that is suspected of having two or more domains (*e.g.*, a potential “Rosetta Stone” protein) may be used to search for related proteins. In this method, the primary amino acid of the fusion protein is determined and used as a probe sequence. This probe sequence is used to search a sequence database (*e.g.*, GenBank, PFAM or ProDom). Every protein in the sequence database is examined for homology to the potential fusion protein (*i.e.*, multiple proteins containing polypeptide sequences or domains from the potential fusion protein). A number of different methods of performing such sequence searches are known in the art, *e.g.*, BLAST, BLITZ (Biocomputing Research Unit, University of Edinburgh, Scotland, the “MPsrch program” performs comparisons of protein sequences against the Swiss-Prot protein sequence database using the Smith and Waterman best local similarity algorithm), and FASTA.

Probe sequences found in more than one protein (*e.g.*, A’ and B’ proteins) are defined as being “linked” so long as at least one protein per domain containing that domain but not the other is also identified. In other words, at least one protein or domain of the plurality of proteins must also be found alone in the sequence database. This verifies that the protein or domain is not an integral part of a first protein but rather a second independent protein having its own functional characteristics.

Statistical methods can be used to judge the significance of possible matches. The statistical significance of an alignment score is described by the probability, P , of obtaining a higher score when the sequences are shuffled. One way to compute a P value threshold is to first consider the total number of sequence comparisons that are to be performed. For example, if there are N proteins in *E. coli* and M in all other genomes this number is $N \times M$. If a comparison of this number of random sequence would result in one pair to yield a P value of $1/NM$ by chance this then is set as the threshold.

This method provides information regarding which proteins are functionally related (*e.g.*, related biological functions common structural complexes, metabolic pathways or biological process) a subset of which physically interact in an organism.

Alignment Algorithms

To align sequences, a number of different procedures can be used that produce a good match between the corresponding residues in the sequences. Typically, the Smith-Waterman (Smith (1981) Adv. Appl. Math. 2:482) or Needleman-Wunsch algorithm (Needleman (1970) J. Mol. Biol. 48:443) algorithm, are used, however, other, faster procedures such as BLAST, FASTA, PSI-BLAST (a version of Blast for finding protein families), or others known in the art (see *infra* discussion), can be used.

Filtering Methods

The Rosetta Stone Method provides at least two pieces of information. First the method provides information regarding which proteins are functionally related. Second the method provides information regarding which proteins are physically related. Each of these two pieces of information has different sources of error and prediction. The first type of error is introduced by protein sequences that occur in many different proteins and paired with many other protein sequences. The second type of error is introduced due to there often being multiple copies of similar proteins, called paralogs, in a single organism. In general, the “Rosetta Stone” method predicts functionally related proteins well, with no filtering of results required. However, it is possible to filter the error associated with either the first or second type of information.

The invention recognizes that a few domains are linked to an excessive number of other domains by a “Rosetta Stone” protein. For example, 95% of the domains are linked to fewer than 25 other domains. However, some domains, *e.g.*, the Src Homology 3 (SH3) domain or ATP-binding cassette (ABC domains), link to more than a hundred other domains. These links were filtered by removing all links generated involving these 5% of domains (*i.e.*, the domains linked to more than 25 other domains). For example, in *E. coli*, without filtering, 3531 links were identified using the domain-based analysis, but after filtering only 749 links were identified. This method improved prediction of functionally related proteins by 28% and physically related proteins by 47%. Accordingly, there are a number of ways to filter the results to improve the significance of the functional links. As described above, as the number of functional links increases there is an increased higher chance of finding a “Rosetta Stone” protein. By reducing the excessively linked proteins one

reduces the chance number of “Rosetta Stone” proteins thereby increasing the significance of a functional link.

Error introduced by multiple paralogs of linked proteins should have little effect on functional prediction, as paralogs usually have very similar function, but will affect the reliability of prediction of protein-protein interactions. This estimate is calculated for each linked protein pair, and can be estimated roughly as:

$$\text{Fractional Error} = 1 - \frac{\sqrt{N}}{N},$$

where N is the number of paralogous protein pairs, (e.g., A linked to B, A' linked to B', A linked to B', and A' linked to B, in the case that A and A' are paralogs, as are B and B', and the linking proteins is AB as above).

The error can also be estimated as $1-T$, where T is the mean percent of potential true positives calculated for all domain pairs in an organism. For each domain pair linked by a Rosetta Stone protein, there are n proteins with the first domain but not the second, and m proteins with the second domain but not the first. The percent of true positives T is therefore estimated as the smaller of n or m divided by n times m . As this error T can be calculated for each set of linked domains, it can describe the confidence in any particular predicted interaction.

In addition, the error in functional links can be caused by small conserved regions or repeated common amino acid sequences being repeatedly identified in a “Rosetta Stone” protein by a plurality of distinct non-homologous polypeptides. To reduce this error the percent of identity between the “Rosetta Stone” and the distinct non-homologous polypeptide can be measured. Alignment percentages of about 50% to about 90%, or, alternatively, about 75%, between the “Rosetta Stone” and the distinct polypeptide are indicative of links that are not subject to the small peptide sequence.

Phylogenetic Pathway Method

The “phylogenetic profile” method compares protein sequences across all known genomes and analyzes the pattern of inheritance of each protein across the different organisms. In its simplest form, each protein is simply characterized by its presence or absence in each organism. For example, if there are 16 known genomes, then each protein may be assigned a 16-bit code or phylogenetic profile. Since proteins that function together

(*e.g.*, in the same metabolic pathway or as part of a larger functional or structural complex) evolve in a correlated fashion, they should have the same or similar patterns of inheritance, and therefore similar phylogenetic profiles. Therefore, the function of one protein may be inferred from the function of another protein, which has a similar profile, if its function is known. As with the Rosetta Stone method, the function of one protein is inferred from the function of another protein which is dissimilar in sequence. Furthermore, the predicted link between the proteins has utility in developing, for example, drug targets, diagnostics and therapeutics.

The phylogenetic profile method can be implemented in a binary code (*i.e.*, describing the presence or absence of a given protein in an organism) or a continuous code that describes how similar the related sequences are in the different genomes. In addition, grouping of similar protein profiles may be made wherein similar profiles are indicative of functionally related proteins. Furthermore, the requirements for similarity can be modified depending upon particular criteria by varying the difference in similar bit requirements. For example, criteria requiring that the degree of similarity in the profile include all 16 bits being identical can be set, but may be modified so that similarity in 15 bits of the 16 bits would indicate relatedness of the protein profiles as well. Statistical methods can be used to determine how similar two patterns must be in order to be related.

The phylogenetic profile method is applicable to any genome including, *e.g.*, viral, bacterial, archaeal or eukaryotic. The method of phylogenetic profile grouping provides the prediction of function for a previously uncharacterized protein(s). The method also allows prediction of new functional roles for characterized proteins based upon functional linkages. It also provides potential informative connections (*i.e.*, links) between uncharacterized proteins.

To represent the subset of organisms that contain a homolog a phylogenetic profile is constructed for each protein. The simplest manner to represent a protein's phylogenetic history is via a binary phylogenetic profile for each protein. This profile is a string with N entries, each one bit, where N corresponds to the number of genomes. The number of genomes can be any number of two or more (*e.g.*, 2, 3, 4, 5, 10, 100, to 1000 or more). The presence of a homolog to a given protein in the n^{th} genome is indicated with an entry of unity at the n^{th} position (*e.g.*, in a binary system an entry of 1). If no homolog is

found the entry is zero. Proteins are clustered according to the similarity of their phylogenetic profiles. Similar profiles show a correlated pattern of inheritance, and by implication, functional linkage. The method predicts that the functions of uncharacterized proteins are likely to be similar to characterized proteins within a cluster.

5 In order to decide whether a genome contains a protein related to another particular protein, the query amino acid sequence is aligned with each of the proteins from the genome(s) in question using known alignment algorithm (see above). To determine the statistical significance of any alignment score, the probability, p , of obtaining a higher score when the sequences are shuffled is described. One way to compute a p value threshold is to first consider the total number of sequence comparisons that are being aligned. If there are N proteins in a first organism's genome and M in all other genomes this number is $N \times M$. If this number were compared to random sequences it would be expected that one pair would yield a p value of $\frac{1}{NM}$. This value can be set as a threshold. Other thresholds may be used and will be recognized by those of skill in the art.

15 A non-binary phylogenetic profile can be used. In this method, the phylogenetic profile is a string of N entries where the n^{th} entry represents the evolutionary distance of the query protein to the homolog in the n^{th} genome. To define an evolutionary distance between two sequences an alignment between two sequences is performed. Such alignments can be carried out by any number of algorithms known in the art (for examples, see those described above). The evolution is represented by a Markov process with substitution rates, over a fixed interval of time, given by a conditional probability matrix:

$$p(aa \rightarrow aa')$$

25 where aa and aa' are any amino acids. One way to construct such a matrix is to convert the BLOSUM62 amino acid substitutions matrix (or any other amino acid substitution matrix, *e.g.*, PAM100, PAM250) from a log odds matrix to a conditional probability (or transition) matrix:

$$P_B(i \rightarrow j) = p(j)2^{\frac{\text{BLOSUM62}_{ij}}{2}} \quad (1)$$

30 $P(i \rightarrow j)$ is the probability that amino acid i will be replaced by amino acid j through point mutations according to the BLOSUM62 scores. The p_j 's are the abundances of amino

acid j and are computed by solving the 20 linear equations given by the normalization conditions that:

$$\sum_i P_B(i \rightarrow j) = 1 \quad . \quad (2)$$

5 The probability of this process is computed to account for the observed alignment by taking the product of the conditional probabilities for each aligned pair:

$$P(p) = \prod_n p(aa_n \rightarrow aa'_n) \quad . \quad (3)$$

10 A family of evolutionary models is then tested by taking powers of the conditional probability matrix: $p' = p^\alpha(aa \rightarrow aa')$. The power α that maximized P is defined to be the evolutionary distance.

Many other schemes may be imagined to deduce the evolutionary distance between two sequences. For example, one might simply count the number of positions in the sequence where the two proteins have adapted different amino acids.

15 Although the phylogenetic history of an organism can be presented as a vector (as described above), the phylogenetic profiles need not be vectors, but may be represented by matrices. This matrix includes all the pair wise distances between a group of homologous protein, each one from a different organism. Similarly, phylogenetic profiles could be represented as evolutionary trees of homologous proteins. Functional proteins could then be clustered or grouped by matching similar trees, rather than vectors or matrices.

20 In order to predict function, different proteins are grouped or clustered according to the similarity of their phylogenetic profiles. Similar profiles indicate a correlated pattern of inheritance, and by implication, functional linkage.

25 Grouping or clustering may be accomplished in many ways. The simplest is to compute the Euclidean distance between two profiles. Another method is to compute a correlation coefficient to quantify the similarity between two profiles. All profiles within a specified distance of the query profile are considered to be a cluster or group.

30 Typically a genome database will be used as a source of sequence information. Where the genome database contains only the nucleic acid sequence that sequence is translated to an amino acid sequence in frame (if known) or in all frames if unknown. Direct comparison of the nucleic acid sequences of two or more organisms may be feasible but will likely be more difficult due to the degeneracy of the genetic code.

Programs capable of translating a nucleic acid sequence are known in the art or easily programmed by those of skill in the art to recognize a codon sequence for each amino acid.

The phylogenetic profile provides an indication of those proteins in each of the at least two organisms that share some degree of homology. Such a comparison can be done by any number of alignment algorithms known in the art or easily developed by one skilled in the art (see, for example, those listed above, *e.g.*, BLAST, FASTA etc.) In addition, thresholds can be set regarding a required degree of homology. Each protein is then grouped at 224 with related proteins that share a similar phylogenetic profile using grouping algorithms.

“Functionally-, Structurally- or Metabolically- Linked” Method

The “physiologic linkage” method is a computational method that detects (*i.e.*, identifies) proteins, and the genes that encode them, that participate in a common functional pathway (*e.g.*, cell motility or cell division), that participate in the synthesis of the same or a similar structural complex (*e.g.*, a cell wall) or participate in the same or similar metabolic pathway (*e.g.*, glycolysis, lipid synthesis, and the like). Proteins within these common functional pathway groups are examples of “functionally linked” proteins. Having a common functional “goal” they evolve in a correlated fashion. Thus, “homologs” in different organisms can be comparatively identified. While these detection methods are very effective in identifying functional homologues in the same subset of organisms, functional linkages can be made between widely genetically disparate organisms.

In one aspect, metabolic pathways are defined as links between proteins that operate in the same metabolic pathway that can be identified by sequence identity searching, *e.g.*, by performing a BLAST search to find top-scoring polypeptides with high similarity (BLAST alignment E-value < 10^{-20}) to polypeptides identified in a known pathway. For example, *M. tuberculosis* proteins were so analyzed against *E. coli* proteins; MTB proteins whose *E. coli* homologs (*i.e.*, having high similarity by BLAST alignment) act adjacently in metabolic pathways as defined in the EcoCyc database (see, *e.g.*, Karp (1998) Nucleic Acids Res. 26:50-53) were identified.

In another example, flagellar proteins are found in bacteria that possess flagella but not in other organisms. Accordingly, if two proteins have homologs in the same subset of fully sequenced organisms, they are likely to be functionally linked. The methods

of the invention use this concept to systematically map links between all the proteins coded by a genome.

Typically, functionally linked proteins have no amino acid sequence similarity with each other and, therefore, cannot be linked by conventional sequence alignment techniques. Accordingly, the methods of the invention identify drug targets that could not be identified using conventional sequence comparison (i.e., sequence homology or sequence identity) techniques.

Prediction of functionally linked proteins by the “phylogenetic method” can also be used in conjunction with the “domain fusion” or “Rosetta Stone” method and also can be filtered by other methods that predict functionally linked proteins, such as the protein phylogenetic profile method or the analysis of correlated mRNA expression patterns. It was found that filtering by these two methods for the Rosetta Stone prediction for *S. cerevisiae*, that proteins predicted to be functionally linked by two or more of these three methods were as likely to be functionally related as proteins that were observed to physically interact by experimental techniques like yeast 2-hybrid methods or co-immunoprecipitation methods.

For example, a combination of these methods of prediction can be used to establish links between proteins of closely related function. The methods of the invention (i.e., the “Rosetta Stone” method and the “phylogenetic profile” method) can be combined with one another or with other protein prediction methods known in the art; see, for example, Eisen (1998) “Cluster analysis and display of genome-wide expression partners,” *Proc. Natl. Acad. Sci. USA*, 95:14863-14868.

The various techniques, methods, and variations thereof described can be implemented in part or in whole using computer-based systems and methods. Additionally, computer-based systems and methods can be used to augment or enhance the functionality described above, increase the speed at which the functions can be performed, and provide additional features and aspects as a part of or in addition to those of the invention described elsewhere in this document. Various computer-based systems, methods, and implementations in accordance with this technology are described herein.

Proteins linked to current drug targets

The invention also provides a novel method for identifying a polypeptide, or the nucleic acid sequence that encodes it, that is a target for a drug. The method analyzes the

functional relationship between at least two sequences, wherein at least one of the sequences is a known target of a drug or encodes a polypeptide drug target. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to the targets of known drugs. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

Thus, this aspect of the invention provides methods identifying drug targets from among all or a subset of genes in a genome using computationally-determined functional linkages. In one implementation of the method, functional linkages are calculated using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, between all “query genome genes.” Next, each set of genes predicted to be functionally linked to either a known drug target or to a sequence homolog or ortholog (defined below) to a known drug target are examined. These proteins (and the nucleic acids that encode them) are functionally linked to known drug targets; thus, they are operating in the same pathways or systems targeted by the known drug. Accordingly, the methods of the invention have identified them as drug targets.

This method is particularly effective for identifying drug targets in pathogens, such as microorganisms, e.g., bacteria, viruses and the like. This method allows for the identification of novel drug targets that cannot be identified by other techniques, such as traditional sequence homology or sequence identity comparison techniques. Several known drug targets in *M. tuberculosis* were used with the methods of the invention to use functional linkages to identify potential new drug targets in the same pathways as the known drug targets.

There are very few drugs that are effective for anti-tuberculosis therapy, since the complex lipid-rich mycobacterial cell wall is impermeable to many antibacterial agents. Additionally, single- and multi-drug resistance is rapidly emerging against these drugs. To address this issue, the methods of the invention were used to identify *Mycobacterium tuberculosis* (MTB or TB) proteins that are functionally linked to the targets of known drugs. Inhibiting these proteins should have the same effect on the organism as the drug, since the same processes or pathways would be disrupted. Targeting multiple components of a given biochemical pathway would also diminish the opportunity for the development of resistance

because various related proteins would have to mutate against inhibitors while preserving the overall functionality of the pathway.

A list of targets of essential anti-TB drugs (World Health Organization, Geneva, Switzerland) was compiled. The anti-TB drugs included isoniazid, rifampicin, ethambutol, streptomycin, pyrazinamide and thiacetazone. Although not enough is known about the molecular basis of action of the latter two, the functional linkages of the known drug targets was examined.

Isoniazid. This is one of the most widely used of all anti-tuberculosis drugs. It is believed that the compound is activated by the catalase-peroxidase KatG. Once activated, it then attaches to a nicotinamide adenine dinucleotide bound to the enoyl-acyl carrier protein reductase InhA, resulting in the inhibition of mycolic acid biosynthesis Rozwarski (1998) Science 279:98-102.

Using the “phylogenetic profile, the inhA gene was “linked,” or functionally associated with, to two polyketide synthases, pks1 and pks6 (Figure 1), both of which contain acyl carrier protein motifs. The polyketide synthase pks6 is in turn known from established metabolic pathways to be linked to fatty acid biosynthesis gene accD3. Further, pks6 is linked to fadD28 and to the operon containing the genes ppsA-E, all recently reported to be crucial for bacterial replication in host lungs (see, e.g., Cox (1999) Nature 402:79-83).

The inhA gene was also linked to an operon encoding two putative oxidoreductases and a gene of entirely unknown function. The inhA gene was further linked to a second operon that includes pepR and gpsI. PepR is a protease whose *Bacillus subtilis* homolog is adjacent to the genes coding for enzymes that synthesize diaminopimelate, a component of the cell wall incorporated by the murE gene product and diaminopicolinate (see, e.g., Chen (1993) J. Biol. Chem. 268:9448-9465). PepR is an ortholog of an essential yeast gene and is likely to be essential for MTB (see below). GpsI is a putative multifunctional enzyme involved in guanosine pentaphosphate synthesis and polyribonucleotide nucleotidyltransfer. The high reliability of the predicted functional link between gpsI and pepR and the absence of eukaryotic homologs suggests that gpsI could be a promising target for drug design.

Rifampicin. This compound, along with the related rifabutin and KRM-1648 are believed to act by directly targeting the RNA polymerase β -subunit (rpoB) given that

96% of resistant isolates were found to have mutations of various types in a limited region of the *rpoB* gene (see, e.g., Yang (1998) J. Antimicrob. Chemother. 42:621-628).

Using the methods of the invention, as expected, functional linkages were found to another RNA polymerase subunit, *rpoC*, as well as to various tRNA synthases and ribosomal proteins. However, no functional links to uncharacterized proteins were found.

Ethambutol. This drug is effective against tuberculosis when used in combination with isoniazid. It is believed that the drug interacts with the EmbB protein, a probable arabinosyl-transferase, inhibiting the biosynthesis of arabinan, a component of cell-envelope lipids. As with rifampicin, the evidence for this interaction is indirect, since mutations in the *embB* gene are responsible for ethambutol resistance (see, e.g., Lety (1997) Antimicrob. Agents Chemother. 41:2629-2633).

The “gene proximity” method correctly clusters *embB* with *embA* (Rv3794). This cluster is linked to a set of mostly uncharacterized genes by the “phylogenetic profile” method; see Figure 2, which shows an analysis of EmbB, the target for the anti-tuberculosis drug Ethambutol, and shows functional linkages to genes mostly of unknown function but with some indications of localization at the bacterial membrane.

Two of the uncharacterized genes, Rv1706c and Rv1800, belong to the abundant PE/PPE family of proteins hypothesized to be a source of antigenic variation with the potential ability to interfere with immune responses by inhibiting antigen processing (see, e.g., Cole (1998) Nature 393, 537-544). A third uncharacterized gene, Rv1967 belongs to the one of the four copies of the *mce* operon. This operon consists of eight genes coding for integral membrane proteins and proteins that have N-terminal signal sequences or hydrophobic segments and are believed to be involved in pathogenicity (see, e.g., Cole (1998) supra). Rv0528 codes for a hypothetical membrane protein and Rv2159c corresponds to the *murF* gene, which participates in the biosynthesis of peptidoglycan precursors.

The majority of the “links,” or functionally associated sequences, involved proteins associated with processes related to the bacterial cell wall (with the possible exception of *atsA* and the putative choline dehydrogenase Rv1279, whose relationship to these processes is not immediately obvious). The proteins of unknown function are therefore also expected to play some role in these processes and are thus of interest as potential drug targets.

Streptomycin. This drug acts by binding to the 16S rRNA and inhibits protein synthesis. Resistance to this compound emerges from mutations in the corresponding gene (*rrs*), as well as in the gene encoding for the ribosomal protein S12 (*rpsL*). Disruptions to *RpsL* effect streptomycin resistance by altering the higher order structure of 16S rRNA (see, e.g., Sreevatsan (1996) *Antimicrob. Agents Chemother.* 40:1024-1026).

Although streptomycin doesn't directly target *RpsL*, the functional links generated for this protein was examined, as any target whose inhibition will ultimately disrupt bacterial protein synthesis is likely to be an effective antigrowth/ anti-microbial target. As with the rifampicin target, the only functional linkages found for this protein were the expected protein synthesis-related proteins, including large ribosomal subunit proteins L2, L5, L11, and L14; small ribosomal subunit proteins S4, S5, S7, S8, and S11; elongation factors *fusA* and *Ef-Tu*; the chaperones *GroEL*, *clpB* and *ftsH*; and the *Clp* protease subunits *clpC* and *clpX*.

Proteins linked to cell-wall related proteins

The invention also provides a novel method for identifying a nucleic acid or a polypeptide sequence in an organism that is linked to a cell-wall related protein. The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is a cell-wall related protein, or, the sequence is a nucleic acid sequence that encodes a cell-wall related protein. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to a cell-wall related protein. The functional linkage is determined by using the "domain fusion" method, the "phylogenetic profile" method or the "physiologic linkage" method, or a combination thereof, as described herein.

Approximately eleven *M. tuberculosis* proteins are indicated by sequence homology to be penicillin-binding proteins, thought to synthesize peptidoglycan in the course of cell elongation and cell wall metabolism (see, e.g., Broome-Smith (1985) *Eur. J. Biochem.* 147:437-446). Using the methods of the invention, the functional linkages found for these proteins map out many of the known cell wall synthetic enzymes and reveal more than 10 proteins of unknown function that may also participate in cell wall metabolism. Figure 3 shows an analysis of five of the approximately eleven MTB proteins presumed to bind penicillin to reveal functional linkages to various potential operons consisting of genes

involved in various aspects of cell wall metabolism, including cell shape determination and peptidoglycan biosynthesis, as well more than ten genes of unknown function, which we can now associate with cell wall metabolism.

Three of the proteins (pbpA, pbpB, and ponA1) reside in conserved gene clusters, presumably operons. Other genes in the clusters around pbpA and pbpB are also implicated in cell wall metabolism. For example, pbpA resides next to rodA, a membrane-associated protein whose *E. coli* homolog determines cell shape and is required for enzymatic activity of penicillin binding proteins (see, e.g., Matsuzawa (1989) J. Bacteriol. 171:558-560). Likewise, pbpB resides next to six peptidoglycan biosynthesis genes and the two septum and cell wall formation proteins ftsW and ftsZ.

Two additional gene clusters were linked to these penicillin binding proteins by either the “phylogenetic profile” or “Rosetta Stone” pattern methods of the invention. One cluster is composed of the peptidoglycan synthetic protein murB and a putative membrane protein of unknown function that the functional linkages suggest is involved in cell wall metabolism. The second gene cluster contains four genes, three of which are predicted to reside in the cell membrane or envelope. Therefore, the uncharacterized genes in these clusters are likely to be involved in cell wall metabolism, closely related to the function of the penicillin binding proteins and are therefore promising drug targets.

Another gene linked to cell wall metabolism by the computationally-derived linkage methods of the invention is gcpE, see Figure 4, which shows that the uncharacterized gene gcpE, known to be essential for bacterial survival (see, e.g., Baker (1992) FEMS Microbiol. Lett. 73:175-180), is predicted to be involved in cell wall metabolism through its functional links to a putative membrane protein and two murein hydrolase genes, lytB1 and lytB2, involved in cell separation. The genes forming a putative operon with gcpE are proposed as potential drug targets. The functional linkages place gcpE in a conserved gene cluster with two genes of unknown function, one of which encodes a membrane protein. However, the three genes show correlated inheritance with two homologs of lytB, an *E. coli* gene involved in penicillin tolerance (see, e.g., Gustafson (1993) J. Bacteriol. 175:1203-1205) and recently shown to encode a murein hydrolase essential for cell separation (see, e.g., Garcia (1999) Mol. Microbiol. 31:1275-1277). The uncharacterized proteins from this

cluster are therefore expected to participate in processes similar to GcpE and might therefore be promising drug targets.

Proteins linked to potentially novel pathways

The invention also provides a novel method for identifying a polypeptide, or a nucleic acid that encodes it, that is linked to potentially novel biochemical (e.g., biosynthetic, metabolic) pathways. The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is associated with a biochemical pathway, such as a pathway in a microorganism that enables the pathogen to evade an immune process. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to the pathway-linked sequences. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

For example, the *htrA* gene encodes for a putative heat shock protein homologous to HtrA from *Salmonella typhimurium*, a serine protease that degrades aberrant periplasmic proteins. Mutations in this protein have been linked with reduced viability in host macrophages (see, e.g., Johnson (1991) Mol. Microbiol. 5:401-407). Thus, it was decided to investigate the function of *htrA*. Using the methods of the invention, results indicated that the *htrA* protein is part of a process that has not yet been characterized. The gene is predicted with very high reliability to function with the uncharacterized gene Rv1224c, see Figure 5, which shows the involvement of *htrA* in a potentially novel pathway and the gene encoding the putative heat shock protein HtrA is functionally linked to a set of genes mostly of unknown function, suggesting the existence of a novel pathway. The partially characterized proteins suggest that the pathway relates to membrane-associated processes such as signaling and/or transport. The lack of eukaryotic homologs for most of the genes linked to *htrA*, suggests that proteins of this pathway could be promising drug targets.

Through its phylogenetic profile, *htrA* is linked to a group of uncharacterized proteins, including a putative lipid esterase (Rv1900c), an ABC transporter (Rv3783) and the uncharacterized protein Rv1216c, which has weak homology to the laminin B receptor of *Xenopus laevis*, suggesting that it might be a membrane protein. From this analysis, it can be concluded that *htrA* is part of a novel pathway that involves membrane-associated processes,

such as signaling and/or transport. Because the majority of the proteins linked to htrA have no eukaryotic homologs, and given the importance of htrA in *S. typhimurium* pathogenesis, this pathway represents another potential source of novel targets for anti-tuberculosis drugs.

Proteins linked to essential proteins

5 The invention also provides a novel method for identifying a polypeptide, or the nucleic acid sequence that encodes it, that is linked to an essential protein (e.g., a protein necessary for the growth of an organism, such as a bacterium). The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is linked to an essential protein, or, the sequence is a nucleic acid sequence that itself is
10 essential or encodes a polypeptide linked to an essential protein. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

 For example, the MIPS database (Munich Information Center for Protein Sequences; MIPS provides access through its WWW server to a spectrum of generic
15 databases, including PEDANT, MYGD, MATD, MEST, the PIR-International Protein Sequence Database, the protein family database PROTFAM, the MITOP database, and the all-against-all FASTA database; see, e.g., Mewes (1999) Nucleic Acids Res. 27:44-48) contains a list of 734 genes that are essential for *Saccharomyces cerevisiae* viability (see, e.g., Mewes (1999) supra). A list of *Mycobacterium tuberculosis* genes orthologous to these
20 essential genes was generated. Using the methods of the invention, 60 such genes were found. The products of these genes have a high likelihood of also being essential to the tuberculosis bacterium and therefore could be promising therapeutic targets. Furthermore, since the list of essential genes came from a eukaryote, there is a significant chance that these genes would also be found in the human genome.

Automatic Method to Identify Drug Targets from Functional Linkages

25 One aspect of the invention provides a computational method to identify potential drug targets among the proteins expressed by a genome. This aspect takes advantage of the functional linkages calculated between genes in a genome using the methods described herein, as well as the detection of sequence homology and the knowledge
30 of a set of lethal or “essential” genes in one or more organisms.

To identify drug targets in a query genome, the sequence homology between all of the genes in that genome and all of the genes in the genome of an organism for which essential genes are known is calculated. For example, as discussed herein, the query genome is *Mycobacterium tuberculosis* (TB) and the genome with known essentials is the yeast *S. cerevisiae*. Sequence homology between all TB genes and all yeast genes was calculated using the methods of the invention.

“Equivalent” or “orthologous” genes were also identified by another aspect of the invention that comprises doing a reverse sequence search (e.g., yeast vs. TB) and then choosing pairs of genes that are the symmetric best-scoring sequence search. In one exemplary aspect, MTB orthologs of *Saccharomyces cerevisiae* genes were generated by finding all pairs of genes (TB_i, SC_j) where TB_i was the top hit from a BLAST search of the yeast gene SC_j against the MTB genome, SC_j was the top hit from a BLAST search of the MTB gene TB_i against the *Saccharomyces cerevisiae* genome and both top hits had a BLAST E-value $\leq 1 \times 10^{-5}$.

For example, a TB gene is an ortholog of a yeast gene if the yeast gene is the best scoring sequence match when yeast is searched with the TB gene, and the TB gene is the best scoring sequence match when TB is searched with the yeast gene. We define these “symmetric” pairs as “orthologs.”

After identifying orthologs between the query genome and the genome with known essential genes, a set of query genome genes that are orthologs of known essential genes in the other genome was chosen. These genes were designated the set of “putative essentials”. For the purposes of the algorithm of the invention, these query genome genes are assumed to be essential genes, since they are the equivalents of essential genes in another genome. These genes act as “markers” or indicators of essential pathways in the query genome. One could supplement this set with genes already known to be essential in the query organism. Functional linkages (determined by the methods of the invention) between all query genome genes were examined. The query genome genes linked to all of the putative essential genes were examined. This set of genes was designated as the “predicted members of essential pathways.” These genes are likely to be involved in important pathways, since the (predicted) pathways have members that are putative essentials. Lastly, the method removes from the set of genes in predicted essential pathways all of those genes

that have sequence homology to eukaryotic genes or proteins. The genes that remain after this filtering step are the predicted drug targets for the query organism.

As a benchmark, this method was applied to the *M. tuberculosis* genome. Of the over 3900 genes in TB, 11 were identified as potential drug targets. Comparing this list of 11 predicted targets to the less than 10 known drug anti-TB drug targets, one gene was a known drug target and one was linked to a known drug target. Accordingly, the algorithm of the invention performed statistically significantly much better than a random choice of genes. A rough estimate of statistical significance suggests that one would expect to see 2 of 10 known drug targets in a sample of 11 out of 3900 genes only 3.8 times out of 10,000 trials (probability of occurring by random chance of 3.8×10^{-4}). Therefore, this embodiment of the method is an entirely computational algorithm drawing on the demonstrated ability of the general methods of the invention to predict functional linkages between genes and to effectively identify drug targets in bacteria. The effectiveness of this method to identify novel drug targets was clearly demonstrated when the algorithm was applied to the *M. tuberculosis* genome.

The specific inhibition of the MTB homologs might be difficult. To address this issue, using the methods of the invention, functional links to the essential genes were searched. Functional links were selected which either do not have homologs in yeast, or the enzymatic activity of their products are known to be absent in human cells. Using the highest confidence data, functional links for 23 of the genes (indicated in **bold** in Table 1) were found.

Table 1

Name [†]	Gene	Comments	Name	Gene	Comments
Rv0005[†]	gyrB	DNA gyrase subunit B	Rv2101	helZ	probable helicase, Snf2/Rad54 family
Rv0014c	pknB	serine-threonine protein kinase	Rv2110c	prcB	proteasome [beta]-type subunit 2
Rv0032	bioF2	C-terminal similar to B. subtilis BioF	Rv2118c	-	= B2126_C1_165 (83.6%)
Rv0350	dnaK	70 kD heat shock protein, chromosome replication	Rv2438c	-	similar to YHN4_YEAST P38795
Rv0363c	fba	fructose bisphosphate aldolase	Rv2439c	proB	glutamate 5-kinase
Rv0435c	-	ATPase of AAA-family	Rv2448c	valS	valyl-tRNA synthase
Rv0436c	pssA	CDP-diacylglycerol-serine o-phosphatidyltransferase	Rv2509	-	putative oxidoreductase
Rv0440	groEL2	60 kD chaperonin 2	Rv2524c	fas	fatty acid synthase
Rv0489	gpm	phosphoglycerate mutase I	Rv2555c	alaS	alanyl-tRNA synthase
Rv0490	senX3	sensor histidine kinase	Rv2580c	hisS	histidyl-tRNA synthase
Rv0500	proC	pyrroline-5-carboxylate reductase	Rv2614c	thrS	threonyl-tRNA synthase
Rv0667	rpoB	[beta] subunit of RNA polymerase	Rv2697c	dut	deoxyuridine triphosphatase
Rv0668	rpoC	[beta]' subunit of RNA polymerase	Rv2782c	pepR	protease/peptidase, M16 family (insulinase)
Rv0764c	-	possible lanosterol 14-demethylase cytochrome P450	Rv2793c	truB	tRNA pseudouridine 55 synthase
Rv0861c	-	probable DNA helicase	Rv2922c	smc	member of Smc1/Cut3/Cut14 family
Rv1010	ksgA	16S rRNA dimethyltransferase	Rv2925c	rnc	RNAse III
Rv1106c	-	probable cholesterol dehydrogenase	Rv3014c	ligA	DNA ligase
Rv1229c	mrp	similar to MRP/NBP35 ATP-binding proteins	Rv3025c	-	NifS-like protein
Rv1239c	corA	probable magnesium and cobalt transport protein	Rv3080c	pknK	serine-threonine protein kinase
Rv1294	thrA	homoserine dehydrogenase	Rv3106	fprA	adrenodoxin and NADPH ferredoxin reductase
Rv1323	fadA4	acetyl-CoA C-acetyltransferase (aka thiL)	Rv3255c	manA	mannose-6-phosphate isomerase
Rv1389	gmK	putative guanylate kinase	Rv3264c	rmlA2	glucose-1-phosphate thymidyltransferase
Rv1407	fmu	similar to Fmu protein	Rv3418c	groES	10 kD chaperone
Rv1409	ribG	riboflavin biosynthesis	Rv3490	otsA	probable [alpha]-,trehalose-phosphate synthase
Rv1617	pykA	pyruvate kinase	Rv3598c	lysS	lysyl-tRNA synthase
Rv1630	rpsA	30S ribosomal protein S1	Rv3608c	folP	dihydropteroate synthase
Rv1745c	-	similar to Q46822 ORF_O182	Rv3609c	folE	GTP cyclohydrolase I
Rv1844c	gnd	6-phosphogluconate dehydrogenase (Gram -)	Rv3721c	dnaZX	DNA polymerase III,[gamma] (dnaZ) and t (dnaX)
Rv1981c	nrdF	ribonucleotide reductase small subunit	Rv3834c	serS	seryl-tRNA synthase
Rv2092c	heliY	probable helicase, Ski2 subfamily	Rv3907c	pcnA	polynucleotide polymerase

[†] We follow the Sanger Centre naming convention for MTB genes.

[‡] Genes for which high-confidence functional links were found shown in **boldface**

Eight of these were linked to 12 unique MTB genes that satisfied the criteria of the invention's methods (Table 1). Exemplary findings include:

(1) the gene folP, which encodes the enzyme dihydropteroate synthase (DHPS) known to be the target of sulfonamide antibacterial drugs. Although it is found in some eukaryotes, DHPS activity is not found in human cells (see, e.g., Huovinen (1995) Antimicrob. Agents Chemother. 39:279-2890.

(2) the product of the gene folK, a 7,8-dihydro-6-hydroxymethyl-pterinpyrophosphokinase, has recently been proposed as a target for broad-spectrum antibacterial drugs (see, e.g., Stammers (1999) FEBS Lett. 456:49-53).

(3) the gene gpsI, is not only strongly linked to the essential yeast gene pepR, but it is also functionally linked to inhA, the target of the drug isoniazid (see above), making it a very compelling candidate for drug design.

Table 2. Subset of genes from Table 1 that are functionally linked to genes without yeast homologs.

Gene	Link [†]	Comments
Rv0005	Rv0002	dnaN DNA polymerase III, β -subunit
	Rv0003	recF DNA replication and SOS induction
	Rv0006	gyrA DNA gyrase subunit A
Rv0350	Rv0351	grpE stimulates DnaK ATPase activity
	Rv0352	dnaJ acts with GrpE to stimulate DnaK ATPase
Rv1010	Rv1008	Similar to <i>E.coli</i> hypothetical protein YcfH
	Rv1009	Possible lipoprotein, similar to various other MTB proteins
	Rv1011	Similar to <i>E.coli</i> hypothetical protein YcbH
Rv2439c	Rv2427c	proA γ -glutamyl phosphate reductase
	Rv2440c	obg Obg GTP-binding protein
	Rv2441c	rpmA 50S ribosomal protein L27
	Rv2442c	rplU 50S ribosomal protein L21
Rv2782c	Rv2783c	gpsI pppGpp synthase and polyribonucleotide phosphorylase
Rv3598c	Rv3600c	similar to <i>Bacillus subtilis</i> hypothetical protein YacB
	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3608c[‡]	folP dihydropteroate synthase (DHPS)
	Rv3610c	ftsH inner membrane protein, chaperone
Rv3608c	Rv3598c	lysS lysyl-tRNA synthase
	Rv3600c	similar to <i>Bacillus subtilis</i> hypothetical protein YacB
	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3609c	folE GTP cyclohydrolase I
	Rv3610c	ftsH inner membrane protein, chaperone
Rv3609c	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3608c[‡]	folP dihydropteroate synthase (DHPS)

[†] Genes without yeast homologs shown in **boldface**[‡] DHPS activity is found in some eukaryotic cells but not in human cells

In summary, the methods of the invention allowed identification of this combination of functional linkages to essential genes. This information, together with the lack of eukaryotic homologs for these genes, makes this group of proteins promising drug targets, particularly because their inhibition is expected to disrupt vital bacterial processes with a low likelihood of toxicity from the inhibition of a host equivalent.

Computer Implementation

The various techniques, methods, and aspects of the invention described herein can be implemented in part or in whole using computer-based systems and methods. Additionally, computer-based systems and methods can be used to augment or enhance the functionalities and algorithms described herein, increase the speed at which the functions can be performed, and provide additional features and aspects as a part of or in addition to those of the invention described elsewhere in this document. Various exemplary computer-based systems, methods and implementations in accordance with the above-described technology are presented herein.

The processor-based system can include a main memory, such as a random access memory (RAM), and can also include a secondary memory. The secondary memory can include, for example, a hard disk drive and/or a removable storage drive, representing a floppy disk drive, a magnetic tape drive, an optical disk drive, *etc.* The removable storage drive reads from and/or writes to a removable storage medium. Removable storage media can be a floppy disk magnetic tape, an optical disk, and the like, which can be read by and written to by removable storage drive. The removable storage media can includes a computer usable storage medium having stored therein computer software and/or data.

In alternative embodiments, secondary memory may include other similar means for allowing computer programs or other instructions to be loaded into a computer system. Such means can include, for example, a removable storage unit and an interface. Examples of such can include a program cartridge and cartridge interface (such as the found in video game devices), a movable memory chip (such as an EPROM, or PROM) and associated socket, and other removable storage units and interfaces that allow software and data to be transferred from the removable storage unit to the computer system.

The computer system can also include a communications interface. Communications interfaces allow software and data to be transferred between computer system and external devices. Examples of communications interfaces include modems, network interfaces (such as, for example, an Ethernet card), communications ports, PCMCIA slots and cards, and the like. Software and data transferred via a communications interface can be in the form of signals that can be electronic, electromagnetic, optical or other signals capable of being received by a communications interface. These signals can be provided to

communications interface via a channel capable of carrying signals and can be implemented using a wireless medium, wire or cable, fiber optics or other communications medium. Some examples of a channel can include a phone line, a cellular phone link, an RF link, a network interface, and other communications channels.

5 As used herein, the terms “computer program medium” and “computer usable medium” are used to generally refer to media such as a removable storage device, a disk capable of installation in a disk drive, and signals on a channel, or equivalents thereof. These computer program products are means for providing software or program instructions to computer systems. Computer programs (also called computer control logic) can be stored in
10 main memory and/or secondary memory. Computer programs can also be received via a communications interface. Such computer programs, when executed, enable the computer system to perform the features of the present invention as discussed herein. Computer programs, when executed, enable the processor to perform the features of the present invention. Accordingly, in one aspect of the invention, such computer programs represent
15 controllers of the computer system.

 In another aspect of the invention the methods and algorithms are implemented using software, the software may be stored in, or transmitted via, a computer program product and loaded into a computer system using a removable storage drive, hard drive or communications interface. The control logic (software), when executed by the
20 processor, causes the processor to perform the functions of the invention as described herein.

 In another aspect, the elements are implemented primarily in hardware using, for example, hardware components such as PALs, application specific integrated circuits (ASICs) or other hardware components. Implementation of a hardware state machine so as to perform the functions described herein will be apparent to person skilled in the relevant
25 art(s). In yet another embodiment, elements are implanted using a combination of both hardware and software.

 In another aspect, the computer-based methods can be accessed or implemented over the World Wide Web by providing access via a Web Page to the methods of the present invention. Accordingly, the Web Page is identified by a Universal Resource
30 Locator (URL). The URL denotes both the server machine, and the particular file or page on that machine. In this embodiment, it is envisioned that a consumer or client computer system

interacts with a browser to select a particular URL, which in turn causes the browser to send a request for that URL or page to the server identified in the URL. Typically the server responds to the request by retrieving the requested page, and transmitting the data for that page back to the requesting client computer system (the client/server interaction is typically performed in accordance with the hypertext transport protocol ("HTTP")). The selected page is then displayed to the user on the client's display screen. The client may then cause the server containing a computer program of the present invention to launch an application comprising a method of the invention, for example, to identify a nucleic acid or a polypeptide sequence that may be a target for a drug comprising the steps of (a) providing a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) providing an algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a "physiologic linkage" method; and, (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one algorithm to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, based on a query sequence provided by the client.

Nucleic Acids and Polypeptides

The invention also provides isolated nucleic acids and polypeptides comprising the sequences as set forth in Table 3 and Table 4 (below). As used herein, "isolated," when referring to a molecule or composition, such as, *e.g.*, an isolated infected cell comprising a nucleic acid sequence derived from a library of the invention, means that the molecule or composition (including, *e.g.*, a cell) is separated from at least one other compound, such as a protein, DNA, RNA, or other contaminants with which it is associated *in vivo* or in its naturally occurring state. Thus, a nucleic acid or polypeptide or peptide sequence is considered isolated when it has been isolated from any other component with which it is naturally associated. An isolated composition can, however, also be substantially pure. An isolated composition can be in a homogeneous state. It can be in a dry or an aqueous solution. Purity and homogeneity can be determined, *e.g.*, using any analytical chemistry technique, as described herein.

The term "nucleic acid" or "nucleic acid sequence" refers to a deoxy-ribonucleotide or ribonucleotide oligonucleotide, including single- or double-stranded, or coding or non-coding (e.g., "antisense") forms. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogues of natural nucleotides. The term also encompasses nucleic-acid-like structures with synthetic backbones, see e.g., *Oligonucleotides and Analogues, a Practical Approach*, ed. F. Eckstein, Oxford Univ. Press (1991); *Antisense Strategies*, Annals of the N.Y. Academy of Sciences, Vol 600, Eds. Baserga et al. (NYAS 1992); Milligan (1993) *J. Med. Chem.* 36:1923-1937; *Antisense Research and Applications* (1993, CRC Press), WO 97/03211; WO 96/39154; Mata (1997) *Toxicol. Appl. Pharmacol.* 144:189-197; Strauss-Soukup (1997) *Biochemistry* 36:8692-8698; Samstag (1996) *Antisense Nucleic Acid Drug Dev* 6:153-156. As used herein, the "sequence" of a nucleic acid or gene refers to the order of nucleotides in the polynucleotide, including either or both strands (sense and antisense) of a double-stranded DNA molecule, e.g., the sequence of both the coding strand and its complement, or of a single-stranded nucleic acid molecule (sense or antisense). For example, in alternative embodiments, promoters drive the transcription of sense and/or antisense polynucleotide sequences of the invention, as exemplified by Table 3.

The terms "polypeptide," "protein," and "peptide" include compositions of the invention that also include "analogs," or "conservative variants" and "mimetics" ("peptidomimetics") with structures and activity that substantially correspond to the exemplary sequences, such as the sequences in Table 4. Thus, the terms "conservative variant" or "analog" or "mimetic" also refer to a polypeptide or peptide which has a modified amino acid sequence, such that the change(s) do not substantially alter the polypeptide's (the conservative variant's) structure and/or activity (e.g., immunogenicity, ability to bind to human antibodies, etc.), as defined herein. These include conservatively modified variations of an amino acid sequence, i.e., amino acid substitutions, additions or deletions of those residues that are not critical for protein activity, or substitution of amino acids with residues having similar properties (e.g., acidic, basic, positively or negatively charged, polar or non-polar, etc.) such that the substitutions of even critical amino acids does not substantially alter structure and/or activity. Conservative substitution tables providing functionally similar amino acids are well known in the art. For example, one exemplary guideline to select conservative substitutions includes (original residue followed by exemplary substitution):

ala/gly or ser; arg/ lys; asn/ gln or his; asp/glu; cys/ser; gln/asn; gly/asp; gly/ala or pro; his/asn or gln; ile/leu or val; leu/ile or val; lys/arg or gln or glu; met/leu or tyr or ile; phe/met or leu or tyr; ser/thr; thr/ser; trp/tyr; tyr/trp or phe; val/ile or leu. An alternative exemplary guideline uses the following six groups, each containing amino acids that are conservative substitutions for one another: 1) Alanine (A), Serine (S), Threonine (T); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); and 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); (see also, e.g., Creighton (1984) *Proteins*, W.H. Freeman and Company; Schulz and Schirmer (1979) *Principles of Protein Structure*, Springer-Verlag). One of skill in the art will appreciate that the above-identified substitutions are not the only possible conservative substitutions. For example, for some purposes, one may regard all charged amino acids as conservative substitutions for each other whether they are positive or negative. In addition, individual substitutions, deletions or additions that alter, add or delete a single amino acid or a small percentage of amino acids in an encoded sequence can also be considered “conservatively modified variations.”

The terms “mimetic” and “peptidomimetic” refer to a synthetic chemical compound that has substantially the same structural and/or functional characteristics of the polypeptides of the invention (e.g., ability to bind, or “capture,” human antibodies in an ELISA). The mimetic can be either entirely composed of synthetic, non-natural analogues of amino acids, or, is a chimeric molecule of partly natural peptide amino acids and partly non-natural analogs of amino acids. The mimetic can also incorporate any amount of natural amino acid conservative substitutions as long as such substitutions also do not substantially alter the mimetics’ structure and/or activity. As with polypeptides of the invention which are conservative variants, routine experimentation will determine whether a mimetic is within the scope of the invention, i.e., that its structure and/or function is not substantially altered. Polypeptide mimetic compositions can contain any combination of non-natural structural components, which are typically from three structural groups: a) residue linkage groups other than the natural amide bond (“peptide bond”) linkages; b) non-natural residues in place of naturally occurring amino acid residues; or c) residues which induce secondary structural mimicry, i.e., to induce or stabilize a secondary structure, e.g., a beta turn, gamma turn, beta sheet, alpha helix conformation, and the like. A polypeptide can be characterized as a

mimetic when all or some of its residues are joined by chemical means other than natural peptide bonds. Individual peptidomimetic residues can be joined by peptide bonds, other chemical bonds or coupling means, such as, e.g., glutaraldehyde, N-hydroxysuccinimide esters, bifunctional maleimides, N,N'-dicyclohexylcarbodiimide (DCC) or N,N'-diisopropylcarbodiimide (DIC). Linking groups that can be an alternative to the traditional amide bond ("peptide bond") linkages include, e.g., ketomethylene (e.g., -C(=O)-CH₂- for -C(=O)-NH-), aminomethylene (CH₂-NH), ethylene, olefin (CH=CH), ether (CH₂-O), thioether (CH₂-S), tetrazole (CN₄-), thiazole, retroamide, thioamide, or ester (see, e.g., Spatola (1983) in Chemistry and Biochemistry of Amino Acids, Peptides and Proteins, Vol. 7, pp 267-357, "Peptide Backbone Modifications," Marcell Dekker, NY). A polypeptide can also be characterized as a mimetic by containing all or some non-natural residues in place of naturally occurring amino acid residues; non-natural residues are well described in the scientific and patent literature.

The invention comprises nucleic acids comprising sequences as set forth in Table 3, or comprising nucleic acids encoding the polypeptides as set forth in Table 4, operably linked to a transcriptional regulatory sequence. As used herein, the term "operably linked," refers to a functional relationship between two or more nucleic acid (e.g., DNA) segments. Typically, it refers to the functional relationship of a transcriptional regulatory sequence to a transcribed sequence. For example, a promoter (defined below) is operably linked to a coding sequence, such as a nucleic acid of the invention, if it stimulates or modulates the transcription of the coding sequence in an appropriate host cell or other expression system. Generally, promoter transcriptional regulatory sequences that are operably linked to a transcribed sequence are physically contiguous to the transcribed sequence, *i.e.*, they are *cis*-acting. However, some transcriptional regulatory sequences, such as enhancers, need not be physically contiguous or located in close proximity to the coding sequences whose transcription they enhance. For example, in one embodiment, a promoter is operably linked to an ORF-containing nucleic acid sequence of the invention, as exemplified by, e.g., a nucleic acid sequence as set forth in Table 3.

As used herein, the term "promoter" includes all sequences capable of driving transcription of a coding sequence in an expression system. Thus, promoters used in the constructs of the invention include *cis*-acting transcriptional control elements and regulatory

sequences that are involved in regulating or modulating the timing and/or rate of transcription of a nucleic acid of the invention. For example, a promoter can be a *cis*-acting transcriptional control element, including an enhancer, a promoter, a transcription terminator, an origin of replication, a chromosomal integration sequence, 5' and 3' untranslated regions, or an intronic sequence, which are involved in transcriptional regulation. These *cis*-acting sequences typically interact with proteins or other biomolecules to carry out (turn on/off, regulate, modulate, etc.) transcription.

The invention comprises expression cassettes comprising nucleic acids comprising sequences as set forth in Table 3, or comprising nucleic acids encoding the polypeptides as set forth in Table 4. The term "expression vector" refers to any recombinant expression system for the purpose of expressing a nucleic acid sequence of the invention *in vitro* or *in vivo*, constitutively or inducibly, in any cell, including prokaryotic, yeast, fungal, plant, insect or mammalian cell. The term includes linear or circular expression systems. The term includes expression systems that remain episomal or integrate into the host cell genome. The expression systems can have the ability to self-replicate or not, *i.e.*, drive only transient expression in a cell. The term includes recombinant "expression cassettes" which contain only the minimum elements needed for transcription of the recombinant nucleic acid.

Alignment Analysis of Sequences

The nucleic acid and polypeptide sequences of the invention include genes and gene products identified and characterized by sequence identify analysis (*i.e.*, by homology) using the exemplary nucleic acid and protein sequences of the invention, including, *e.g.*, those set forth in Tables 3 and 4. In alternative aspects of the invention, nucleic acids and polypeptides within the scope of the invention include those having 98%, 95%, 90%, 85% or 80% sequence identity (homology) to the exemplary sequences as set forth in Tables 3 and 4.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters are used unless alternative parameters are designated herein. The sequence comparison algorithm then calculates the percent sequence identity for the test

sequence(s) relative to the reference sequence, based on the designated or default program parameters. A "comparison window", as used herein, includes reference to a segment of any one of the number of contiguous positions selected from the group consisting of from 25 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence
5 may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, *e.g.*, by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.* 48:443 (1970),
10 by the search for similarity method of Pearson & Lipman, *Proc. Natl. Acad. Sci. USA* 85:2444 (1988), by computerized implementations of these algorithms (CLUSTAL, GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection.

15 In one aspect of the invention (in the methods of the invention, and, to determine if a sequence is within the scope of the invention), a CLUSTAL algorithm is used, *e.g.*, the CLUSTAL W program, see, *e.g.*, Thompson (1994) *Nuc. Acids Res.* 22:4673-4680; Higgins (1996) *Methods Enzymol* 266:383-402. Variations can also be used, such as CLUSTAL X, see Jeanmougin (1998) *Trends Biochem Sci* 23:403-405; Thompson (1997)
20 *Nucleic Acids Res* 25:4876-4882. In one aspect, the CLUSTAL W program described by Thompson (1994) *supra*, is used with the following parameters: K tuple (word) size: 1, window size: 5, scoring method: percentage, number of top diagonals: 5, gap penalty: 3, to determine whether a nucleic acid has sufficient sequence identity to an exemplary sequence to be within the scope of the invention. In another aspect, the algorithm PILEUP is used in the
25 methods and to determine whether a nucleic acid has sufficient sequence identity to be within the scope of the invention. This program creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments to show relationship and percent sequence identity. It also plots a tree or dendrogram showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method
30 of Feng & Doolittle, *J. Mol. Evol.* 35:351-360 (1987). The method used is similar to the method described by Higgins & Sharp, *CABIOS* 5:151-153 (1989). Using PILEUP, a

reference sequence (*e.g.*, an exemplary GCA-associated sequence of the invention) is compared to another sequence to determine the percent sequence identity relationship (*i.e.*, that the second sequence is substantially identical and within the scope of the invention) using the following parameters: default gap weight (3.00), default gap length weight (0.10), and weighted end gaps. In one embodiment, PILEUP obtained from the GCG sequence analysis software package, *e.g.*, version 7.0 (Devereaux(1984) *Nuc. Acids Res.* 12:387-395), using the parameters described therein, is used in the methods and to identify nucleic acids within the scope of the invention. In a another aspect, a BLAST algorithm is used (in the methods, *e.g.*, to determine percent sequence identity (*i.e.*, substantial similarity or identity) and whether a nucleic acid is within the scope of the invention), see, *e.g.*, Altschul (1990) *J. Mol. Biol.* 215:403-410. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information, NIH. This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul (1990) *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues, always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. In one embodiment, to determine if a nucleic acid sequence is within the scope of the invention, the BLASTN program (for nucleotide sequences) is used incorporating as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as default parameters a wordlength (W) of 3, an expectation (E) of 10, and the

BLOSUM62 scoring matrix (see, *e.g.*, Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915).

Hybridization for Identifying Nucleic Acids of the Invention

Nucleic acids within the scope of the invention include isolated or
5 recombinant nucleic acids that specifically hybridize under stringent hybridization conditions to an exemplary nucleic acid of the invention (including a sequence encoding an exemplary polypeptide) as set forth in Tables 3 and 4. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in,
10 *e.g.*, Tijssen (1993) *infra*. Generally, stringent conditions are selected to be about 5 to 10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic acid concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt
15 concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (*e.g.*, 10 to 50 nucleotides) and at least about 60°C for long probes (*e.g.*, greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of
20 destabilizing agents such as formamide.

For selective or specific hybridization, a positive signal (*e.g.*, identification of a nucleic acid of the invention) is about 10 times background hybridization. “Stringent” hybridization conditions that are used to identify substantially identical nucleic acids within the scope of the invention include hybridization in a buffer comprising 50% formamide, 5x
25 SSC, and 1% SDS at 42°C, or hybridization in a buffer comprising 5x SSC and 1% SDS at 65°C, both with a wash of 0.2x SSC and 0.1% SDS at 65°C. Exemplary “moderately stringent hybridization conditions” include a hybridization in a buffer of 40% formamide, 1 M NaCl, and 1% SDS at 37°C, and a wash in 1X SSC at 45°C. Those of ordinary skill will readily recognize that alternative but comparable hybridization and wash conditions can be
30 utilized to provide conditions of similar stringency. Nucleic acids which do not hybridize to each other under stringent hybridization conditions are still substantially identical if the

polypeptides which they encode are substantially identical. This may occur, *e.g.*, when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code, as discussed herein (see discussion on “conservative substitutions”). However, the selection of a hybridization format is not critical - it is the stringency of the wash

5 conditions that set forth the conditions that determine whether a nucleic acid is within the scope of the invention. Wash conditions used to identify nucleic acids within the scope of the invention include, *e.g.*: a salt concentration of about 0.02 molar at pH 7 and a temperature of at least about 50°C or about 55°C to about 60°C; or, a salt concentration of about 0.15 M NaCl at 72°C for about 15 minutes; or, a salt concentration of about 0.2X SSC at a

10 temperature of at least about 50°C or about 55°C to about 60°C for about 15 to about 20 minutes; or, the hybridization complex is washed twice with a solution with a salt concentration of about 2X SSC containing 0.1% SDS at room temperature for 15 minutes and then washed twice by 0.1X SSC containing 0.1% SDS at 68°C for 15 minutes; or, equivalent conditions. See Sambrook, Tijssen and Ausubel (see below) for a description of

15 SSC buffer and equivalent conditions.

General Techniques

The nucleic acid and polypeptide sequences of the invention and other nucleic acids used to practice this invention, whether RNA, cDNA, genomic DNA, vectors, viruses or hybrids thereof, may be isolated from a variety of sources, genetically engineered,

20 amplified, and/or expressed recombinantly. Any recombinant expression system can be used, including, in addition to bacterial cells, *e.g.*, mammalian, yeast, insect or plant cell expression systems.

Alternatively, these nucleic acids and polypeptides can be synthesized *in vitro* by well-known chemical synthesis techniques, as described in, *e.g.*, Carruthers (1982) Cold

25 Spring Harbor Symp. Quant. Biol. 47:411-418; Adams (1983) J. Am. Chem. Soc. 105:661; Belousov (1997) Nucleic Acids Res. 25:3440-3444; Frenkel (1995) Free Radic. Biol. Med. 19:373-380; Blommers (1994) Biochemistry 33:7886-7896; Narang (1979) Meth. Enzymol. 68:90; Brown (1979) Meth. Enzymol. 68:109; Beaucage (1981) Tetra. Lett. 22:1859; U.S. Patent No. 4,458,066.

30 Techniques for the manipulation of nucleic acids, such as, *e.g.*, generating mutations in sequences, subcloning, labeling probes, sequencing, hybridization and the like

are well described in the scientific and patent literature, see, e.g., Sambrook, ed.,
MOLECULAR CLONING: A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor
Laboratory, (1989); CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, Ausubel, ed. John Wiley
& Sons, Inc., New York (1997); LABORATORY TECHNIQUES IN BIOCHEMISTRY AND
5 MOLECULAR BIOLOGY: HYBRIDIZATION WITH NUCLEIC ACID PROBES, Part I. Theory and
Nucleic Acid Preparation, Tijssen, ed. Elsevier, N.Y. (1993).

Polypeptides and peptides of the invention can also be synthesized, whole or
in part, using chemical methods well known in the art. See e.g., Caruthers (1980) Nucleic
Acids Res. Symp. Ser. 215-223; Horn (1980) Nucleic Acids Res. Symp. Ser. 225-232;
10 Banga, A.K., Therapeutic Peptides and Proteins, Formulation, Processing and Delivery
Systems (1995) Technomic Publishing Co., Lancaster, PA. For example, peptide synthesis
can be performed using various solid-phase techniques (see e.g., Roberge (1995) Science
269:202; Merrifield (1997) Methods Enzymol. 289:3-13) and automated synthesis may be
achieved, e.g., using the ABI 431A Peptide Synthesizer (Perkin Elmer) in accordance with
15 the instructions provided by the manufacturer.

The skilled artisan will recognize that individual synthetic residues and
polypeptides incorporating mimetics can be synthesized using a variety of procedures and
methodologies, which are well described in the scientific and patent literature, e.g., Organic
Syntheses Collective Volumes, Gilman, et al. (Eds) John Wiley & Sons, Inc., NY.
20 Polypeptides incorporating mimetics can also be made using solid phase synthetic
procedures, as described, e.g., by Di Marchi, et al., U.S. Pat. No. 5,422,426. Peptides and
peptide mimetics of the invention can also be synthesized using combinatorial
methodologies. Various techniques for generation of peptide and peptidomimetic libraries
are well known, and include, e.g., multipin, tea bag, and split-couple-mix techniques; see,
25 e.g., al-Obeidi (1998) Mol. Biotechnol. 9:205-223; Hruby (1997) Curr. Opin. Chem. Biol.
1:114-119; Ostergaard (1997) Mol. Divers. 3:17-27; Ostresh (1996) Methods Enzymol.
267:220-234. Modified peptides of the invention can be further produced by chemical
modification methods, see, e.g., Belousov (1997) Nucleic Acids Res. 25:3440-3444; Frenkel
(1995) Free Radic. Biol. Med. 19:373-380; Blommers (1994) Biochemistry 33:7886-7896.

30 Peptides and polypeptides of the invention can also be synthesized and
expressed as fusion proteins with one or more additional domains linked thereto for, e.g.,

producing a more immunogenic peptide, to more readily isolate a recombinantly synthesized peptide, to identify and isolate antibodies and antibody-expressing B cells, and the like.

Detection and purification facilitating domains include, *e.g.*, metal chelating peptides such as polyhistidine tracts and histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp, Seattle WA). The inclusion of a cleavable linker sequences such as Factor Xa or enterokinase (Invitrogen, San Diego CA) between the purification domain and GCA-associated peptide or polypeptide can be useful to facilitate purification. For example, an expression vector can include an epitope-encoding nucleic acid sequence linked to six histidine residues followed by a thioredoxin and an enterokinase cleavage site (see *e.g.*, Williams (1995) *Biochemistry* 34:1787-1797; Dobeli (1998) *Protein Expr. Purif.* 12:404-414). The histidine residues facilitate detection and purification while the enterokinase cleavage site provides a means for purifying the epitope from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described in the scientific and patent literature, see *e.g.*, Kroll (1993) *DNA Cell. Biol.*, 12:441-53.

The invention provides antibodies that specifically bind to the polypeptides of the invention, as set forth in Table 4. These antibodies can be useful in the screening methods of the invention. The polypeptides or peptide can be conjugated to another molecule or can be administered with an adjuvant. The coding sequence can be part of an expression cassette or vector capable of expressing the immunogen *in vivo*. (see, *e.g.*, Katsumi (1994) *Hum. Gene Ther.* 5:1335-9). Methods of producing polyclonal and monoclonal antibodies are known to those of skill in the art and described in the scientific and patent literature, see, *e.g.*, Coligan, *CURRENT PROTOCOLS IN IMMUNOLOGY*, Wiley/Greene, NY (1991); Stites (eds.) *BASIC AND CLINICAL IMMUNOLOGY* (7th ed.) Lange Medical Publications, Los Altos, CA; Goding, *MONOCLONAL ANTIBODIES: PRINCIPLES AND PRACTICE* (2d ed.) Academic Press, New York, NY (1986); Harlow (1988) *ANTIBODIES, A LABORATORY MANUAL*, Cold Spring Harbor Publications, New York.

Antibodies also can be generated *in vitro*, *e.g.*, using recombinant antibody binding site expressing phage display libraries, in addition to the traditional *in vivo* methods using animals. See, *e.g.*, Huse (1989) *Science* 246:1275; Ward (1989) *Nature* 341:544;

Hoogenboom (1997) Trends Biotechnol. 15:62-70; Katz (1997) Annu. Rev. Biophys. Biomol. Struct. 26:27-45. Human antibodies can be generated in mice engineered to produce only human antibodies, as described by, e.g., U.S. Patent No. 5,877,397; 5,874,299; 5,789,650; and 5,939,598. B-cells from these mice can be immortalized using standard techniques (e.g., by fusing with an immortalizing cell line such as a myeloma or by manipulating such B-cells by other techniques to perpetuate a cell line) to produce a monoclonal human antibody-producing cell. See, e.g., U.S. Patent No. 5,916,771; 5,985,615.

TABLE 3

>Rv0002 dnaN DNA polymerase III, b-subunit TB.seq 2052:3257 MW:42114

>emb|AL123456|MTBH37RV:2052-3260, dnaN SEQ ID NO:1

ATGGACGCGGCTACGACAAGAGTTGGCCTCACCGACTTGACGTTTCGTTTGCTACGAGAGTCTT
TCGCCGATGCGGTGTCGTGGGTGGCTAAAAATCTGCCAGCCAGGCCCGCGGTGCCGGTGCTCT
CCGGCGTGTTGTTGACCGGCTCGGACAACGGTCTGACGATTTCCGGATTCGACTACGAGGTTTC
CGCCGAGGCCAGGTTGGCGCTGAAATTGTTTCTCCTGGAAGCGTTTTAGTTTCTGGCCGATTG
TTGTCCGATATTACCGGGCGTTGCCTAACAAGCCCGTAGACGTTTCATGTGGAAGGTAACCGGG
TCGCATTGACCTGCGGTAACGCCAGGTTTTCGCTACCGACGATGCCAGTCGAGGATTATCCGAC
GCTGCCGACGCTGCCGGAAGAGACCGGATTGTTGCCTGCGGAATTATTCGCCGAGGCAATCAG
TCAGGTCGCTATCGCCGCCGGCCGGGACGACACGTTGCCTATGTTGACCGGCATCCGGGTGCA
AATCCTCGGTGAGACGGTGTTTTGGCCGCTACCGACAGGTTTCGCTGGCTGTTGAGAACTG
AAGTGGTCGGCGTCGTCGCCAGATATCGAAGCGGCTGTGCTGGTCCCGGCCAAGACGCTGGC
CGAGGCCGCCAAAGCGGGCATCGGCGGCTCTGACGTTTCGTTTGCTGTTGGTACTGGGCCGG
GGGTGGGCAAGGATGGCCTGCTCGGTATCAGTGGGAACGGCAAGCGCAGCACCACGCGACTT
CTTGATGCCGAGTTCCTGAAGTTTCGGCAGTTGCTACCAACCGAACACACCGCGGTGGCCACC
ATGGACGTGGCCGAGTTGATCGAAGCGATCAAGCTGGTTGCGTTGGTAGCTGATCGGGGCGCG
CAGGTGCGCATGGAGTTCGCTGATGGCAGCGTGCGGCTTTCTGCGGGTGCCGATGATGTTGGA
CGAGCCGAGGAAGATCTTGTGTTGACTATGCCGGTGAACCATTGACGATTGCGTTTAACCCAA
CCTATCTAACGGACGGTTTTGAGTTGCTTGGCTCGGAGCGAGTGTCTTTCGGGTTTACGACTGC
GGGTAAGCCTGCCTTGCTACGTCCGGTGTCCGGGGACGATCGCCCTGTGGCGGGTCTGAATGG
CAACGGTCCGTTCCCGGCGGTGTGACGGACTATGTCTATCTGTTGATGCCGGTTCCGGTTCGG
GGCTGA

>Rv0003 recF DNA replication and SOS induction TB.seq 3280:4434 MW:42181

>emb|AL123456|MTBH37RV:3280-4437, recF SEQ ID NO:2

GTGTACGTCCGTCATTTGGGGCTGCGTGAAGTTCGGTCCCTGGGCATGTGTAGATCTGGAATTGC
ATCCAGGGCGGACGGTTTTTGTGGGCCTAACGGTTATGGTAAGACGAATCTTATTGAGGCACT

GTGGTATTCGACGACGTTAGGTTTCGCACCGCGTTAGCGCCGATTTGCCGTTGATCCGGGTAGGT
 ACCGATCGTGCGGTGATCTCCACGATCGTGGTGAACGACGGTAGAGAATGTGCCGTCGACCTC
 GAGATCGCCACGGGGCGAGTCAACAAAGCGCGATTGAATCGATCATCGGTCCGAAGTACACGT
 GATGTGGTCGGAGTGCTTCGAGCTGTGTTGTTTGCCCCTGAGGATCTGGGGTTGGTTCGTGGG
 5 GATCCCCGCTGACCGGCGGCGCTATCTGGATGATCTGGCGATCGTGCGTAGGCCTGCGATCGCT
 GCGGTACGAGCCGAATATGAGAGGGTGTTGCGCCAGCGGACGGCGTTATTGAAGTCCGTACCT
 GGAGCACGGTATCGGGGTGACCGGGGTGTGTTTGACACTCTTGAGGTATGGGACAGTCGTTTG
 GCGGAGCACGGGGCTGAACTGGTGGCCGCCCGCATCGATTTGGTCAACCAGTTGGCACCCGA
 AGTGAAGAAGGCATACCAGCTGTTGGCGCCGGAATCGCGATCGGCGTCTATCGGTTATCGGGC
 10 CAGCATGGATGTAACCGGTCCCAGCGAGCAGTCAGATATCGATCGGCAATTGTTAGCAGCTCGG
 CTGTTGGCGGCGCTGGCGGCCCGTCGGGATGCCGAACTCGAGCGTGGGGTTTGTCTAGTTGGT
 CCGCACCGTGACGACCTAATACTGCGACTAGGCGATCAACCCGCGAAAGGATTTGCTAGCCATG
 GGGAGGCGTGGTCGTTGGCGGTGGCACTGCGGTTGGCGGCCTATCAACTGTTACGCGTTGATG
 GTGGTGAGCCGGTGTGTTGCTCGACGACGTGTTGCGCGAACTGGATGTCATGCGCCGTCGAG
 15 CGTTGGCGACGGCGGCCGAGTCCGCCGAACAGGTGTTGGTGAAGTGGCGCGGTGCTCGAGGAT
 ATTCCCGCCGGCTGGGACGCCAGGCGGGTGACATCGATGTGCGTGCCGATGACACCGGATC
 GATGTCCGTGGTTCTGCCATGA

>Rv0005 gyrB DNA gyrase subunit B TB.seq 5123:7264 MW:78441

>emb|AL123456|MTBH37RV:5123-7267, gyrB SEQ ID NO:3

ATGGGTAAAAACGAGGCCAGAAGATCGGCCCTGGCGCCCGATCACGGTACAGTGGTGTGCGAC
 CCCCTGCGGCGACTCAACCGCATGCACGCAACCCCTGAGGAGAGTATTCCGATCGTGGCTGCC
 CAGAAAAAGAAGGCCCAAGACGAATACGGCGCTGCGTCTATCACCATTCTCGAAGGGCTGGAG
 GCCGTCCGCAAACGTCCCGGCATGTACATTGGCTCGACCGGTGAGCGCGGTTTACACCATCTC
 25 ATTTGGGAGGTGGTCGACAACGCGGTGACGAGGCGATGGCCGGTTATGCAACCACAGTGAAC
 GTAGTGCTGCTTGAGGATGGCGGTGTCGAGGTGCGCGACGACGGCCGCGGCATTCCGGTTCG
 CACCCACGCCTCCGGCATACCGACCGTGCACGTGGTGATGACACAACCTACATGCCGGCGGCAA
 GTTCGACTCGGACGCGTATGCGATATCTGGTGGTCTGCACGGCGTCGGCGTGTGCGTGGTTAA
 CGCGCTATCCACCCGGCTCGAAGTCGAGATCAAGCGCGACGGGTACGAGTGGTCTCAGGTTTA
 30 TGAGAAAGTCGGAACCCCTGGGCCCTCAAGCAAGGGGCGCCGACCAAGAAGACGGGGTCAACGG
 TGCGGTTCTGGGCCGACCCCGCTGTTTTCGAAACCACGGAATACGACTTCGAAACCGTCGCCC
 GCCGGCTGCAAGAGATGGCGTTCCTCAACAAGGGGCTGACCATCAACCTGACCGACGAGAGGG
 TGACCCAAGACGAGGTCGTCGACGAAGTGGTCAGCGACGTGCGCGAGGCGCCGAAGTCGGCA
 AGTGAACGCGCAGCCGAATCCACTGCACCGCACAAAGTTAAGAGCCGCACCTTTCATATCCGG
 35 GTGGCCTGGTGGACTTCGTGAAACACATCAACCGCACCAAGAACGCGATTATAGCAGCATCGT
 GGACTTTTCCGGCAAGGGCACCGGGCACGAGGTGGAGATCGCGATGCAATGGAACGCCGGGT
 ATTCGAGTCCGTGCACACCTTCGCCAACACCATCAACACCCACGAGGGCGGCACCCACGAAG

AGGGCTTCCGCAGCGCGCTGACGTCGGTGGTGAACAAGTACGCCAAGGACCGCAAGCTACTGA
 AGGACAAGGACCCCAACCTCACCGGTGACGATATCCGGGAAGGCCTGGCCGCTGTGATCTCGG
 TGAAGGTCAGCGAACCGCAGTTCGAGGGCCAGACCAAGACCAAGTTGGGCAACACCGAGGTCA
 AATCGTTTGTGAGAAGGTCTGTAACGAACAGCTGACCCACTGGTTTGAAGCCAACCCACCGA
 5 CGCGAAAGTCGTTGTGAACAAGGCTGTGTCTCGGCGCAAGCCCGTATCGCGGCACGTAAGGC
 ACGAGAGTTGGTGCGGCGTAAGAGCGCCACCGACATCGGTGGATTGCCCGGCAAGCTGGCCG
 ATTGCCGTTCCACGGATCCGCGCAAGTCCGAAGTGTATGTCGTAGAAGGTGACTCGGCCGGCG
 GTTCTGCAAAAAGCGGTCGCGATTTCGATGTTCCAGGCGATACTTCCGCTGCGCGGCAAGATCAT
 CAATGTGGAGAAAGCGCGCATCGACCGGGTGCTAAAGAACACCGAAGTTCAGGCGATCATCAC
 10 GCGCTGGGCACCGGGATCCACGACGAGTTCGATATCGGCAAGCTGCGCTACCACAAGATCGT
 GCTGATGGCCGACGCCGATGTTGACGGCCAACATATTTCCACGCTGTTGTTGACGTTGTTGTTT
 CGGTTTCATGCGGCCGCTCATCGAGAACGGGCATGTGTTTTTGGCACAACCGCCGCTGTACAAAC
 TCAAGTGGCAGCGCAGTGACCCGGAATTCGCATACTCCGACCGCGAGCGCGACGGTCTGCTGG
 AGGCGGGGCTGAAGGCCGGGAAGAAGATCAACAAGGAAGACGGCATTACGCGGTACAAGGGT
 15 CTAGGTGAAATGGACGCTAAGGAGTTGTGGGAGACCACCATGGATCCCTCGGTTCTGTGTTGC
 GTCAAGTGACGCTGGACGACGCCGCCGCCGCGACGAGTTGTTCTCCATCCTGATGGGCGAGG
 ACGTCGACGCGCGGCGCAGCTTTATCACCGCAACGCCAAGGATGTTGCGTTCCTGGATGTCTA
 A

>Rv0006 gyrA DNA gyrase subunit A TB.seq 7302:9815 MW:92276

>emb|AL123456|MTBH37RV:7302-9818, gyrA SEQ ID NO:4

ATGACAGACACGACGTTGCCGCCTGACGACTCGCTCGACCGGATCGAACCGGTTGACATCGAG
 CAGGAGATGCAGCGCAGCTACATCGACTATGCGATGAGCGTGATCGTCGGCCGCGCGCTGCCG
 GAGGTGCGCGACGGGCTCAAGCCCGTGTCATCGCCGGGTGCTCTATGCAATGTTGATTCCGGC
 25 TTCCGCCCGGACCGCAGCCACGCCAAGTCGGCCCGGTGCGTTGCCGAGACCATGGGCAACTA
 CCACCCGCACGGCGACGCGTCGATCTACGACAGCCTGGTGCGCATGGCCAGCCCTGGTCGC
 TGCGCTACCCGCTGGTGACGGCCAGGGCAACTTCGGCTCGCCAGGCAATGACCCACCGGCG
 GCGATGAGGTACACGAAGCCCGGCTGACCCCGTTGGCGATGGAGATGCTGAGGGAAATCGAC
 GAGGAGACAGTTCGATTTTCATCCCTAACTACGACGGCCGGGTGCAAGAGCCGACGGTGCTACCC
 30 AGCCGTTCCCAACCTGCTGGCCAACGGGTGAGCGGCATCGCGGTGCGCATGGCAACCAAT
 ATCCCGCCGCACAACCTGCGTGAGCTGGCCGACGCGGTGTTCTGGGCGCTGGAGAATCACGAC
 GCCGACGAAGAGGAGACCCTGGCCGCGGTTCATGGGGCGGGTTAAAGGCCCGGACTTCCCGAC
 CGCCGGACTGATCGTCGGATCCCAGGGCACCGCTGATGCCTACAAAATGGCCGCGGCTCCAT
 TCGAATGCGCGGAGTTGTTGAGGTAGAAGAGGATTCCCGCGGTCTACCTCGCTGGTGATCAC
 35 CGAGTTGCCGTATCAGGTCAACCACGACAATTTCATCACTTCGATCGCCGAACAGGTCCGAGAC
 GGCAAGCTGGCCGGCATTTCACACATTGAGGACCAGTCTAGCGATCGGGTCGGTTTACGCATC
 GTCATCGAGATCAAGCGCGATGCGGTGGCCAAGGTGGTGATCAATAACCTTTACAAGCACACCC

AGCTGCAGACCAGCTTTGGCGCCAACATGCTAGCGATCGTCGACGGGGTGCCGCGCACGCTGC
GGCTGGACCAGCTGATCCGCTATTACGTTGACCACCAACTCGACGTCATTGTGCGGCGCACCAC
CTACCGGCTGCGCAAGGCAAACGAGCGAGCCCACATTCTGCGCGGCCTGGTTAAAGCGCTCGA
CGCGCTGGACGAGGTCATTGCACTGATCCGGGCGTCGGAGACCGTCGATATCGCCCCGGGCCG
5 GACTGATCGAGCTGCTCGACATCGACGAGATCCAGGCCAGGCAATCCTGGACATGCAGTTGC
GGCGCCTGGCCGCACTGGAACGCCAGCGCATCATCGACGACCTGGCCAAAATCGAGGCCGAG
ATCGCCGATCTGGAAGACATCCTGGCAAAACCCGAGCGGCAGCGTGGGATCGTGCGCGACGAA
CTCGCCGAAATCGTGGACAGGCACGGCGACGACCGGCGTACCCGGATCATCGCGGCCGACGG
AGACGTCAGCGACGAGGATTTGATCGCCCGCGAGGACGTCGTTGTCACTATCACCGAAACGGG
10 ATACGCCAAGCGCACCAAGACCGATCTGTATCGCAGCCAGAAACGCGGCGGCAAGGGCGTGCA
GGGTGCGGGGTTGAAGCAGGACGACATCGTCGCGCACTTCTTCGTGTGCTCCACCCACGATTT
GATCCTGTTCTTCACCACCCAGGGACGGGTTTATCGGGCCAAGGCCTACGACTTGCCCCGAGGC
CTCCCGGACGGCGCGCGGGCAGCACGTGGCCAACTGTTAGCCTTCCAGCCCGAGGAACGCA
TCGCCCAGGTCATCCAGATTCGCGGCTACACCGACGCCCCGTACCTGGTGTGCTGGCCACTCGCA
15 ACGGGCTGGTGAAAAAGTCCAAGCTGACCGACTTCGACTCCAATCGCTCGGGCGGAATCGTGG
CGGTCAACCTGCGCGACAACGACGAGCTGGTCGGTGCGGTGCTGTGTTGCGCCGGCGACGAC
CTGCTGCTGGTCTCGGCCAACGGGCAGTCCATCAGGTTCTCGGCGACCGACGAGGCGCTGCG
GCCAATGGGTGCTGCCACCTCGGGTGTGCAGGGCATGCGGTTCAATATCGACGACCGGCTGCT
GTCGCTGAACGTCGTGCGTGAAGGCACCTATCTGCTGGTGGCGACGTGAGGGGGCTATGCGAA
20 ACGTACCGCGATCGAGGAATACCCGGTACAGGGCCGCGGCGGTAAAGGTGTGCTGACGGTCAT
GTACGACCGCCGGCGCGGCAGGTTGGTTGGGGCGTTGATTGTGACGACGACAGCGAGCTGT
ATGCCGTCACTTCCGGCGGTGGCGTGATCCGCACCGCGGCACGCCAGGTTGCAAGGCGGGA
CGGCAGACCAAGGGTGTTGCGTTGATGAATCTGGGCGAGGGCGACACACTGTTGGCCATCGCG
CGCAACGCCGAAGAAAGTGGCGACGATAATGCCGTGGACGCCAACGGCGCAGACCAGACGGG
25 CAATTAA

>Rv0014c pknB serine-threonine protein kinase TB.seq 15593:17470 MW:66511

>emb|AL123456|MTBH37RV:c17470-15590, pknB SEQ ID NO:5

ATGACCACCCCTTCCCACCTGTCCGACCGCTACGAACTTGGCGAAATCCTTGGATTTGGGGGCA
30 TGTCCGAGGTCCACCTGGCCCGCGACCTCCGTTGCACCGCGACGTTGCGGTCAAGGTGCTGC
GCGCTGATCTAGCCCGCGATCCCAGTTTTTACCTTCGTTCCGGCGTGAGGCGCAAAACGCCG
CGGCATTGAACCACCCTGCAATCGTCGCGGTCTACGACACCGGTGAAGCCGAAACGCCCGCCG
GGCCATTGCCCTACATCGTCATGGAATACGTGACGGCGTTACCCTGCGCGACATTGTCCACAC
CGAAGGGCCGATGACGCCCAAACGCGCCATCGAGGTCATCGCCGACGCCTGCCAAGCGCTGA
35 ACTTCAGTCATCAGAACGGAATCATCCACCGTGACGTCAAGCCGGCGAACATCATGATCAGCGC
GACCAATGCAGTAAAGGTGATGGATTTGGGCATCGCCCGCGCCATTGCCGACAGCGGCAACAG
CGTGACCCAGACCGCAGCAGTGATCGGCACGGCGCAGTACCTGTCACCCGAACAGGCCCGGG

GTGATTCCGTCGACGCCCGATCCGATGTCTATTCTTGGGCTGTGTTCTTTATGAAGTCCTCACC
 GGGGAGCCACCTTTACCGGCGACTCACCCGTCTCGGTTGCCTACCAACATGTGCGCGAAGAC
 CCGATCCCACCTTCGGCGCGGCACGAAGGCCTCTCCGCCGACCTGGACGCCGTGTTCTCAAG
 GCGCTGGCCAAAATCCGGAAAACCGCTATCAGACAGCGGCGGAGATGCGCGCCGACCTGGTC
 5 CCGGTGCACAACGGTGAGCCGCCGAGGCGCCCAAAGTGCTCACCGATGCCGAGCGGACCTC
 GCTGCTGTCGTCTGCGGCCGGCAACCTTAGCGGTCCGCGCACCGATCCGCTACCACGCCAGGA
 CTTAGACGACACCGACCGTGACCGCAGCATCGGTTCCGGTGGGCCGTTGGGTTGCGGTGGTGGC
 CGTGCTCGCTGTGCTGACCGTCGTGGTAACCATCGCCATCAACACGTTCCGGCGGCATCACCCG
 CGACGTTCAAGTTCCCGACGTTCCGGGTCAATCCTCCGCCGACGCCATCGCCACACTGCAAAA
 10 CCGGGGCTTCAAATCCGCACCTTGAGAAAGCCGGACTCGACAATCCCACCGGACCACGTTAT
 CGGCACCGACCCGGCCGCCAACACGTCGGTGAGTGCAGGCGACGAGATCACAGTCAACGTGT
 CCACCGGACCCGAGCAACGCGAAATACCCGACGTCTCCACGCTGACATACGCCGAAGCGGTCA
 AGAAACTGACTGCCGCCGGATTCCGGCCGCTTCAAGCAAGCGAATTCCCGGTCCACCCCGGAAC
 TGGTGGGCAAGGTCATCGGGACCAACCCGCCAGCCAACCAGACGTCGGCCATCACCATGTGG
 15 TCATCATCATCGTTGGCTCTGGTCCGGCGACCAAAGACATTCCCGATGTCGCGGGCCAGACCGT
 CGACGTGGCGCAGAAGAACCCTCAACGTCTACGGCTTACCAAATTCAGTCAGGCCTCGGTGGA
 CAGCCCCCGTCCCGCCGGCGAGGTGACCGGCACCAATCCACCCGCAGGCACCACAGTTCCGG
 TCGATTCAATCATCGAACTACAGGTGTCCAAGGGCAACCAATTCGTATGCCCGACCTATCCGG
 CATGTTCTGGGTGACGCGCGAACCACGATTGCGCGCGCTGGGCTGGACCGGGATGCTCGACAA
 20 AGGGGCCGACGTCGACGCCGGTGGCTCCCAACACAACCGGGTCTGTCTATCAAACCCGCCGG
 CGGGGACCGGCGTCAACCGGGACGGCATCATCACGCTGAGGTTCCGGCCAGTAG

>Rv0016c pbpA TB.seq 18762:20234 MW:51577

>emb|AL123456|MTBH37RV:c20234-18759, pbpA SEQ ID NO:6

25 ATGAACGCCTCTCTGCGCCGAATATCGGTGACCGTGATGGCGTTGATCGTGTTGCTACTGCTCA
 ACGCGACCATGACGCAGGTCTTACCGCCGACGGGCTGCGTGCCGATCCCCGCAACCAGCGA
 GTGTTGCTCGACGAGTATTACGGCAGCGCGGCCAGATCACCGCTGGTGGCCAACTGCTGGCG
 TACTCGGTAGCCACCGACGGCCGCTTTCTGTTTCTGCGGGTCTATCCCAATCCTGAGGTGTACG
 CGCCGTTACCGGCTTCTACTCCCTGCGCTATTCCAGCACCGCCCTAGAACGAGCCGAGGACC
 30 CGATATTGAACGGGTCCGACCGCCGTCTGTTCCGGCCGCCGGTGGCCGACTTCTTACCGGTC
 GCGACCCACGCGGCGGTAATGTCGATACCACGATCAACCCGCGCATTACGCAAGCCGGCTGGG
 ACGCGATGCAGCAAGGCTGCTACGGGCCCTGTAAGGGAGCGGTGGTCGCCCTTGAGCCATCAA
 CCGGCAAGATTTTGGCGTTGGTGTCTTCTCCGTCTACGACCCCAACCTGCTGGCGTCGCATAA
 CCCCAGGTGCAGGCGCAAGCCTGGCAGCGGCTTGGCGACAATCCCGCCTCTCCACTGACCAA
 35 CCGTGCCATCTCTGAGACGTATCCACCGGGTTCGACTTTCAAAGTGATCACCCTGCGGCCGCG
 CTGGCCGCCGGGGGCCACCGAGACCGAACAGCTGACTGCGGCGCCACAATTCCGTTGCCAGG
 CAGCACCGCCAGCTAGAGAACTACGGCGGTGCGCCGTGCGGGGACGAACCCACCGTGTGCG

TGCGTGAGGCATTTCGTCAAATCATGCAACACCGCATTTCGTCCAGCTGGGCATCCGCACCGGCG
CCGACGCCCTGCGCAGCATGGCGCGCGCGTTCGGTCTCGATAGCCCACCGCGCCCAACTCCG
CTGCAAGTGCGGAATCAACCGTCGGGCCTATCCCGGACAGCGCCGCACTAGGGATGACCAGT
ATCGGCCAAAAGGACGTTGCGCTGACCCCGCTAGCGAACGCAGAAATAGCCGCGACCATCGCA
5 AACGGCGGCATTACGATGAGGCCTTATCTAGTCGGCAGCCTCAAGGGACCGGACCTAGCCAAT
ATCTCAACCACCGTCGGATACCAGCAGCGCCGCGCGGTGTCACCGCAGGTGCGCGCTAAGCTA
ACAGAGCTGATGGTCGGCGCCGAGAAAGTCGCACAGCAGAAAGGGGCAATCCCCGGCGTGCA
GATCGCATCCAAGACGGGCACCGCCGAACATGGCACCGACCCTCGTCACACTCCACCGCACGC
TTGGTACATCGCCTTTGCGCCCGCACAAAGCGCCCAAGGTGGCTGTTGCCGTGCTGGTGGAGAA
10 CGGGGCTGATCGGCTGTCCGCCACCGGAGGTGCCCTCGCGGCACCGATCGGGCGGGCGGTG
ATCGAAGCCGCACTGCAGGGGAACCATGA

>Rv0017c rodA TB.seq 20234:21640 MW:50612

>emb|AL123456|MTBH37RV:c21640-20231, rodA SEQ ID NO:7

15 ATGACGACACGACTGCAAGCGCCGGTGGCCGTAACGCCCCGTTGCCGACTCGGCGCAACGC
TGAAGTCTGCTGCTGTGCTTTGCCGCCGTAATCACGTTTGCCGCACTGCTGGTCGTGCAGGCC
AATCAAGACCAGGGGGTGCCCTGGGACTTGACTAGCTACGGACTGGCCTTCCTGACCCTGTTC
GGATCCGCGCATCTGGCCATCCGGCGCTTCGCCCCCTACACTGACCCGCTGTTGCTCCCGGTG
GTGGCACTGCTCAACGGACTTGGCCTGGTAATGATCCACCGCCTCGATCTGGTGGACAACGAG
20 ATCGGCGAGCATCGGCACCCCAGCGCAAACCAGCAGATGCTGTGGACGCTGGTGGGCGTAGC
TGCCTTCGCGCTCGTGGTGACCTTCCTCAAGGACCACCGACAGCTCGCACGCTACGGCTACATT
TGCGGGCTCGCGGGTCTGGTTTTCTTGGCAGTTCCCGCGCTGCTCCCGGCAGCACTGTCCGAA
CAGAACGGCGCCAAGATCTGGATCCGGTTGCCCGGCTTCTCGATTCAACCCGCCGAATTTTCAA
AGATTCTGCTGCTGATCTTCTTTTCGGCGGTACTGGTGGCCAAACGCGGCCTGTTACCAGCGC
25 CGGCAAACATTTGCTCGGAATGACCCTGCCGCGCCCGCGAGACCTCGCGCCACTGTTGGCAGC
CTGGGTCATCTCGGTGGGTGTGATGGTCTTCGAGAAAGACCTCGGCGCTTCGCTGCTGCTGTAC
ACATCGTTTCTGGTGGTGGTTTTACCTCGCCACCCAGCGGTTCAAGTTGGGTCGTCATCGGCCTGA
CTCTGTTTCGCGGCAGGAACCTTGGTGGCGTACTTCATTTTTGAGCACGTCCGGCTCCGCGTACA
GACCTGGCTGGATCCGTTTCGAGATCCAGACGGCACCGGATATCAGATCGTGAGTCGCTTTTC
30 AGCTTCGCTACAGGCGGTATCTTCGGCACCGGGCTCGGTAATGGTCAACCCGACACCGTGCCC
GCGGCATCCACCGATTTTCATCATCGCCGCGTTCGGCGAAGAGCTTGGGTTGGTGGGCTTGACG
GCCATCCTGATGCTCTACACCATCGTGATCATCCGGGGTTTGCGCACGGCCATCGCCACCCGC
GATAGCTTCGGCAAGCTGCTGGCCGCCGGCCTCTCATCGACGCTAGCCATTCAGCTGTTTCATCG
TCGTGCGCGGTGTGACCCGACTCATTCCGCTGACCGGGTTGACCACACCGTGGATGTCCTACG
35 GCGGGTCTTCACTGCTGGCCAACTACATATTGCTGGCCATCCTGGCACGCATCTCGCACGGAGC
CCGCCGCCCACTGCGCACCCGCCACGAAATAAGTCGCCGATTACGGCGGCCGGCACCGAGG
TCATCGAACGCGTATGA

>Rv0018c ppp TB.seq 21640:23181 MW:53781

>emb|AL123456|MTBH37RV:c23181-21637, ppp SEQ ID NO:8

GTGGCGCGCGTGACCCTGGTCCTGCGATACGCGGCGCGCAGCGATCGCGGCTTGGTACGCGC
5 CAACAACGAAGACTCGGTCTACGCTGGGGCACGGCTATTGGCCCTGGCCGACGGCATGGGTG
GGCATGCGGCCGCGCAGGTGGCGTCCCAGTTGGTGATTGCCGCATTGGCCCATCTCGATGACG
ACGAGCCCCGGTGGCGATCTGCTGGCCAAGCTGGATGCCGCGGTGCGCGCCGGCAACTCGGCT
ATCGCAGCGCAAGTCGAGATGGAGCCCCGATCTCGAAGGCATGGGTACCACGCTCACCGCAATC
CTGTTTCGCGGGCAACCGGCTCGGCCTGGTGCATATCGGTGACTCGCGCGGTTACCTGCTGCGC
10 GACGGTGAGCTGACGCAGATCACCAAGGACGACACGTTTGTCCAAACGCTGGTCGACGAAGGC
CGGATCACCCCGGAGGAGGCGCACAGCCACCCGCAACGCTCGTTGATCATGCGGGCGTTGAC
CGGCCATGAGGTGCAACCGACGCTGACCATGCGAGAAGCCCGCGCCGGTGATCGTTACCTGCT
GTGCTCGGACGGGTTGTCCGATCCGGTTAGCGATGAACTATCCTCGAGGCCCTGCAGATCCC
CGAGGTTGCCGAGAGCGCTCACCGCCTCATTGAACTGGCGCTGCGCGGCGGCGGCCCGGACA
15 ACGTCACTGTCGTCGTCGCCGACGTCGTCGACTACGACTACGGCCAGACCCAACCGATTCTGG
CCGGGGCGGTCTCAGGCGACGACGACCAACTGACCCTGCCCAACACCGCCGCGCGGGGCC
TCTGCCATCAGCCAGCGCAAGGAGATCGTTAAACGCGTTCCGCCACAGGCCGATACATTAGTC
GGCCACGGTGGTCGGGGCCGACGGCTAGCATTGTTGTGCGACTGGTGACCGTGCTGATGACTG
CGGGCCTGCTCATTGGTCGCGCGATCATCCGCAGCAACTACTACGTAGCGGACTACGCCGGCA
20 GCGTGTCCATCATGCGGGGGATTCAAGGGTCGCTACTGGGCATGTCCCTGCACCAGCCTTACC
TGATGGGCTGCCTCAGCCCGCGTAACGAGCTGTGCGAGATCAGCTACGGACAGTCTGGGGGCC
CTCTCGACTGCCATCTGATGAACTGGAGGATCTGCGACCGCCGGAGCGCGCACAGGTTCTGGG
CCGGTCTCCCGGCCGGCACTCTCGATGACGCCATCGGGCAGTTGCGCGAACTGGCGGCCAACT
CCCTGCTGCCGCCTTGCCCGGCGCCGCGTGCCACGTCCCCGCCCGGGCGCCCGGCCCCACCC
25 ACCACCAGCGAGACAACCGAACCACAAACGTCACCTCCTCGCCAGCCTCTCCATACCCACCACCT
CCGCGCCGGCCCCCACCAGAACTACTCCTGCCATCCCCACGAGTGCTCCCCGGCAGCGCCC
GCGTCGCCGCGGACGCCTTGCCCCGTACACAGCTCGCCGACGATGGCCGCACTTCCGCCACC
CCCGCCTCAGCCGGGCATCGACTGCCGGGCGGCGGCATGA

30 >Rv0019c - TB.seq 23273:23737 MW:17153

>emb|AL123456|MTBH37RV:c23737-23270, Rv0019c SEQ ID NO:9

ATGCAGGGGTTGGTACTGCAACTGACGCGTGCCGATTCTTGATGTTGTTGTGGGTATTCATCT
GGTCCGTGCTACGGATCTTGAAGACCGACATTTATGCGCCGACCGGCGCGGTTCATGATGCGCC
GCGGCCTGGCGCTGCGAGGGACGCTCTTAGGCGCGCGTCAGCGCCGGCACGCTGCACGCTAC
35 CTGGTGGTGACCGAAGGTGCGTTGACTGGCGCGCGTATCACGCTGAGCGAACAGCCGGTGTG
ATCGGGCGCGCCGACGACTCGACCCTGGTGTGACCGACGACTACGCCTCGACGCGGCACGC
TCGGCTGTCTATGCGCGGCTCCGAGTGGTACGTGGAAGATCTAGGATCGACCAACGGCACTTA

CCTGGACAGGGCGAAGGTGACGACTGCGGTACGAGTTCCGATCGGAACGCCGGTTCGCATCG
GCAAACTGCAATCGAGTTGCGCCCGTGA

>Rv0020c - TB.seq 23864:25444 MW:56881

5 >emb|AL123456|MTBH37RV:c25444-23861, Rv0020c SEQ ID NO:10

ATGGGTAGCCAGAAAAGGCTGGTTCAGCGCTTGAGCGCAAACTCGAGCAGACGGTTGGCGAT
GCGTTTGCCCGCATCTTTGGAGGCTCGATCGTCCCGCAAGAGGTCGAAGCCCTGCTGCGCCGC
GAGGCGGCCGACGGCATCCAGTCGCTGCAGGGAAATCGCCTTTTGGCGCCCAACGAATACATC
ATTACCCTCGGTGTGCACGACTTTGAGAAGTTGGGCGCTGATCCTGAGCTGAAGTCAACCGGT
10 TTGCTCGGGACTTGGCGGACTATATCCAAGAACAGGGGTGGCAAACGTATGGTGATGTGGTCGT
CCGATTCGAGCAGTCGTGAACCTGCATACCGGCCAGTTCCGCGCCCGCGGCACTGTTAACCC
CGACGTTGAGACCCACCCGCGGTCATCGATTGCGCCCGGCCACAATCAAACCACGCGTTTGG
CGCAGAACCAGGAGTAGCACCAATGAGTGACAATTCGAGCTACCGTGGCGGTCAGGGGCAGGG
GCGTCCCGACGAGTATTACGACGACCGCTATGCGCGTCCGCAAGAGGATCCGCGTGGTGGCCC
15 GGATCCGCAAGGCGGATCTGACCCCCGCGGGGGGTATCCACCCGAGACGGGCGGCTACCCGC
CCCAGCCGGGCTACCCACGCCCCGCGCCACCCGGACCAGGGCGACTACCCCGAGCAAATCGGG
TACCCCGACCAGGGCGGTTACCCCGAGCAACGCGGTTACCCCGAGCAACGCGGCTACCCCGA
CCAGCGCGGGTACCAGGACCAGGGTTCGAGGCTACCCCGACCAAGGGCAGGGGGGCTATCCGC
CGCCCTACGAGCAACGCCCTCCTGTTTCTCCCGGCCCGGCTGCCGGCTACGGCGCTCCCGGCT
20 ACGACCAGGGCTATCGCCAAAGCGGCGGCTACGGCCCTTACCCGGTGGCGGCCAGCCCGGC
TACGGCGGGTACGGGGAGTACGGGCGTGGCCCGGCTCGCCACGAGGAGGGCAGCTATGTGCC
CTCTGGCCCTCCGGGCCCCGCCGAGCAACGACCGGCTTACCCCGACCAAGGCGGTTACGACC
AGGGCTACCAGCAAGGCGCCACGACATACGGCCGGCAAGACTATGGCGGCGGCGCTGACTAC
ACCCGCTACACCGAATCCCCGCGGGTCCCGGGATACGCTCCTCAGGGTGGCGGGTACGCCGA
25 ACCCGCCGGCCGAGACTACGACTACGGCCAATCAGGCGCTCCGGAATACGGTCAGCCAGCGC
CCGGTGGCTACAGCGGTTACGGGCAGGGCGGCTATGGGTCCGCCGGAACGTCGGTTACGCTG
CAGCTCGACGACGGCAGCGGACGCACTTACCAGCTCCGCGAGGGCTCCAACATCATCGGTGCG
GGACAGGACGCCAGTTCCGGCTGCCGACACCGGTGTGTCACGCCGTCACTTGGAGATCCG
GTGGGACGGGCAGGTCGATTGCTCGCAGACCTGAACTCCACCAACGGCACCACTGTTAACAA
30 TGCACCGGTACAGGAGTGGCAGTTGGCCGACGGTGATGTGATCCGCTTGGGACACTCCGAGAT
CATCGTCCGCATGCACTGA

>Rv0032 bioF2 C-terminal similar to B. subtilis BioF TB.seq 34295:36607 MW:86245

>emb|AL123456|MTBH37RV:34295-36610, bioF2 SEQ ID NO:11

35 ATGCCCCACTGGCTTGGGCTATGACTTTCTGCGCCCTGTCGAGGACTCGGGGATCAACGACCTGA
AGCACTATTACTTCATGGCGGATTTGGCCGATGGGCAACCGCTAGGCCGGGCAAACCTCTATAG
CGTCTGTTTCGACCTGGCCACCACCGACCGCAAGCTCACTCCGGCCTGGCGAACGACCATCAA

ACGGTGGTTTCCGGGGTTTATGACCTTCCGTTTCCTCGAGTGCGGGTTGCTCACCATGGTGAGC
AACCCGCTGGCGTTGCGGTCCGACACCGACTTGAGCGGGTATTGCCTGTGCTGGCCGGCCAG
ATGGACCAAGTTGGCGCATGACGACGGGTGCGATTCTTGATGATCCGGGACGTGGACCCGGAA
CACTACCAGCGATACCTTGACATCCTGCGCCCGTTGGGCTTTGCGCCTGCGCTGGGCTTTTCCC
5 GGGTAGACACGACCATCAGCTGGTCGAGCGTGGAAGAGGCACTGGGCTGCCTGTCTCACAAAA
GGCGCCTGCCGTTGAAGACGTCGCTGGAGTTTCGTGAGCGGTTCCGTATCGAGGTGAGGAAC
TCGACGAGTATGCCGAGCATGCGCCGGTATTGGCCCGGCTTTGGCGCAACGTCAAGACGGAGG
CAAAGGATTACCAGCGCGAGGACCTGAACCCTGAGTTCTTCGCGGCGTGTTCTCGGCATCTGCA
TGGACGTAGCAGACTGTGGTTGTTCCGCTACCAGGGCACGCCAATTGCCTTCTTTTTGAACGTTT
10 GGGGTGCGGATGAGAACTACATACTGCTTGAGTGGGGCATCGATCGTGATTTTGAACATTATAG
GAAGGCGAATCTGTACCGGGCGGCGCTGATGCTCAGCCTAAAAGATGCGATCAGCCGAGATAA
ACGGCGAATGGAAATGGGTATTACGAACTATTTACAAAACTTCGCATTCCGGGTGCCCGAGTC
ATACCGACCATCTATTTCTGCGTCACAGCACGGATCCGGTGCATACGGCAACGTTAGCGCGAA
TGATGATGCACAATATTCAACGGCCAACGCTACCCGACGATATGTGCGAGGAATTCTGTGCTG
15 GGAAGAGCGAATACGTCTGGACCAGGACGGGCTACCCGAACACGATATCTTTGCAAGATCGAT
CGTCAGCACAAATACACGGGGCTCAAACCTCGGCGGAGTCTACGGTTTTTATCCCCGATTACCG
GACCGCAGCGATCCACGGTCAAGGCCGCGGAGCTGGGCGAGATCGTGTTGCTGGGCACGAAC
TCGTATCTGGGCTGGCCACCCATCCAGAGGTGGTGGAGGCCTCGGCGGAGGCCACGCGACG
GTACGGCACCGGCTGCTCGGGTTCGCCGTTGCTGAACGGCACGTTGGAATTGCACGTCTCGCT
20 TGAGCAGGAACTAGCCTGTTTTTTGGGCAAACCCGCCGCGTGTGTGCTCCACCGGATATCAG
AGCAACCTGGCGGCGATCAGCGCGCTATGCGAATCCGGGGACATGATCATCCAAGACGCGCTG
AACCACCGCAGCCTGTTGACGCGCCAGGTTGTCCGGGGCCGACTTCACCTTGTACCGGCAC
AACGACATGGACCACCTGGCGCGGGTGTACGCCGACCGAGGGGCGCCGCGGATCATCGT
CGTGGACGCGGTGTTGAGCATGGAAGGCACCGTCGCCGACCTGGCCACCATCGCCGAGCTTG
25 CCGACCGGCACGGCTGCCGGGTCTATGTGGACGAGTCCCATGCGCTGGGCGTGCTCGGCCCC
GACGGGCGAGGAGCTTCGGCCGCGTTGGGTGTCTTGGCGCGCATGGACGTGGTGATGGGCAC
GTTGAGCAAATCCTTTGCCTCCGTGCGCGGGTTCATCGCCGGAGATCGGCCCGTCGTGGACTA
CATCCGGCACAAACGGTTGAGGTCATGTGTTTTCCGCCAGCCTGCCGCCGCGCCGCGGCTGC
CACCCACGCGGCTCTGCGCGTCAGTCGGCGTGAACCCGACCGGCGGGCTCGGGTGCTGGCCG
30 CGGCCGAGTACATGGCCACCGGCCTGGCACGGCAGGGCTATCAGGCCGAGTATCACGGAACC
GCGATCGTGCCGGTGATCCTGGGCAACCCGACCGTGGCGCATGCGGGCTATCTGCGGCTGAT
GCGCTCCGGGGTGTATGTGAACCCGGTGGCCCCCCCAGCCGTGCCGGAGGAGCGTTCGGGAT
TCCGCACCAGCTACCTAGCCGACCAACGACAATCTGACCTCGACCGGGCCTTGACGTGTTTGC
CGGCCTTGCCGAGGACCTGACCCCGCAAGGAGCCGCGCTATGA

>Rv0050 ponA1 TB.seq 53661:55694 MW:71119

>emb|AL123456|MTBH37RV:53661-55697, ponA SEQ ID NO:12

GTGGTGATCCTGTTGCCGATGGTCACCTTCACGATGGCCTACCTGATCGTCGACGTTCCCAAGC
 CAGGTGACATCCGTACCAACCAGGTCTCCACGATCCTTGCCAGCGACGGCTCGGAAATCGCCA
 AAATTGTTCCGCCCCGAAGGTAATCGGGTCGACGTCAACCTCAGCCAGGTGCCGATGCATGTGC
 GCCAGGCGGTGATTGCGGCCGAAGACCGCAATTTCTATTGAATCCGGGATTCTCGTTCACCGG
 5 CTTGCGCGGGCAGTCAAGAACAACCTGTTGCGCGGGCGATCTGCAGGGCGGATCGACGATTAC
 CCAGCAGTACGTCAAGAACGCGCTGGTCGGTTCGCGACAGCACGGGTGGAGCGGTCTGATGC
 GCAAGGCGAAAGAATTGGTCATCGCGACGAAGATGTGCGGGGAGTGGTCTAAAGACGATGTGC
 TGCAGGCGTATCTGAACATCATCTACTTCGGCCGGGGCGCCTACGGCATTTCGGCGGCGTCCA
 AGGCTTATTTGACAAGCCCGTCGAGCAGCTGACCGTTGCCGAAGGGGCGTTGTTGGCAGCGC
 10 TGATTGCGCGGCCCTTCGACGCTGGACCCGGCGGTGACCCCGAAGGGGCCCATGCCCGCTGG
 AATTGGGTACTCGACGGCATGGTGGAAACCAAGGCTCTCTCGCCGAATGACCGTGCGGCGCAG
 GTGTTTCCCGAGACAGTGCCGCCCGATCTGGCCCGGGCAGAGAATCAGACCAAAGGACCCAAC
 GGGCTGATCGAGCGGCAGGTGACAAGGGAGTTGCTCGAGCTGTTCAACATCGACGAGCAGACC
 CTAACACCCAGGGGCTGGTGGTCAACCACGATTGATCCGACGGCCCAACGGGCGGCGGA
 15 GAAGGCGGTTGCGAAATACCTGGACGGGCAGGACCCCGACATGCGTGCCGCCGTGGTTTCCAT
 CGACCCGCACAACGGGGCGGTGCGTGCGTACTACGGTGCGGACAATGCCAATGGCTTTGACTT
 CGCTCAAGCGGGATTGCAGACTGGATCGTCGTTTAAGGTGTTTGCTCTGGTGGCCGCCCTTGAG
 CAGGGGATCGGCCTGGGCTACCAGGTAGACAGCTCTCGTTGACGGTCGACGGCATCAAGATC
 ACCAACGTCGAGGGCGAGGGTTGCGGGACGTGCAACATCGCCGAGGCGCTCAAATGTGCT
 20 GAACACCTCCTACTACCGGCTGATGCTCAAGCTCAACGGCGGCCACAGGCTGTGGCCGATGC
 CGCGCACCAAGCCGGCATTGCCTCCAGCTTCCCGGGCGTTGCGCACACGCTGTCCGAAGATGG
 CAAGGGTGGACCGCCCAACAACGGGATCGTGTTGGGCCAGTACCAAACCCGGGTGATCGACAT
 GGCATCGGCGTATGCCACGTTGGCCGCGTCCGGTATCTACCACCCGCCGCATTTCTGTACAGAA
 GGTGGTCAGTGCCAACGGCCAGGTCCTCTTCGACGCCAGCACCGCGGACAACACCGGCGATCA
 25 GCGCATCCCCAAGGCGGTAGCCGACAACGTGACTGCGGCGATGGAGCCGATCGCAGGTTATTC
 GCGTGGCCACAACCTAGCGGGTGGGCGGGATTGCGCGGCCAAGACCGGCACTACGCAATTTG
 GTGACACCACCGCGAACAAAGACGCCTGGATGGTGGGTACACGCCGTCGTTGTCTACGGCTG
 TGTGGGTGGGCACCGTCAAGGGTGACGAGCCACTGGTAACCGCTTCGGGTGCAGCGATTTACG
 GCTCGGGCCTGCCGTCGGACATCTGGAAGGCAACCATGGACGGCGCCTTGAAGGGCACGTGCG
 30 AACGAGACTTTCCCCAAACCGACCGAGGTGCGTGGTTATGCCGGTGTGCCGCCGCCGCCGCCG
 CCGCCGGAGGTACCACCTTCGGAGACCGTCATCCAGCCCACGGTCGAAATTGCGCCGGGGATT
 ACCATCCCGATCGGTCCCCGACCACCATACCCTGGCGCCACCGCCCCCGGCCCGCCCGCT
 GCGACTCCCACGCCGCCGCCGTGA

>Rv0051 - TB.seq 55694:57373 MW:61210

>emb|AL123456|MTBH37RV:55694-57376, Rv0051 SEQ ID NO:13

GTGACCGGCGCGCTGTCCCAAAGCAGCAACATCTCGCCACTTCCTTTGGCCGCCGATCTGCGG
AGCGCCGATAACCGCGATTGCCCCAGCCGCACCGACGTATTGGGTGCCGCTCTGGCGAATGTC
GTCGGTGGCCCCGGTAGGCCGGCAGCGCTGATCGGCCGCACCCGGCTGATGACCCCGCTGCG
GGTGATGTTTGCAATCGCGTTGGTGTTCCTGGCGCTCGGTTGGTCGACGAAAGCGGCCTGCTT
5 GCAGTCCACCGGAACCGGTCCAGGTGATCAGCGGGTGGCCAACTGGGATAACCAGCGTGCTTA
CTACCAGTTGTGCTACTCCGATACGGTGCCGCTCTATGGCGCTGAGTTATTGAGCCAAGGCAAG
TTTCCGTACAAATCAAGCTGGATCGAAACCGACAGCAACGGCACACCCGACGTGCGCTACGAC
GGACAGATCGCGGTGCGCTATATGGAGTATCCGGTGCTGACTGGGATCTATCAGTACCTGTGCA
TGGCGATAGCCAAGACCTACACCGCGTTAAGCAAGGTGGCTCCCCCTCCGGTGTTGCCGAAG
10 TGGTGATGTTCTTCAACGTCGCCGCGTTCCGTTTGGCGCTGGCGTGCTGACAACCGTCTGGG
CGACCTCGGGCCTGGCCGGCCGCCGGATATGGGATGCGGCGCTGGTGGCCGCTCACCGCTG
GTGATCTTTTCAATATTCACCAATTTTCGATGCGCTGGCAACGGGTTTGGCGACGAGTGGGCTGC
TGGCCTGGGCGCGGCGCAGACCGGTGCTTGCCGGTGTGCTGATCGGGTTGGGCTCCGCGGCG
AAACTGTATCCGCTGTTGTTCTTGTACCCGTTGTTGCTGCTGGGCATCCGGGGCCGGTGCCTGA
15 ATGCTCTGGCCCGCACCATGGCGGCCGCGGCGGCGACCTGGTTGTTGGTGAATCTGCCGGTGA
TGCTGCTCTTTCCGCGCGGCTGGTTCGAGTTCTTCCGGCTCAACACCCGGCGCGGCGACGACA
TGGACTCGTTGTACAACGTCGTCAAGTCGTTACCCGGCTGGCGTGGCTTCGACCCACCCCTGG
GCTTCTGGGAGCCGCGCTGGTGCTGAACACGGTTGTCACGCTCTTGTTCTGTTATGTTGTGC
GGCAATTGCTTACATCGCGCTCACCGCACCCACCGGCCGCGCGTGGCGCAGCTGACTTTCTT
20 GACGGTGGCCAGCTTCCTGTTGGTCAACAAGGTGTGGAGTCCCCAGTTCTCGCTTTGGCTGGTG
CCGCTGGCCGTGCTGGCTTTGCCGCACCGCCGGATCTTGCTGGCGTGATGACGATCGACGCG
TTGGTGTGGGTGCCGCGGATGTACTACCTATACGGCAACCCGAGCCGCTCGCTGCCCGAGCAG
TGGTTCACCACGACGGTGTGCTGCGTGACATCGCCGTGATGGTGTGTCGGACTGGTGGTC
TGGCAGATCTACCGCCCCGGGCGCGACCTCGTGCGTACCGGCCGGCCAGGGGCACTGCCGGC
25 TTGTGGGGGAGTCGACGACCCGGTGGGAGGGGTCTTTGCCAACGCCGCCGACGCCCCGCCAG
GTCGGCTACCGTCGTGGCTGCGTCCCCGGCTGGGCGACGAGCATGCGCGAGAGAGGACGCCC
GATGCAGGTCGCGATCGCACTTTTTCCGGGCAACACCGCGCTTGA

>Rv0106 - TB.seq 124372:125565 MW:43701

>emb|AL123456|MTBH37RV:124372-125568, Rv0106 SEQ ID NO:14

ATGCGTACTCCGGTGATATTGGTGGCAGGTGAGGATCACACCGACGAGGTGACGGGCGCCTTG
TTGCGCCGGACCGGAACGGTGGTTCGTGGAGACCGGTTTGACGGCCATGTGGTGCGACGGAT
GACTGCCACGCTGAGCCGTGGCGAATTGATCACACGGAGGACGCTTTGGAGTTGCCCCACGG
CTGTGTGTCGTGCACAATCCGCGACGACCTGCTGGTGCTGTTACGCAGACTGCACCGCCGAGA
35 CAATGTCGGCCGGATCGTCGTGCACCTGGCGCCGTGGCTGGAGCCCCAGCCCATCTGCTGGG
CGATCGACCACGTGCGGGTTTGCGTTCGGACACGGATACCCAGACGGACCAGCCGCCCTCGAC
GTGCGGGTTCGCGGCCGTGGTGACCTGTGTGGACTGCGTAAGGTGGCTGCCGCAGTCACTCGG

CGAGGACGAACTGCCCCACGGGCGCACGGTGGCCCAAGTGACGGTCGGTCAGGCCGAGTTCG
 CCGACCTTCTGGTGCTGACCCACCCGGAACCGGTGCGCGTGGCGGTTCTGCGCCGACTGGCC
 CCTCGAGCGCGAATCACCGGCGGCGTGCACCGCGTGCAGCTGGCGCTGGCGCATCTGGACGA
 CAACTCACGGAGGGGTCGTACCGATACCCCGCACACGCCATTGCTGGCGGGCCTGCCTCCGTT
 5 GGCAGCCGACGGTGAGGTTGCGATCGTGGAATTCAGTGCCCGCCGCCGTTTACCCGCAACG
 TCTGCATGCCGCGGTTGACCTGCTGCTCGATGGCGTGGTTCGCACTCGAGGTCGGCTGTGGCT
 GGCCAACCGGCCGGATCAGGTCATGTGGCTCGAATCAGCCGGTGGCGGTCTGCGGGTCGCAT
 CGGCCGGAAGTGGTTGGCGGCGATGGCGGCCTCGGAGGTGGCCTATGTGCACCTGGAGCGG
 CGGTTGTTGCGCGACCTGATGTGGGTCTACCCGTTTCGGAGACCGGCACACCGCGATGACGGTA
 10 CTGGTATGCGGCGCCGATCCGACCGACATCGTCAATGCCCTGAACGCGGCGCTGCTCAGCGAC
 GACGAAATGGCATCTCCGCAACGCTGGCAGTCCTACGTCGACCCTTTTCGGCGACTGGCATGAC
 GACCCGTGCCACGAAATGCCCGATGCGGCTGGGGAATTCTCGGCACACCGCAACTCAGGAGAA
 TCTCGATGA

15 >Rv0125 - TB.seq 151146:152210 MW:34927

>emb|AL123456|MTBH37RV:151146-152213, pepA SEQ ID NO:15

ATGAGCAATTCGCGCCGCCGCTCACTCAGGTGGTCATGGTTGCTGAGCGTGCTGGCTGCCGTC
 GGGCTGGGCCTGGCCACGGCGCCGCCAGGCGGCCCGCCGGCCTTGTGCGAGGACCGGT
 TCGCCGACTTCCCCGCGCTGCCCTCGACCCGTCCGCGATGGTCGCCCAAGTGGGGCCACAG
 20 GTGGTCAACATCAACACCAAACCTGGGCTACAACAACGCCGTGGGCGCCGGGACCGGCATCGTC
 ATCGATCCCAACGGTGTGCTGCTGACCAACAACACGTGATCGCGGGCGCCACCGACATCAAT
 GCGTTCAGCGTCGGCTCCGGCCAAACCTACGGCGTCGATGTGGTCGGGTATGACCGCACCCAG
 GATGTGCGGGTGCTGCAGCTGCGCGGTGCCGGTGGCCTGCCGTGCGCGGCGATCGGTGGCG
 GCGTCGCGGTTGGTGAGCCCGTCGTGCGGATGGGCAACAGCGGTGGGCAGGGCGGAACGCC
 25 CCGTGCGGTGCCTGGCAGGGTGGTCGCGCTCGGCCAAACCGTGCAGGCGTCGGATTGCTGA
 CCGGTGCCGAAGAGACATTGAACGGGTTGATCCAGTTCGATGCCGCGATCCAGCCCGGTGATT
 CGGGCGGGCCCGTCGTCAACGGCCTAGGACAGGTGGTCGGTATGAACACGGCCGCGTCCGAT
 AACTTCCAGCTGTCCCAGGGTGGGCAGGGATTGCGCATTCCGATCGGGCAGGCGATGGCGATC
 GCGGGCCAGATCCGATCGGGTGGGGGGTACCCACCGTTCATATCGGGCCTACCGCCTTCCTC
 30 GGCTTGGGTGTTGTGACAACAACGGCAACGGCGCACGAGTCCAACGCGTGGTCGGGAGCGC
 TCCGGCGGCAAGTCTCGGCATCTCCACCGGCGACGTGATACCGCGGTGACGGCGCTCCGAT
 CAACTCGGCCACCGCGATGGCGGACGCGCTTAACGGGCATCATCCCGGTGACGTCATCTCGGT
 GACCTGGCAAACCAAGTCGGGCGGCACGCGTACAGGGAACGTGACATTGGCCGAGGGACCCC
 CGGCCTGA

35 >Rv0350 dnaK 70 kD heat shock protein, chromosome replication TB.seq 419833:421707

MW:66832 SEQ ID NO:16

>emb|AL123456|MTBH37RV:419833-421710, dnaK

ATGGCTCGTGCGGTTCGGGATCGACCTCGGGACCACCAACTCCGTCGTCTCGGTTCTGGAAGGT
GGCGACCCGGTCGTCTCGTCCAACTCCGAGGGCTCCAGGACCACCCCGTCAATTGTCGCGTTC
GCCCCGAACGGTGAGGTGCTGGTCGGCCAGCCCGCCAAGAACCAGGCAGTGACCAACGTCTGA
5 TCGCACCGTGCGCTCGGTCAAGCGACACATGGGCAGCGACTGGTCCATAGAGATTGACGGCAA
GAAATACACCGCGCCGGAGATCAGCGCCCGCATTCTGATGAAGCTGAAGCGCGACGCCGAGGC
CTACCTCGGTGAGGACATTACCGACGCGGTTATCACGACGCCCGCCTACTTCAATGACGCCCGAG
CGTCAGGCCACCAAGGACGCCGGCCAGATCGCCGGCCTCAACGTGCTGCGGATCGTCAACGA
GCCGACCGCGGCCGCGCTGGCCTACGGCCTCGACAAGGGCGAGAAGGAGCAGCGAATCCTGG
10 TCTTCGACTTGGGTGGTGGCACTTTTCGACGTTTCCCTGCTGGAGATCGGCGAGGGTGTGGTTGA
GGTCCGTGCCACTTCGGGTGACAACCACCTCGGCGGCGACGACTGGGACCAGCGGGTCGTCTG
ATTGGCTGGTGGACAAGTTCAAGGGCACCAGCGGCATCGATCTGACCAAGGACAAGATGGCGA
TGCAGCGGCTGCGGGAAGCCGCCGAGAAGGCAAAGATCGAGCTGAGTTCGAGTCAGTCCACCT
CGATCAACCTGCCCTACATCACCGTCGACGCCGACAAGAACCCGTTGTTCTTAGACGAGCAGCT
15 GACCCGCGCGGAGTTCCAACGGATCACTCAGGACCTGCTGGACCGCACTCGCAAGCCGTTCCA
GTCGGTGATCGCTGACACCGGCATTTTCGGTGTGCGGAGATCGATCACGTTGTGCTCGTGGGTGG
TTCGACCCGGATGCCCCGCGGTGACCGATCTGGTCAAGGAACTCACCGGCGGCAAGGAACCCAA
CAAGGGCGTCAACCCCGATGAGGTTGTGCGGGTGGGAGCCGCTCTGCAGGCCGCGCTCCTCA
AGGGCGAGGTGAAAGACGTTCTGCTGCTTGATGTTACCCCGCTGAGCCTGGGTATCGAGACCA
20 AGGGCGGGGTGATGACCAGGCTCATCGAGCGCAACACCACGATCCCCACCAAGCGGTCTGGAG
ACTTTCACCACCGCCGACGACAACCAACCGTCGGTGCAGATCCAGGTCTATCAGGGGGAGCGT
GAGATCGCCGCGCACAACAAGTTGCTCGGGTCCTTCGAGCTGACCGGCATCCCGCCGGCGCC
GCGGGGGATTCCGCGAGATCGAGGTCACTTTTCGACATCGACGCCAACGGCATTGTGCACGTCAC
CGCCAAGGACAAGGGCACCGGCAAGGAGAACACGATCCGAATCCAGGAAGGCTCGGGCCTGT
25 CCAAGGAAGACATTGACCGCATGATCAAGGACGCCGAAGCGCACGCCGAGGAGGATCGCAAGC
GTCGCGAGGAGGCCGATGTTCTGTAATCAAGCCGAGACATTGGTCTACCAGACGGAGAAGTTCTG
TCAAAGAACAGCGTGAGGCCGAGGGTGGTTTCAAGGTACCTGAAGACACGCTGAACAAGTTG
ATGCCGCGGTGGCGGAAGCGAAGGCGGCACTTGGCGGATCGGATATTTGCGCCATCAAGTCG
GCGATGGAGAAGCTGGGCCAGGAGTCGAGGCTCTGGGGCAAGCGATCTACGAAGCAGCTCA
30 GGCTGCGTCACAGGCCACTGGCGCTGCCACCCCGGCGGCGAGCCGGGCGGTGCCACCCC
GGCTCGGCTGATGACGTTGTGGACGCGGAGGTGGTTCGACGACGGCCGGGAGGCCAAGTGA

>Rv0351 grpE stimulates DnaK ATPase activity TB.seq 421707:422411 MW:24501

>emb|AL123456|MTBH37RV:421707-422414, grpE SEQ ID NO:17

GTGACGGACGGAAATCAAAAGCCGGATGGCAATTCGGGCGAACAGGTAACCGTCACTGACAAG
CGGCGGATCGATCCCGAGACGGGTGAAGTGCGGCACGTCCCTCCCGGCGACATGCCGGGAGG
GACGGCTGCGGCCGATGCGGCGCACACCGAAGACAAGGTCGCCGAGCTGACCGCCGATCTGC

AACGCGTGCAGGCCGACTTCGCCAACTACCGTAAGCGGGCGTTGCGCGATCAGCAGGCGGCC
GCTGACCGAGCCAAGGCCAGCGTTGTCAGCCAATTGCTGGGTGTACTGGACGATCTCGAGCGG
GCGCGCAAGCACGGCGATTTGGAGTCGGGTCCACTGAAAGTCGGTCGCCGACAAGCTAGACAGC
GCGTTGACCGGGCTGGGTCTGGTGGCGTTTCGGTGCCGAGGGCGAGGATTTGACCCCGTGCT
5 GCACGAAGCGGTGCAACACGAGGGCGACGGCGGGCAGGGGTCCAAGCCGTAATCGGCACC
GTCATGCGGCAGGGCTACCAACTGGGTGAGCAGGTGCTGCGGCACGCCTTGGTCGGCGTCGT
CGACACGGTGGTCGTGACGCGGCCGAACTGGAGTCAGTCGACGACGGCACTGCGGTGCGAG
ATACCGCCGAAAACGATCAAGCTGACCAGGGCAATAGCGCCGACACCTCGGGCGAACAGGCAG
AATCAGAACCGTCGGGCAGTTAA

>Rv0352 dnaJ acts with GrpE to stimulate DnaK ATPase TB.seq 422450:423634 MW:41346

>emb|AL123456|MTBH37RV:422450-423637, dnaJ SEQ ID NO:18

ATGGCCCAAAGGGAATGGGTGCAAAAAGACTTCTACCAGGAGCTGGGCGTCTCCTCTGATGCC
AGTCCTGAAGAGATCAAACGTGCCTATCGGAAGTTGGCGCGCGACCTGCATCCGGACGCGAAC
15 CCGGGCAACCCGGCCGCCGGCGAACGGTTCAAGGCGGTTTCGGAGGCGCATAACGTGCTGTC
GGATCCGGCCAAGCGCAAGGAGTACGACGAAACCCGCCGCCTGTTCCGCCGGCGGCGGGTTCCG
GCGGCCGTGCGTTTCGACAGCGGCTTTGGGGGCGGGTTTCGGCGGTTTCGGGGTGGTGGAGAC
GGCGCCGAGTTCAACCTCAACGACTTGTTCGACGCCGCCAGCCGAACCGGCGGTACCACCATC
GGTGACTTGTTTCGGTGGCTTGTTCGGACGCGGTGGCAGCGCCCGTCCCAGCCGCCCGCGACG
20 CGGCAACGACCTGGAGACCGAGACCGAGTTGGATTTGCTGGAGGCCGCCAAGGGCGTGGCGA
TGCCGCTGCGATTAACCAGCCCGGCGCCGTGCACCAACTGCCATGGCAGCGGGGCCCGGCCA
GGCACCAGCCCAAAGGTGTGTCCCACTTGCAACGGGTGCGGCGTGATCAACCGCAATCAGGGC
GCGTTTCGGCTTCTCCGAGCCGTGCACCGACTGCCGAGGTAGCGGCTCGATCATCGAGCACCCC
TGCGAGGAGTGCAAAGGCACCGGCGTGACCACCCGCACCCGAACCATCAACGTGCGGATCCC
25 GCCCGGTGTCGAGGATGGGCAGCGCATCCGGCTAGCCGGTCAGGGCGAGGCCGGGTTGCGC
GGCGCTCCCTCGGGGATCTCTACGTGACGGTGCATGTGCGGCCCGACAAGATCTTCGGCCGC
GACGGCGACGACCTCACCGTCACCGTTCCGGTCAGCTTACCGAATTGGCTTTGGGCTCGACG
CTGTGCGTGCCCTACCCTGGACGGCACGGTCGGGGTCCGGGTGCCCAAAGGCACCGCTGACGG
CCGCATTCTGCGTGTGCGCGGACGCGGTGTGCCAAGCGCAGTGGGGGTAGCGGCGACCTAC
30 TTGTACCGTGAAGGTGGCCGTGCCGCCAATTTGGCAGGCGCCGCTCAGGAAGCTCTGGAAG
CCTATGCGGCGGCGGAGCGGTCCAGTGGTTTCAACCCGCGGGCCGGATGGGCAGGTAATCGC
TGA

>Rv0363c fba fructose bisphosphate aldolase TB.seq 441266:442297 MW:36545

>emb|AL123456|MTBH37RV:c442297-441263, fba SEQ ID NO:19

ATGCCTATCGCAACGCCCGAGGTCTACGCGGAGATGCTCGGTGAGGCCAAACAAAACCTCGTAC
GCTTTCCCGGCTATCAACTGCACCTCCTCGGAAACCGTCAACGCCGCGATCAAAGGTTTCGCCG

ACGCCGGCAGTGACGGAATCATCCAGTTCTCGACCGGTGGCGCAGAATTCGGCTCCGGCCTCG
GGGTCAAAGACATGGTGACCGGTGCGGTGCGCTTGGCGGAGTTCACCCACGTTATCGCGGCCA
AGTACCCGGTCAACGTGGCGCTGCACACCGACCACTGCCCAAGGACAAGTTGGACAGCTATG
TCCGGCCCTTGCTGGCGATCTCGGCGCAACGCGTGAGCAAAGGTGGCAATCCTTTGTTCCAGT
5 CGCACATGTGGGACGGCTCGGCAGTGCCAATCGATGAGAACCTGGCCATCGCCCAGGAGCTGC
TCAAGGCGGCGGCGGCCGCAAGATCATTCTGGAGATCGAGATCGGCGTCGTCGGCGGCGAA
GAGGACGGCGTGGCGAACGAGATCAACGAGAAGCTGTACACCAGCCCGGAGGACTTCGAGAAA
ACCATCGAGGCGCTGGGCGCCGGTGAGCACGGCAAATACCTGCTGGCCGCGACGTTTCGGCAA
CGTGATGGCGTCTACAAGCCCGGCAACGTCAAGCTTCGCCCCGACATCCTTGCGCAAGGGCA
10 ACAGGTGGCGGCGGCCAAGCTCGGACTGCCGGCCGACGCCAAGCCGTTGACTTCGTGTTCC
ACGGCGGCTCGGGTTTCGCTTAAGTCGGAGATCGAGGAGGCGCTGCGCTACGGCGTGGTGAAG
ATGAACGTCGACACCGACACCCAGTACGCGTTACCCGCCCCGATCGCCGGTCACATGTTACCC
AACTACGACGGAGTGCTCAAGGTCGATGGCGAGGTGGGTGTCAAGAAGGTCTACGACCCGCGC
AGCTACCTCAAGAAGGCCGAAGCTTCGATGAGCCAGCGGGTCGTTTACGGCGTGCAATGACCTG
15 CACTGCGCCGAAAAGTCCCTAACCCACTAA

>Rv0405_pks6_TB.seq 485729:489934 MW:147615 >emb|AL123456|MTBH37RV:485729-489937,
pks6 SEQ ID NO:20

ATGACAGACGGTTCGGTCACTGCGGATAAGCTTCAAAAATGGTTTCGAGAGTACTTGTCCACGC
20 ATATCGAGTGTCATCCAAATGAGGTCAGCCTAGACGTTCCGATTAGAGATTTAGGTTTGAATCG
ATTGATGTCTTAGCGATTCCCGGCGACCTCGGTGACAGATTTGGGTTTTGTATTCCCGATTTGGC
CGTTTGGGATAATCCTAGCGCTAATGATTTGATTGATAGTCTGTTGAACCAGCGTAGTGCTGACT
CGTTAAGAGAGAGTCATGGACACGCCGACAGGAACACGCAGGGTCGGGGCAGCATAAACGAGC
CGGTTGCGGTCATCGGAGTGGGCTGTCGATTTCCGGGAGATATTGACGGCCCCGAACGGCTAT
25 GGGACTTTCTGACCGAGAAGAAGTGTGCGATAACAGCGTATCCAGATCGTGGGTTACGAATGC
TGGAACTTTCGCGGAGTCCGGAGGCTTTTTAAAGGATGTCGCGGGTTTCGATAATAGATTTTTTG
ATATCCCGCCGGACGAGGCTCTGCGAATGGATCCGCAACAACGGTTGTTACTGGAGGTCTCTTG
GGAAGCGTTAGAGCATGCAGGAATTATTCCTGAGTCATTAAGACTTTACGTACGGGCGTATTC
GTTGGGGTGTGCTCAACTGACTACGTCCGGCTTGTCGAGCTAGCGCTCAGAAAAGTCTACTA
30 TTTGGGATAACACCGGCGGTTCTTCGAGTATTATTGCCAATAGAATCTCATACTTTCTCGATATTC
AGGGTCCGTCCATTGTCATTGACACGGCATGCTCGTCATCCCTGGTCGCCGTGCATCTAGCCTG
TCGAAGTCTCAGTACCTGGGACTGCGATATCGCACTTGTCGGTGGGACGAATGTTCTTATTTAC
CAGAACCATGGGGTGGGTTTAGGGAAGCGGGCATCTTGTCGCAGACAGGCTGCTGTCACGCGT
TCGATAAATCCGCCGACGGGATGGTACGCGGTGAGGGATGCGGAGTTATCGTGCTGCAGCGCC
35 TCAGTGATGCACGCCTTGAGGGCCGGCGGATATTAGCGATTCTGACGGGTTACGCGGTCAATC
AGGACGGTAAGTCCAACGGTATTATGGCGCCAAATCCTAGTGCGCAAATTGGTGTTCTTGAAAAT
GCATGCAAGAGCGCTCGCGTCGATCCGCTGGAATCGGCTACGTGAGGCCACGGGACCGG

AACGTCGTTAGGGGATAGGATCGAGGCGCACGCCTTAGGCATGGTCTTTGGTCGCAAGAGACC
 GGGATCTGGGCCCCTGATGATCGGGAGCATCAAGCCGAATATCGGCCATCTGGAAGGTGCGGC
 TGGCATCGCCGGATTGATCAAGGCGGTGTTGATGGTTGAGCGTGGCTCGCTGCTTCCGAGCGG
 GGGGTTTACGGAGCCAAATCCAGCTATCCATTACGGAATTGGGCCTGAGAGTTGTAGACGAA
 5 CTTCAGGAGTGGCCGGTGGTGGCGGGTCGGCCGCGCCGGGCTGGGGTGTATCGTTTCGGCTT
 TGGCGGCACCAATGCGCATGTGATTGTCGAGGAAGCTGGTTCGGTTGGGGCGGACACGGTTTC
 GGGCCGCGCGGATGTTGGCGGTTCCGGTGGTGGGGTGGTGGCGTGGGTGATTCGGGGAAGA
 CGGCTTCGGCGTTGGCTGCTCAGGCGGGTCGGTTGGGGCGGTATGTGCGGGCTCGGCCGGCG
 CTTGATGTTGTTGATGTGGGGTATTCGTTGGTGAGCACGCGGTGGTGTTCGATCATCGGGCGG
 10 TGGTGGTCGGCCAGACTCGCGATGAGTTGCTGGCTGGGTGGCTGGGGTGGTTGCTGGTCGG
 CCGGAGGCTGGGGTGGTCTGCGGTGTTGGCAAGCCGGCGGGCAAGACGGCTTTTGTGTTTGC
 CGGTCAAGGCTCGCAGTGGCTGGGTATGGGTAGCGAGCTTTATGCTGCCTACCCGGTTTTCGC
 CGAGGCCCTCGATGCTGTGGTGGACGAGTTGACCGGCACCTGCGGTATCCGCTGCGCGATGT
 GATCTGGGGGCACGACCAAGATCTGTTGAATACCACCGAATTCGCCAGCCGGCGCTGTTTGC
 15 GGTGGAGGTGGCGCTGTATCGGCTGCTCATGTCGTGGGGGGTGCGGCCGGGTTTGGTGCTGG
 GTCATTGGGTGGGCGAGTTGGCGCGGGCGCACGTGCCCGGGGCGCTGTGTTTGCCGGATGCG
 GCGATGCTGGTGGCCGCGCGTGGACGGTTGATGCAGGCGTTGCCCGCCGGCGGCCATGTT
 TCGGGTGCAGGCCCGTGAAGACGAGGTAGCGCCGATGCTGGGGCACGATGTGAGCATCGCGG
 CGGTCAATGGTCCGGCTTCGGTGGTGATCTCTGGTGCCACGATGCGGTGAGCGCGATCGCTG
 20 ATCGGCTGCGCGGCCAGGGCCGTCGGGTCCACCGGTTGGCGGTCTCGCATGCCTTTCACTCG
 GCGTTGATGGAGCCGATGATCGCTGAGTTCACAGCCGTTGCGGCCGAAGTGTCTGTGGGCTTG
 CCCACGATCCCGGTCATTTCCAATGTGACCGGGCAGTTGGTGGCCGACGACTTCGCCTCAGCT
 GATTACTGGGCCCCGGCATATCCGGGCGGTGGTGGGTTTGGCGACAGTGTTCTAGTGCCAC
 TGGCGCCGGTGCCAGTCGTTTCATCGAAGTCGGGCCCCGGTGGCGGCTTGACGTCGTTGATCGAG
 25 GCATCGCTGGCCGACGCGCAGATCGTGTGGTGCCACGCTGCGCAAAGATCGGCCCGAACC
 GGTCAGTGTGATGACGGCGGCGGCCAGGGCTTCGTCTCGGGGATGGGCCTGGATTGGGCCT
 CGGTGTTTTCCGGGTACCGGCCCAAGCGGGTGGAGTTGCCGACGTATGCCTTCAGCATCAA
 AGTTCTGGCTCGCACCAGCCCCATCGGTGACGACCCACCGCCGCGGCCAGATCGGGGCT
 AGCGATGGTGGTGCTGAACTCTTGGCGTCCTCCGGGTTTGCCGCCCCGGCTGGCCGGTCGGTCG
 30 GCCGACGAGCAACTCGCCGACGATCGAGGTGGTATGTGAGCATGCCGACGCGGTGCTGGG
 GCGCGACGGCGCTGCCGGAAGTTCGACGCTGGCCAGGCGTTTGCCGATTCCGGATTAAATTCCTT
 GAGTGCCGTGGAGCTACGTAACCGCTTAACAGCCGTCACCGCAGTAACGCTGCCGGCCACCGC
 GATCTTCGATACCCCCACCCGACCGAACTAGCCAGTATCTGATACCCAAATAGACGGTCAC
 GGCAGCTCCGCCGCCGACGCGGCAACCCGGCGGAGCGAATCGATGCGCTACCGATCTTTTT
 35 CTACAAGCTTGCGATGCGGGTCGGGATGCCGATGGTTGGAAGATGGTCGCCCTGGCGTCGAAT
 ACGCGCGAGCGCATGAGCTACCGGTTCCGAACAACGTATCGAAGAAGCTCGCACTGCTGGCA
 GATGGTATCTCCGATGTGGTTGTAATTTGTATCCCAACTCTAACTGTGCTATCGGATCAGCGTGA

ATATCGAGATATTGCGAATGCGATGACAGGCCGCCATTTCGGTTTATTCGCTTACGCTTCCCGGG
TTCGATTTCGTCTGATGCACTGCCGCAAACGCGGATATGATTGTTGAAACCGTATCTAACGCAAT
TATTGATGTGGTAGGCGGCAGCTGCCGTTTTGTGCTGTCGGGCTATTCATCGGGTGGGGTGTTC
GCCTATGCCCTCTGCTCCCATCTGTCCGTCAAGCACCAGCGGAATCCCCTCGGAGTCGCACTCA
5 TCGATACATATCTGCCTAGTCAGATCGCCAATCCTTCAATGAATGAAGGGTTCAGCCCCAACGAT
ACTGGGAAGGGCCTTTCCCGTGAAGTAATTCGAGTGGCCAGAATGTTGAATCGGTAACTGCCA
CCCGACTCACCGCGGCAGCCACCTATGCTGCAATCTTTCAGGCCTGGGAACCAGGTAGATCAAT
GGCTCCGGTTCTTAACATCGTGGCGAAGGACCGAATAGCTACCGTCGAAAATTTACGCGAAGAA
CGAATCAACCGGTGGCGAACTGCTGCTGCAGAGGCGGCCTATTCTGTAGCCGAAGTACCCGGG
10 GATCATTTTCGGAATGATGAGCACCTCGAGTGAGGCAATAGCTACCGAAATACATGATTGGATTTC
TGGGCTCGTTCGAGGGCCTCATCGGTAG

>Rv0435c - ATPase of AAA-family TB.seq 522348:524531 MW:75315

>emb|AL123456|MTBH37RV:c524531-522345, Rv0435c SEQ ID NO:21

15 GTGACCCACCCGGACCCGGCCCGCCAACTCACCTTACCGCCCGGCTGAACACCTCGGCCGTC
GACTCACGCCCGGGCGTTCGTTGCGTTGACCCCAATGCCATTGCTGCCCTTGGCATCCGCGAG
TGGGACGCGGTGTCGCTGACCGGCTCTCGGACAACCGCCGCGGTGCGCCGGCCTGGCCGCGGC
AGACACCGCGGTGCGGACGGTGCTGCTCGATGACGTCACACTGTCCAATGCGGGCCTTCGCGA
AGGCACCGAGGTGATCGTCAGCCCGGTACCGTCTACGGAGCGCGATCGGTGACGCTGAGCG
20 GTTCAACGCTGGCCACCCAGTCGGTGCCGCGGTACGCTGCGGCAGGCCCTACTCGGCAAG
GTGATGACCGTCGGTGACGCGGTCTCGCTGCTGCCCCGCGATCTAGGCCCGGCACATCCACG
TCGGCTGCCAGCCGCGCATTGGCAGCTGCGGTGCGGATCAGTTGGACCTCGGAGCTGCTGACC
GTTACCGGCGTCGACCCCGACGGGCCGTGACGCTGACGCCCAACTCGCTGGTCACCTGGGG
CGCTGGGGTCCCGGCCGCAATGGGTACGTCCACGGCCGGGCAAGTGAGCATCTCGAGTCCGG
25 AGATCCAGATCGAAGAGCTCAAGGGCGCCCAGCCGAGGCTGCCAAGCTCACCGAATGGCTCA
AGCTTGCCCTCGATGAGCCGCACCTACTACAGACCTTGGGCGCCGGCACCAATTTGGGTGTGC
TGGTGTGCGGGTCCGGCCGGGGTGGGCAAGGCGACGCTGGTGCGCGCGGTGTGCGACGGCCG
AAGGTTGGTGACACTGGATGGTCCGGAGATTGGAGCTCTGGCCGCCGGAGACCGGGTCAAAGC
CGTGGCCTCGGCAGTGACGGCGGTTCCCATGAGGGCGGTGTGTTGCTGATACCGATGCCGA
30 CGCCCTGCTGCCAGCCGCCGCGAGCCGGTAGCCTCGCTGATCCTGTCCGAGCTGCGTACCG
CGGTGGCCACCGCCGGTGTGGTATTGATCGCCACCTCAGCACGGCCCGATCAACTCGATGCC
GGCTGCGTTCCCCGAGTTGTGCGACCGGGAGCTTGGCCTGCCGCTGCCCGACGCGGCCACC
CGCAAATCGCTGCTGGAGGCGCTGCTGAATCCGGTTCCTACCGGAGACCTCAACCTCGACGAA
ATCGCCTCCCGCACACCGGGTTTCGTCGTGGCCGACCTGGCTGCGCTGGTTCGCGAGGCGGC
35 GCTGCGGGCAGCGTCTCGAGCCAGTGCCGACGGCCGACCACCGATGCTGCACCAAGACGACC
TCCTCGGTGCGTTGACCGTCATCCGGCCGCTGTCCCGCTCGGCCAGCGACGAAGTCACCGTGG
GTGACGTGACGCTCGACGATGTCGGTGACATGGCCGCGGCCAAACAAGCACTGACCGAGGCG

GTGCTGTGGCCGCTGCAGCACCCCGACACCTTCGCTCGGCTAGGTGTGGAACCGCCGCGCGG
GGTGTGCTGTACGGCCCCGGCTGCGGCAAGACCTTTGTGGTTCGTGCCCTGGCCAGCAC
CGGACAGTTGAGCGTGCATGCCGTCAAAGGGTCGGAGCTGATGGACAAGTGGGTGGGCTCCTC
GGAGAAGGCAGTCCGCGAGCTATTCCGGCGGGCCCCGCGACTCCGCGCCGTCACTGGTGTTC
5 TCGACGAGCTGGACGCTCTGGCGCCACGGCGCGGTGAGAGCTTCGACTCGGGCGTCTCCGAC
CGGGTGGTGGCCGCGCTGCTGACTGAGCTCGACGGTATTGACCCGCTGCGGGATGTCGTCATG
CTAGGCGCGACCAACCGGCCCGATCTGATAGACCCGGCGCTGCTGCGCCCCGGGCGGCTAGA
ACGGCTGGTGTTCGTTGAACCGCCCCGACGCTGCCGCTCGCCGCGAAATCCTGCGCACCGCTGG
CAAGTCGATCCCGCTGAGCTCCGACGTCGACCTGGACGAGGTGGCAGCCGGAAGTTCGACGGTTA
10 TAGTGCCGCGACTGTGTGGCGCTGCTGCGCGAAGCCGCGCTTACCGCGATGCGGCGTTCCAT
CGATGCCGCCAACGTCACCGCCGCGACCTGGCGACCGCGCGAGAAACCGTGCGCGCGTTCG
TGGATCCGCTGCAGGTGGCGTCGCTGCGTAAGTTCGGCACCAAGGGTGACCTTCGGTCCTAG

>Rv0436c pssA CDP-diacylglycerol-serine o-phosphatidyltransferase TB.seq 524531:525388

MW:31219 >emb|AL123456|MTBH37RV:c525388-524528, pssA SEQ ID NO:22

ATGATCGGAAAGCCCCGCGGCAGGCGAGGGGTAAACCTGCAGATACTGCCAGCGCGATGAC
GGTGCTGTCCATTTGCGCGGGAAGTACCGCAATCAAGTTTTCGCTCGAGCACCAGCCGAAGGC
CGCGATGGCACTGATCGCCGCGAGCGGCCATCCTCGACGGGCTCGACGGCCGGGTGGCCCGCA
TCCTGGATGCCAGTCGCGGATGGGCGCAGAGATCGACTCACTGGCCGACGCGGTGAACCTTCG
20 GAGTGACACCCGCGCTGGTGCTTTACGTGTCGATGTTGTGGAAGTGGCCGGTTCGTTGGGTGG
TCGTGCTGCTCTACGCGGTGTGCGTGGTATTACGGCTGGCGCGGTACAACGCACTGCAGGACG
ACGGAACCCAGCCCGCCTACGCGCATGAATTCTTCGTCGGAATGCCCGCGCCGGCGGGCGCG
GTTTCCATGATCGGCCTGCTAGCCCTCAAATGCAGTTCGGCGAAGGATGGTGGACCTCGGGCT
GGTTCCTCAGCTTTTGGGTGACGGGAACGTCGATACTCTTGGTCAGCGGGATCCCGATGAAAAA
25 GATGCACGCCGTGTGCGTACCACCCAACTACGCGGCCCGCCCTGCTGGCGGTGCTGGCTATCTG
CGCGGCGGCCGCGAGTCCTGGCCCCCTACTTGTGATCTGGGTGATCATCATCGCCTACATGTGC
CATATTCCTTTTCGCGGTGCGCAGCCAGCGCTGGCTTGCCCAACACCCTGAGGTGTGGGACGAC
AAGCCCAAGCAACGGCGCGCGGTGCGGCGCGCGAGCCGCGGGCGCATCCCTACCGGCCGT
CGATGGCGCGGCTGGGCCTGCGCAAGCCGGGTGACGGCTGTGA

>Rv0440 groEL 260 kD chaperonin 2 TB.seq 528606:530225 MW:56728

>emb|AL123456|MTBH37RV:528606-530228, groEL2 SEQ ID NO:23

ATGGCCAAGACAATTGCGTACGACGAAGAGGCCCGTCGCGGCCTCGAGCGGGGCTTGAACGC
CCTCGCCGATGCGGTAAAGGTGACATTGGGCCCAAGGGCCGCAACGTCGTCCTGGAAAAGAA
35 GTGGGGTGCCCCACGATACCAACGATGGTGTGTCCATCGCCAAGGAGATCGAGCTGGAGGA
TCCGTACGAGAAGATCGGCGCCGAGCTGGTCAAAGAGGTAGCCAAGAAGACCGATGACGTGCG
CGGTGACGGCACCAACGACGGCCACCGTGTGGCCAGGCGTTGGTTCGCGAGGGCCTGCGCA

ACGTCGCGGCCGCGGCCAACCCGCTCGGTCTCAAACGCGGCATCGAAAAGGCCGTGGAGAAG
 GTCACCGAGACCCTGCTCAAGGGCGCCAAGGAGGTCGAGACCAAGGAGCAGATTGCGGCCAC
 CGCAGCGATTTGCGCGGGTGACCAAGTCCATCGGTGACCTGATCGCCGAGGCGATGGACAAGGT
 GGGCAACGAGGGCGTCAACCGTCGAGGAGTCCAACACCTTTGGGCTGCAGCTCGAGCTCAC
 5 CGAGGGTATGCGGTTTCGACAAGGGCTACATCTCGGGGTACTTCGTGACCGACCCGGAGCGTCA
 GGAGGCGGTCTCTGGAGGACCCCTACATCCTGCTGGTCAGCTCCAAGGTGTCCACTGTCAAGGA
 TCTGCTGCCGCTGCTCGAGAAGGTCATCGGAGCCGGTAAGCCGCTGCTGATCATCGCCGAGGA
 CGTCGAGGGCGAGGCGCTGTCCACCCTGGTCGTCAACAAGATCCGCGGCACCTTCAAGTCGGT
 GGCGGTCAAGGCTCCCGGCTTCGGCGACCGCCGCAAGGCGATGCTGCAGGATATGGCCATTCT
 10 CACCGGTGGTCAGGTGATCAGCGAAGAGGTCGGCCTGACGCTGGAGAACGCCGACCTGTCGC
 TGCTAGGCAAGGCCCGCAAGGTCGTGGTCACCAAGGACGAGACCACCATCGTCGAGGGCGCC
 GGTGACACCGACGCCATCGCCGGACGAGTGGCCAGATCCGCCAGGAGATCGAGAACAGCGA
 CTCCGACTACGACCGTGAGAAGCTGCAGGAGCGGCTGGCCAAGCTGGCCGGTGGTGTGCGCG
 TGATCAAGGCCGGTGCCGCCACCGAGGTGGAAGTCAAGGAGCGCAAGCACCGCATCGAGGAT
 15 GCGGTTTCGAATGCCAAGGCCGCCGTCGAGGAGGGCATCGTCGCCGGTGGGGGTGTGACGCT
 GTTGCAAGCGGCCCCGACCCTGGACGAGCTGAAGCTCGAAGGCGACGAGGCGACCGGCGCCA
 ACATCGTGAAGGTGGCGCTGGAGGCCCGCTGAAGCAGATCGCCTTCAACTCCGGGCTGGAGC
 CGGGCGTGGTGGCCGAGAAGGTGCGCAACCTGCCGGCTGGCCACGGACTGAACGCTCAGACC
 GGTGTCTACGAGGATCTGCTCGCTGCCGGCGTTGCTGACCCGGTCAAGGTGACCCGTTGCGCG
 20 CTGCAGAAATGCGGCGTCCATCGCGGGGCTGTTCTGACCACCGAGGCCGTGTTGCCGACAAG
 CCGGAAAAGGAGAAGGCTTCCGTTCCCGGTGGCGGCGACATGGGTGGCATGGATTTCTGA

>Rv0482 murB TB.seq 570537:571643 MW:38522

>emb|AL123456|MTBH37RV:570537-571646, murB SEQ ID NO:24

25 ATGAAACGGAGCGGTGTGCGTTTCGCTCTTTGCCGGTGCGCATATTGCCGAGGCGGTCCCGTTG
 GCGCCGCTGACCACTTTGCGTGTGGGCCCGATCGCCCGACGTGTCATCACTTGACCAAGCGCC
 GAACAGGTGGTGGCTGCGCTGCGGCACCTGGATTGCGCGGCCAAGACCGGAGCTGACCGCCC
 GCTGGTGTGTTGCTGGTGGCTCCAATTTGGTATCGCCGAGAACCTGACCGACCTGACCGTGGT
 GCGGTTGGCCAATAGCGGCATCACCATCGACGGTAAGTTGGTGGGGCCGAGGCCGGTGGCG
 30 TCTTCGATGACGTGGTGGTTAGGGCCATCGAACAGGGTCTGGGCGGACTGGAATGCCTGTCTG
 GCATCCCAGGATCGGCCGGGGCGACACCCGTGCAGAACGTGGGGGCGTATGGCGCGGAGGT
 GTCTGACACCATCACTCGGGTTCGGCTTTTGGATCGGTGCACGGGTGAGGTGCGTTGGGTATC
 CGCGCGCGACCTGCGCTTCGGCTATCGCACGAGCGTGCTCAAACACGCTGATGGGCTTGCGGT
 GCCACCGTGGTCTTGAGAGGTGGAGTTTGGCTGGATCCGTGCGGGCCGAGCGCACCGCTGC
 35 GCTACGGCGAGCTGATCGCCGCGCTGAATGCGACCAAGCGGCGAGCGCGCCGACCCGCAAGCG
 GTCCGCGAAGCGGTGCTGGCCCTGCGGGCACGCAAGGGCATGGTGCTGGACCCGACCGACCA
 TGACACCTGGAGCGTGGGATCGTTCTTCAAAACCCGGTGGTCACCCAGGATGTTTACGAACGG

CTGGCCGGTGACGCGGCCACCAGAAAGGACGGTCCGGTCCCGCACTATCCCGCGCCCGACGG
CGTCAAGCTGGCCGCCGGCTGGCTGGTGGAACGGGCGGCTTCGGCAAGGGCTATCCGGATG
CCGGCGCCGCCCATGCCGGCTTTCCACCAAACATGCGCTGGCGCTGACAAATCGTGGCGGG
GCCACCGCCGAAGATGTGGTGACGCTGGCGCGCGCCGTGCGCGATGGGGTCCATGATGTGTTT
5 GGTATCACACTAAAACCCGAACCCGTGCTGATCGGCTGCATGTTGTAG

>Rv0483 - TB.seq 571708:573060 MW:47859

>emb|AL123456|MTBH37RV:571708-573063, Rv0483 SEQ ID NO:25

GTGGTCATTCGTGTGCTGTTTCGCCCCGGTATCTTTGATACCCGTGAATAACTCCAGCACCCCCCA
10 GAGTCAGGGGGCCGATCAGTCGGCGTCTGGCGTTGACGGCCCTTGGGTTTGGGGTGTGGCACC
GAACGTTCTGGTCGCGTGCGCCGGCAAAGTGACCAAGCTGGCCGAGAAGAGGCCGCCACCGG
CGCCTCGTCTGACTTTCCGGCCTGCCGACTCTGCCGCCGACGTGGTGCCGATCGCGCCGATCA
GCGTCGAGGTCGGTGACGGCTGTTTTAGCGGGTCGCGCTGACCAATTCGGCAGGCAAGGTC
GTCGCCGGGGCATAACAGCCGGGATCGCACCATCTACACGATCACCGAGCCGCTGGGCTACGAC
15 ACGACCTACACCTGGAGCGGTTTCGGCCGTTCGGCCATGACGGCAAGGCGGTTCCGGTGGCGGG
CAAGTTCACCACCGTGGCACCCGTCAAGACGATCAACGCGGGATTCCAGCTCGCCGACGGCCA
GACCGTCGGGATCGCGGCGCCGGTGATTATTCAGTTCGATTACCGATCAGCGACAAGGCCGC
CGTCGAGCGGGCACTAACCGTGACCACCGACCCGCCTGTGAGGGCGGGCTGGGCCTGGCTGC
CCGACGAGGCGCAGGGCGCTCGCGTGCACTGGCGTCCTCGGGAGTACTACCCGGCGGGTACC
20 ACCGTCGACGTCGACGCCAAGCTGTATGGGCTGCCGTTTCGGCGACGGCGCGTACGGCGCGCA
GGATATGTCGTTGCACTTCCAGATCGGTGTCGTCGTCAGGTGGTCAAGGCCGAAGTCTCGTCGCAC
CGCATCCAAGTCGTCACCGATGCCGGCGTCATCATGGACTTCCCGTGCAGCTACGGCGAGGCC
GACTTGGCGCGCAACGTCACCCGCAACGGCATCCACGTCGTCACCGAGAAATACTCGGACTTC
TACATGTCCAACCCGGCCGCCGGTTACAGCCATATCCACGAACGTTGGGCGGTGCGGATTTC
25 AACACGGCGAGTTCATCCATGCCAACCCTATGAGCGCCGGTGCCCAGGGCAACAGCAATGTC
ACCAACGGCTGTATCAACCTGTCGACGGAGAACGCCGAACAGTACTACCGCAGCGCGGTCTAC
GGTGACCCGGTTGAGGTGACCGGCAGTTCGATCCAGCTGTCCTACGCCGACGGTGACATCTGG
GACTGGGCGGTGGACTGGGACACCTGGGTGTCGATGTCGGCGCTACCGCCACCGGCGGCCAA
ACCGGCGGCGACGCAAATCCCGGTCACCGCCCCGGTCACGCCGTCGGATGCCCCACCCCGT
30 CCGGCACACCCACGACTACTAACGGACCGGGTGGGTAG

>Rv0489 gpm phosphoglycerate mutase | TB.seq 578424:579170 MW:27217

>emb|AL123456|MTBH37RV:578424-579173, gpm SEQ ID NO:26

ATGGCAAACACTGGCAGCCTGGTGTGCTGCGCCACGGCGAGAGCGACTGGAATGCCCTCAAC
35 CTGTTACCCGGCTGGGTGATGTCGGCCTGACGGACAAGGGCCAGGCAGAGGCGGTTTCAAG
CGGCGAGCTGATCGCGGAACACGACCTATTGCCCGACGTGCTCTACACCTCGTTGCTGCGGCG
CGCGATCACACCGCGCATCTGGCGTTGGACAGCGCCGATCGGCTCTGGATTCCCGTGCGGCG

TAGCTGGCGGCTCAACGAACGCCACTACGGCGCGCTGCAGGGTTTGGACAAGGCCGAGACCAA
GGCCCGCTATGGCGAAGAGCAGTTCATGGCCTGGCGGCGCAGCTATGACACGCCGCCGCCGC
CGATCGAGCGGGGCGAGTCAGTTCAGCCAGGACGCCGACCCTCGTTACGCCGACATCGGCGGT
GGCCCGCTCACCGAATGTCTGGCTGACGTGGTCGCCCCGTTTTTGGCATATTTACCGACGTCA
5 TCGTTGGCGACTTGCGGGTCGGCAAGACGGTGCTGATCGTTGCCACGGCAACTCGTTGCGCG
CGCTGGTCAAGCACCTGGACCAGATGTCTGACGACGAAATCGTCGGACTGAACATCCCGACCG
GAATTCCGCTGCGCTACGACCTGGATTCCGCGATGAGGCCGCTGGTGCGCGGTGGTACGTATC
TGGACCCGGAGGCGGCAGCCGCCGGCGCCGCCGCGGTGGCCGGCCAGGGCCGCGGGTAA

10 >Rv0490 senX 3sensor histidine kinase TB.seq 579347:580576 MW:44794

>emb|AL123456|MTBH37RV:579347-580579, senX3 SEQ ID NO:27

GTGACTGTGTTCTCGGCGCTGTTGCTGGCCGGGGTTTTGTCCGCGCTGGCACTGGCCGTCGGT
GGTGCTGTTGGAATGCGGCTGACGTCGCGGGTCGTGAACAGCGCCAACGGGTGGCCACGGA
GTGGTCGGGAATCACGGTTTCGCGAGATGTTGCAATGCATTGTCACGCTGATGCCGCTGGGCGC
15 CGCGGTGGTGGACACCCATCGCGACGTTGTCTACCTCAACGAACGGGCCAAAGAGCTAGGTCT
GGTGCGCGACCGCCAGCTCGATGATCAGGCCTGGCGGGCCGCCGGCAGGCGCTGGGTGGT
GAAGACGTCGAGTTCGACCTGTGCGCGCGCAAGCGGTCGGCCACGGGTGATCCGGGCTATC
AGTGCATGGGCATGCCCGGTTGCTGAGCGAGGAAGACCGCCGGTTCGCCGTGGTGTTCGTGCA
CGACCAGTCGGATTATGCGCGGATGGAGGCGGCTAGGCGTGACTTCGTGGCCAACGTCAGTCA
20 CGAGCTCAAGACGCCCGTCGGTGCCATGGCTCTACTCGCCGAGGCGCTGCTGGCGTCGGCCG
ACGACTCCGAAACCGTTTCGGCGGTTTCGCCGAGAAGGTGCTCATTGAGGCCAACGGCTCGGTG
ACATGGTCGCCGAGTTGATCGAGCTATCCCGGCTACAGGGCGCCGAGCGGCTACCCAATATGA
CCGACGTCGACGTCGATACGATTGTGTGCGGAAGCGATTTACGCCATAAGGTGGCGGCCGACA
ACGCCGACATCGAAGTCCGCACCGACGCGCCCAGCAATCTGCGGGTGCTGGGCGACCAAACTC
25 TGCTGGTTACCGCACTGGCAAACCTGGTTTCCAATGCGATTGCCTATTCGCCGCGCGGGTCGCT
GGTGTCGATCAGCCGTCGCCGTCGCGGTGCCAACATCGAGATCGCCGTCACCGACCGGGGCA
TCGGCATCGCGCCGGAAGACCAGGAGCGGGTCTTCAACGGTTCTTCCGGGGGGGACAAGGCG
CGCTCGCGTGCCACCGGAGGCAGCGGACTCGGGTTGGCCATCGTCAAACACGTCGCGGCTAAT
CACGACGGCACCATCCGCGTGTGGAGCAAACCGGGAACCGGGTCAACGTTACCTTGGCTCTT
30 CCGGCGTTGATCGAGGCCTATCACGACGACGAGCGACCCGAGCAGGCGCGAGAGCCCGAACT
GCGGTCAAACAGGTCACAACGAGAGGAAGAGCTGAGCCGATGA

>Rv0500 proC pyrroline-5-carboxylate reductase TB.seq 590081:590965 MW:30172

>emb|AL123456|MTBH37RV:590081-590968, proC SEQ ID NO:28

35 ATGCTTTTCGGCATGGCAAGGATCGCGATTATCGGCGGCGGCAGCATCGGTGAGGCATTGCTG
TCGGGTCTGCTGCGGGCGGGCCGGCAGGTCAAAGACCTGGTAGTGGCCGAGCGGATGCCCGA
TCGCGCCAACTACCTGGCGCAGACCTATTCGGTGTTGGTGACGTCGGCGGCCGACGCGGTGGA

GAACGCGACGTTTCGTTCGTTCGTTCGCGGTCAAACCAGCCGACGTCGAGCCGGTGATCGCGGATCT
GGCGAACGCGACTGCGGCGGCCGAAAACGACAGTGCTGAGCAGGTGTTTCGTACCGTGGTAG
CGGGCATCACGATCGCGTATTTTCAATCCAAGCTACCGGCTGGGACGCCAGTGGTGCGTGCGA
TGCCGAACGCGGCGGCATTGGTGGGAGCGGGGGTTACAGCGCTGGCCAAAGGCCGCTTTGTC
5 ACCCCGCAACAGCTTGAGGAGGTCTCGGCCTTGTTTCGACGCGGTTCGGCGGCGTGCTGACCGTT
CCGGAATCGCAGTTGGACGCGGTGACCGCGGTGTCCGGCTCGGGTCCGGCCTATTTCTTTCTG
CTGGTCGAGGCCCTGGTGGATGCCGGAGTCGGGGTGGGCTTGAGCCGTGAGGTGGCCACCGA
TCTCGCCGCGCAGACAATGGCTGGCTCAGCGGCGATGCTGCTGGAGCGGATGGAGCAAGACC
AGGGTGGCGCCAATGGCGAGCTGATGGGGCTGCGCGTGACCTTACCGCATCACGGCTGCGC
10 GCCGCGGTTACCTCGCCGGGCGGTACGACCGCCGCTGCGCTGCGGGAACCTCGAACGCGGCG
GGTTTCGGATGGCTGTCGACGCGGCGGTTCAAGCCGCCAAAAGCCGCTCTGAGCAGCTCAGAA
TTACACCGGAATGA

>Rv0528 - TB.seq 618303:619889 MW:57132

>emb|AL123456|MTBH37RV:618303-619892, Rv0528 SEQ ID NO:29

15 ATGTGGCGGTTCGTTGACGTCGATGGGCACCGCGCTGGTGCTGCTGTTTTTGCTCGCGCTGGCT
GCCATACCCGGGGCCCTGCTGCCGACGCTGGCCTCAACGCCGCCAAGGTGGACGACTACCT
GGCCGCGCACCCACTCATCGGTCCGTGGCTGGACGAGCTGCAGGCCTTCGACGTGTTCTCCAG
CTTCTGGTTACCCGCCATCTACGTGCTGCTGTTTCGTGTCCCTCGTCGGCTGTCTGGCCCCGCGG
ACGATCGAGCACGCCCGCAGCCTGCGGGCTACACCGGTGCGCGCCCCGCGCAACCTGGCCCCG
20 GCTGCCCAAGCACGCCACGCCCGGTGGCCGGCGAGCCCGCCGCCCTGGCCGCCACCATCA
CGGGCCGGCTGCGCGGCTGGCGCAGCATACCCGGCAACAAGGCGACAGCGTGGAAGTCTCC
GCCGAGAAGGGCTACCTGCGCGAGTTCGGCAACCTGGTGTTCACCTTCGCGCTGCTGGGTCTG
CTGGTGGCGGTGGCCGTGCGCAAGCTGTTTCGGCTACGAGGGCAACGTGATCGTGATAGCCGA
CGGCGGACCCGGTTTTTTGTTTCGGCGTCGCCGGCCGCGTTTCTGACTCGTTTCGCGCCGGCAACAC
25 CGTCGACGGCACGTCGTTGCACCCGATCTGTGTGCGGGTCAACAACCTCCAAGCGCACTACCT
GCCGTCCGGGCAGGCCACCTCGTTCGCCGCCGACATCGACTATCAGGCCGACCCGGCCACTG
CTGACCTGATCGCCAACAGCTGGCGGCCCTACCGGCTGCAGGTCAATCACCCGCTGCGGGTCTG
GCGGCGACCGGGTGACCTGCAGGGCCACGGCTATGCGCCACCTTACCGTGACGTTCCCG
GACGGGCAGACCCGCACGTCGACCGTGACGTGGCGACCCGACAACCCGACAGCCCTGCTGTC
30 GGCGGGCGTCGTGCGCATCGACCCGCCGGCCGGCAGCTACCCCAACCCGACGAGCGTCGCA
AACACCAGATCGCCATCCAGGGCCTGCTGGCTCCCACCGAGCAGCTCGACGGCACCCCTGCTGT
CGTCGCGTTTTCCCCGCGCTCAATGCCCCGGCGGTGGCCATCGACATCTACCGCGGCGACACCG
GCCTGGACAGCGGGCGGCCCCAGTCGTTGTTACCCTGGACCACCGGCTGATCGAGCAGGGC
CGGCTGGTCAAGGAAAAGCGGGTCAACCTGCGCGCCGGTCAGCAAGTCCGCATCGACCAAGG
35 CCCGGCGGCCGGCACGGTGGTCCGGTTCGACGGCGCGGTGCCGTTTCGTCAACCTGCAGGTCT
CCCACGACCCCGGCCAGTCCTGGGTGCTGGTCTTCGCAATCACGATGATGGCGGGACTGCTGG
TGTCGCTGCTGGTGCGCAGGCGCCGGGTGTGGGCGCGGATCACGCCGACGACCGCGGGTACG

GTAAACGTCGAGCTGGGCGGCCTGACGCGCACCGACAACCTCCGGGTGGGGCGCCGAGTTCGA
GCGGCTGACCGGGCGGTTGCTGGCGGGTTTTGAGGCGCGGTCCCCGGACATGGCCGAAGCGG
CCGCAGGGACCGGAAGGGACGTCGATTGA

5 >Rv0667 rpoB [beta] subunit of RNA polymerase TB.seq 759805:763320 MW:129220
>emb|AL123456|MTBH37RV:759805-763323, rpoB SEQ ID NO:30
TTGGCAGATTCCCGCCAGAGCAAAACAGCCGCTAGTCCTAGTCCGAGTCGCCCCGAAAGTTCCCT
CGAATAACTCCGTACCCGGAGCGCCAAACCGGGTCTCCTTCGCTAAGCTGCGCGAACCACCTTG
AGGTTCCGGGACTCCTTGACGTCCAGACCGATTGTTTCGAGTGGCTGATCGGTTCCGCCGCGCT
10 GCGCGAATCCGCCGCCGAGCGGGGTGATGTCAACCCAGTGGGTGGCCTGGAAGAGGTGCTC
TACGAGCTGTCTCCGATCGAGGACTTCTCCGGGTCGATGTCGTTGTCGTTCTCTGACCCTCGTT
TCGACGATGTCAAGGCACCCGTCGACGAGTGCAAAGACAAGGACATGACGTACGCGGCTCCAC
TGTTTCGTCACCGCCGAGTTCATCAACAACAACACCGGTGAGATCAAGAGTCAGACGGTGTTTCAT
GGGTGACTTCCCGATGATGACCGAGAAGGGCACGTTTCATCATCAACGGGACCGAGCGTGTGGT
15 GGTGAGCCAGCTGGTGCGGTGCCCCGGGGTGTACTTCGACGAGACCATTGACAAGTCCACCGA
CAAGACGCTGCACAGCGTCAAGGTGATCCCGAGCCGCGGCGCGTGGCTCGAGTTTGACGTGCA
CAAGCGCGACACCGTCGGCGTGCGCATCGACCGCAAACGCCGGCAACCGGTACCGTGCTGC
TCAAGGCGCTGGGCTGGACCAGCGAGCAGATTGTGCGAGCGTTTCGGGTTCTCCGAGATCATGC
GATCGACGCTGGAGAAGGACAACACCGTCGGCACCGACGAGGCGCTGTTGGACATCTACCGCA
20 AGCTGCGTCCGGGCGAGCCCCGACCAAAGAGTCAGCGCAGACGCTGTTGGAAAATTGTTCT
TCAAGGAGAAGCGCTACGACCTGGCCCCGCTCGGTGCTATAAGGTCAACAAGAAGCTCGGGC
TGCATGTCGGCGAGCCCATCACGTCGTCGACGCTGACCGAAGAAGACGTCGTGGCCACCATCG
AATATCTGGTCCGCTTGACGAGGGTTCAGACCACGATGACCGTTCCGGGCGGCGTTCGAGGTGC
CGGTGGAACCGACGACATCGACCACTTCGGCAACCGCCGCCTGCGTACGGTCGGCGAGCTG
25 ATCCAAAACAGATCCGGGTGCGCATGTGCGGGATGGAGCGGGTGGTCCGGGAGCGGATGAC
CACCCAGGACGTGGAGGCGATCACACCGCAGACGTTGATCAACATCCGGCCGGTGGTCGCCG
CGATCAAGGAGTTCTTCGGCACCAAGCCAGCTGAGCCAATTCATGGACCAGAACACCCGCTGTC
GGGGTTGACCCACAAGCGCCGACTGTGCGCGCTGGGGCCCCGGCGTCTGTACGTGAGCGTG
CCGGGCTGGAGGTCCGCGACGTGCACCCGTCGCACTACGGCCGGATGTGCCGATCGAAACC
30 CCTGAGGGGCCCAACATCGGTCTGATCGGCTCGCTGTCGGTGTACGCGCGGGTCAACCCGTTT
GGGTTTCATCGAAACGCCGTACCGCAAGGTGGTCGACGGCGTGGTTAGCGACGAGATCGTGTAC
CTGACCGCCGACGAGGAGGACCGCCACGTGGTGGCACAGGCCAATTCGCCGATCGATGCGGA
CGGTGCTTCGTCGAGCCGCGCGTGTGGTCCGCCGCAAGGCGGGCGAGGTGGAGTACGTGC
CCTCGTCTGAGGTGGACTACATGGACGTCTCGCCCCGCCAGATGGTGTGGTGGCCACCGCGA
35 TGATTCCCTTCCTGGAGCACGACGACGCCAACCGTGCCCTCATGGGGGCAAACATGCAGCGCC
AGGCGGTGCCGCTGGTCCGTAGCGAGGCCCGCTGGTGGGCACCGGGATGGAGCTGCGCGC
GGCGATCGACGCCGGCGACGTCGTCGTCGCCGAAGAAAGCGGCGTCATCGAGGAGGTGTCGG

CCGACTACATCACTGTGATGCACGACAACGGCACCCGGCGTACCTACCGGATGCGCAAGTTTG
 CCCGGTCCAACCACGGCACTTGCGCCAACCAGTGCCCCATCGTGGACGCGGGGCGACCGAGTC
 GAGGCCGGTCAGGTGATCGCCGACGGTCCCTGTACTGACGACGGCGAGATGGCGCTGGGCAA
 GAACCTGCTGGTGGCCATCATGCCGTGGGAGGGCCACAACCTACGAGGACGCGATCATCCTGTC
 5 CAACCGCCTGGTGAAGAGGACGTGCTCACCTCGATCCACATCGAGGAGCATGAGATCGATGC
 TCGCGACACCAAGCTGGGTGCGGAGGAGATCACCCGCGACATCCCGAACATCTCCGACGAGGT
 GCTCGCCGACCTGGATGAGCGGGGCATCGTGCGCATCGGTGCCGAGGTTGCGGACGGGGACA
 TCCTGGTCGGCAAGGTCACCCCGAAGGTGAGACCGAGCTGACGCCGGAGGAGCGGCTGCTG
 CGTGCCATCTTCGGTGAGAAGGCCCGCGAGGTGCGCGACACTTCGCTGAAGGTGCCGCACGG
 10 CGAATCCGGCAAGGTGATCGGCATTGCGGTGTTTTCCCGCGAGGACGAGGACGAGTTGCCGGC
 CGGTGTCAACGAGCTGGTGCGTGTGTATGTGGCTCAGAAACGCAAGATCTCCGACGGTGACAA
 GCTGGCCGGGCCGGCACGGCAACAAGGGCGTGATCGGCAAGATCCTGCCGGTTGAGGACATGC
 CGTTCCTTGCCGACGGCACCCCCGGTGGACATTATTTTGAACACCCACGGCGTGCCGCGACGGA
 TGAACATCGGCCAGATTTTGGAGACCCACCTGGGTGTTGGTGTGCCACAGCGGCTGGAAGTCTG
 15 ACGCCGCCAAGGGGGTTCCGGACTGGGCCGCCAGGCTGCCCGACGAACTGCTCGAGGCGCAG
 CCGAACGCCATTGTGTCGACGCCGGTGTTTCGACGGCGCCCGAGGAGGCCGAGCTGCAGGGCCT
 GTTGTCTGTCACGCTGCCCAACCGCGACGGTGACGTGCTGGTCGACGCCGACGGCAAGGCCA
 TGCTCTTCGACGGGCGCAGCGGCGAGCCGTTCCCGTACCCGGTCACGGTTGGCTACATGTACA
 TCATGAAGCTGCACCACCTGGTGGACGACAAGATCCACGCCCGCTCCACCGGGCCGTAICTGA
 20 TGATCACCCAGCAGCCGCTGGGCGGTAAGGCGCAGTTCGGTGGCCAGCGGTTGCGGGAGATG
 GAGTGCTGGGCCATGCAGGCCTACGGTGCTGCCTACACCCTGCAGGAGCTGTTGACCATCAAG
 TCCGATGACACCGTCGGCCGCGTCAAGGTGTACGAGGCGATCGTCAAGGGTGAGAACATCCCG
 GAGCCGGGCATCCCCGAGTCGTTCAAGGTGCTGCTCAAAGAACTGCAGTCGCTGTGCCTAAC
 GTCGAGGTGCTATCGAGTGACGGTGCGGCGATCGAACTGCGCGAAGGTGAGGACGAGGACCT
 25 GGAGCGGGCCGCGGCCAACCTGGGAATCAATCTGTCCCGCAACGAATCCGCAAGTGTCGAGGA
 TCTTGCGTAA

>Rv0668 rpoC [beta]' subunit of RNA polymerase TB.seq 763368:767315 MW:146740

>emb|AL123456|MTBH37RV:763368-767318, rpoC SEQ ID NO:31

GTGCTCGACGTCAACTTCTTCGATGAACTCCGCATCGGTCTTGCTACCGCGGAGGACATCAGGC
 AATGGTCCTATGGCGAGGTCAAAAAGCCGGAGACGATCAACTACCGCACGCTTAAGCCGGAGA
 AGGACGGCCTGTTCTGCGAGAAGATCTTCGGGCCGACTCGCGACTGGGAATGCTACTGCGGCA
 AGTACAAGCGGGTGCGCTTCAAGGGCATCATCTGCGAGCGCTGCGGCGTCGAGGTGACCCGC
 GCCAAGGTGCGTCGTGAGCGGATGGGCCACATCGAGCTTGCCGCGCCCGTCACCCACATCTG
 35 GTACTTCAAGGGTGTGCCCTCGCGGCTGGGGTATCTGCTGGACCTGGCCCCGAAGGACCTGGA
 GAAGATCATCTACTTCGCTGCCTACGTGATCACCTCGGTGACGAGGAGATGCGCCACAATGAG
 CTCTCCACGCTCGAGGCCGAAATGGCGGTGGAGCGCAAGGCCGTGGAAGACCAGCGCGACGG

CGAACTAGAGGCCCGGGCGCAAAAGCTGGAGGCCGACCTGGCCGAGCTGGAGGCCGAGGGC
 GCCAAGGCCGATGCGCGGCGCAAGGTTGCGGACGGCGGCGAGCGCGAGATGCGCCAGATCC
 GTGACCGCGCGCAGCGTGAGCTGGACCGGTTGGAGGACATCTGGAGCACTTTCACCAAGCTGG
 CGCCCAAGCAGCTGATCGTCGACGAAAACCTCTACCGCGAACTCGTCGACCGCTACGGCGAGT
 5 ACTTCACCGGTGCCATGGGCGCGGAGTCGATCCAGAAGCTGATCGAGAAGTTTCGACATCGACG
 CCGAAGCCGAGTCGCTGCGGGATGTCATCCGAAACGGCAAGGGGCAGAAGAAGCTTCGCGCC
 CTAAGCGGCTGAAGGTGGTTGCGGCGTTCCAACAGTCGGGCAACTCGCCGATGGGCATGGTG
 CTCGACGCCGTCCCGGTGATCCCGCCGGAGCTGCGCCCGATGGTGCAGCTCGACGGCGGCCG
 GTTCGCCACGTCCGACTTGAACGACCTGTACCGCAGGGTGATCAACCGCAACAACCGGCTGAA
 10 AAGGCTGATCGATCTGGGTGCGCCGGAATCATCGTCAACAACGAGAAGCGGATGCTGCAGGA
 ATCCGTGGACGCGCTGTTGACAATGGCCGCCGCGGCCGGCCCGTCAACGGGCCGGGCAACC
 GTCCGCTCAAGTCGTTTTCCGATCTGCTCAAGGGCAAGCAGGGCCGGTTCCGGCAGAACCTGC
 TCGGCAAGCGTGTCGACTACTCGGGCCGGTCGGTCATCGTGGTCGGCCCGCAGCTCAAGCTGC
 ACCAGTGCGGTCTGCCAAGCTGATGGCGCTGGAGCTGTTCAAGCCGTTCTGTATGAAGCGGC
 15 TGGTGGACCTCAACCATGCGCAGAACATCAAGAGCGCCAAGCGCATGGTGGAGCGCCAGCGCC
 CCAAGTGTGGGATGTGCTCGAAGAGGTCATCGCCGAGCACCCGGTGTGCTGAACCGCGCAC
 CCACCCTGCACCGGTTGGGTATCCAGGCCTTCGAGCCAATGCTGGTGAAGGCAAGGCCATT
 AGCTGCACCCGTTGGTGTGTGAGGCGTTCAATGCCGACTTCGACGGTGACCAGATGGCCGTGC
 ACCTGCCTTTGAGCGCCGAAGCGCAGGCCGAGGCTCGCATTTTGATGTTGTCTCCAACAACAT
 20 CCTGTGCGCGGCATCTGGGCGTCCGTTGGCCATGCCGCGGCTGGACATGGTGACCGGGCTGT
 ACTACCTGACCACCGAGGTCCCCGGGGACACCGGCGAATACCAGCCGGCCAGCGGGGATCAC
 CCGGAGACTGGTGTCTACTCTTCGCCGGCCGAAGCGATCATGGCGGCCGACCGCGGTGTCTTG
 AGCGTGCGGGCCAAGATCAAGGTGCGGCTGACCCAGCTGCGGCCGCCGGTCGAGATCGAGGC
 CGAGCTATTCGGCCACAGCGGCTGGCAGCCGGGCGATGCGTGGATGGCCGAGACCACGCTGG
 25 GCCGGGTGATGTTCAACGAGCTGCTGCCGCTGGGTTATCCGTTCTGTCACAAGCAGATGCACAA
 GAAGGTGCAGGCCGCCATCATCAACGACCTGGCCGAGCGTTACCCGATGATCGTGGTCGCCCA
 GACCGTCGACAAGCTCAAGGACGCCGGCTTCTACTGGGCCACCCGCGAGCGGCGTGACGGTGT
 CGATGGCCGACGTGCTGGTGCCGCCGCGCAAGAAGGAGATCCTCGACCACTACGAGGAGCGC
 GCGGACAAGGTGAAAAGCAGTTCAGCGTGCGCTTTGAACCACGACGAGCGCAACGAGGC
 30 GCTGGTGGAGATTTGGAAGGAAGCCACCGACGAGGTCGGTCAGGCGTTGCGGGAGCACTACC
 CCGACGACAACCCGATCATCACCATCGTCGACTCCGGCGCCACCGGCAACTTCACCCAGACTC
 GAACGCTGGCCGGTATGAAGGGCCTGGTGACCAACCCGAAGGGTGAGTTCATCCCGCGTCCG
 GTCAAGTCCTCCTTCCGTGAGGGCCTGACCGTGCTGGAGTACTTCATCAACACCCACGGCGCTC
 GAAAGGGCTTGGCGGACACCGCGTTGCGCACCGCCGACTCCGGCTACCTGACCCGACGTCTG
 35 GTGGACGTGTCCCAGGACGTGATCGTGCGCGAGCACGACTGCCAGACCGAGCGCGGCATCGT
 CGTCGAGCTGGCCGAGCGTGACCCGACGGCACGCTGATCCGCGACCCGTACATCGAAACCTC
 GGCCTACGCGCGGACCCTGGGCACCGACGCGGTGACGAGGCCGGCAACGTCATCGTCGAGC

GTGGTCAAGACCTGGGCGATCCGGAGATTGACGCTCTGTTGGCTGCTGGTATTACCCAGGTCAA
 GGTGCGTTCGGTGCTGACGTGTGCCACCAGCACCGGCGTGTGCGCGACCTGCTACGGGCGTT
 CCATGGCCACCGGCAAGCTGGTGCACATCGGTGAAGCCGTCGGCATCGTGGCCGCCAGTCC
 ATCGGCGAACCCGGCACCCAGCTGACCATGCGCACCTTCCACCAGGGTGGCGTCGGTGAGGA
 5 CATACCGGTGGTCTGCCCCGGGTGCAGGAGCTGTTTCGAGGCCCGGGTACCGCGTGGCAAGG
 CGCCGATCGCCGACGTACCGGCCGGGTTCGGCTCGAGGACGGCGAGCGGTTCTACAAGATC
 ACCATCGTTCCTGACGACGGCGGTGAGGAAGTGGTCTACGACAAGATCTCCAAGCGGCAGCGG
 CTGCGGGTGTTCGAAGCACGAAGACGGTTCGCAACGGGTGCTCTCCGATGGCGACCACGTGAG
 GTGGGCCAGCAGCTGATGGAAGGCTCGGCCGACCCGCATGAGGTGCTGCGGGTGCAGGGCCC
 10 CCGCGAGGTGCAGATACACCTGGTTCGCGAGGTCCAGGAGGTCTACCGCGCCCAAGGTGTGTC
 GATCCACGACAAGCACATCGAGGTGATCGTTCGCCAGATGCTGCGCCGGGTGACCATCATCGA
 CTCGGGCTCGACGGAGTTTTTGCCTGGCTCGCTGATCGACCGCGCGGAGTTCGAGGCAGAGAA
 CCGCCGAGTGGTGGCCGAGGGCGGTGAGCCCGCGGCCGGCCGTCCGGTGCTGATGGGCATC
 ACGAAGGCGTCGCTGGCCACCGACTCGTGGCTGTGCGCGGCGTTCGTTCCAGGAGACCACTCG
 15 CGTGCTGACCGATGCGGCGATCAACTGCCGCAGCGATAAGCTCAACGGTCTGAAGGAAAACGT
 GATCATCGGCAAGCTGATCCCGGCCGGTACCGGTATCAACCGCTACCGCAACATCGCGGTGCA
 GCCCACCAGAGGAGGCCCGCGCTGCGGCGTACACCATCCCGTCGTATGAGGATCAGTACTACAG
 CCCGGA CTTCGGTGCGGCCACCGGTGCTGCCGTCCCGCTGGACGACTACGGCTACAGCGACTA
 CCGCTAG

>Rv0711 atsA TB.seq 806333:808693 MW:86216

>emb|AL123456|MTBH37RV:806333-808696, atsA SEQ ID NO:32

ATGGCACCCGAGGCCACCGAGGCGTTCAACGGCACCATCGAGCTGGATATTCGTGATTCGGAG
 CCGGATTGGGGCCCATACGCAGCGCCGGTGGCACCGGAGCACTACCAAACATCCTGTATCTG
 25 GTCTGGGACGACGTGCGCATCGCGACCTGGGACTGCTTTGGCGGCCTGGTCGAGATGCCCGC
 GATGACGCGCGTCGCCGAGCGTGGCGTGCGACTGTGCAATTTACACCACCGCACTGTGCTC
 GCCGACCCGGGCGTCGCTGCTGACCGGTGCGAACGCCACCACCGTAGGCATGGCTACCATCG
 AAGAGTTCACCGACGGGTTCCCCAACTGCAACGGGCGGATCCCGGCTGACACCGCGTTGCTCC
 CAGAGGTGCTGGCCGAACATGGCTACAACACCTACTGTGTGGGCAAGTGGCACCTGACGCCAC
 30 TCGAAGAATCCAATATGGCGTCGACGAAGCGGCACTGGCCGACCTCGCGTGGGTTTCGAGCGGT
 TCTACGGATTCCTAGGCGGGGAGACCGACCACTGGTATCCCGACCTGGTATACGACAACCACC
 CAGTGAGTCCTCCCGGCACACCCGAGGGTGGCTACCACCTGTCAAAAGACATCGCCGACAAGA
 CGATCGAGTTCATTGCTGATGCCAAGGTGATCGCGCCCGACAAGCCGTGGTTCAGCTACGTGTG
 CCCAGGCGCCGGGCATGCGCCGCACCACGTCTTCAAGGAATGGGCGGACAGATACGCCGGCC
 35 GATTCGACATGGGGTATGAGCGCTATCGCGAGATCGTGCTGGAAAGGCAAAAGGCGCTAGGGA
 TCGTGCCACCGACACCGAACTGTGCCCCATAAACCTTATCTGGATGTGCCGGGGCCAAACG
 GCGAGACCTGGCCGCTGCAGGACACGGTGC GGCCGTGGGACTCGCTGAGCGATGAAGAAAAG

AAGCTGTTTTGCCGGATGGCCGAGGTGTTCCGGGCTTTCTGAGCTACACCGACGCCCAGATC
GGACGGATCCTGGACTACCTCGAGGAATCCGGCCAGCTGGACAACACCATCATCGTGGTGATC
TCCGACAACGGCGCCAGCGGCGAGGGCGGACCCAACGGATCGGTCAACGAAGGCAAGTTCTT
CAACGGCTACATCGACACCGTCGCTGAAAGCATGAAGCTCTTCGACCACCTCGGTGGCCCGCA
5 GACCTACAACCACTACCCCATCGGGTGGGCAATGGCCTTCAACACCCCTACAAGCTGTTCAAG
CGCTACGCCTCGCATGAAGGCGGCATTGCCGACCCGGCAATCATCTCCTGGCCCAACGGCATT
GCCGCACACGGTGAAATCCGCGACAACCTACGTCAATGTCAGCGACATCACGCCCACCGTCTAC
GACCTGTTGGGCATGACACCGCCGGGGACCGTCAAGGGGATTCCGCAGAAACCGATGGACGG
CGTGAGCTTCATAGCGGCCCTTGCCGACCCGGCCGCGGACACCGGCAAGACCACCCAGTTCTA
10 CACCATGCTGGGCACCCGCGGGATCTGGCATGAAGGTTGGTTCGCCAACACCATTACGCGGGC
CACGCCCCGCCGGCTGGTCAATTTCAACGCTGACCGCTGGGAACTGTTCCACATCGCAGCAGA
CCGCAGCCAGTGCCACGACCTGGCCGCGGAGCATCCCGACAACTTGAGGAGCTCAAGGCGCT
GTGGTTCTCCGAAGCCGCCAAGTACAACGGGCTGCCGCTGGCCGATCTGAACCTCCTGGAAAC
GATGACTCGGTGCGGGCCTTACCTGGTCAGCGAACGAGCCAGCTACGTCTACTATCCCGACTG
15 CGCTGACGTCGGCATCGGCGCGGCCGTAGAGATTGCGGGGCGCTCGTTCGCCGTGCTGGCCG
ATGTGACCATCGATAACACCGGCGCCGAGGGCGTGCTGTTCAAGCACGGCGGGCGCCCATGGC
GGGCACGTGCTGTTGTCGTCGGGACGGACGCTTGCACTACGTCTACAACTTCCTCGGTGAGCGC
CAGCAGCTGGTCAGCTCGTCGGGTCCGGTCCCGTCCGGAAGACATCTACTCGGGGTTCGTTAT
TTGCGGACCGGAACCGTGCCCAACAGTCACACGCCGGTGGGCGATCTTGAGCTGTTCTTCGAC
20 GAGAACCTGGTCGGCGCCCTGACCAATGTGCTGACCCACCCTGGAACGTTTCGGGTTGGCCGGC
GCCGCTATCAGCGTTGGCCGCAACGGCGGTTTCGGCTGTGTCCAGCCACTACGAAGCGCCGTTCC
GCGTTCACCGGCGGTACCATCACCCAGGTACCGTCGACGTGTCAGGCCGACCGTTCAAGAT
GTGGAATCCGATCTTGCGCTTGCTTTTTTCGCGTGACTGA

>Rv0764c - lanosterol 14-demethylase cytochrome P450 TB.seq 856683:858035 MW:50879
>emb|AL123456|MTBH37RV:c858035-856680, Rv0764c SEQ ID NO:33
ATGAGCGCTGTTGCACTACCCCGGGTTTCGGGTGGCCACGACGAACACGGCCACCTCGAGGAG
TTCCGCACCGATCCGATCGGGCTGATGCAACGGGTCCGCGACGAATGCGGAGACGTCCGTACC
TTCCAGCTGGCCGGGAAGCAGGTCGTGCTGCTGTCCGGCTCGCACGCCAACGAATCTTCTTC
30 CGGGCGGGCGACGACGACCTGGACCAGGCCAAGGCATACCCGTTTCATGACGCCGATCTTCGG
CGAGGGCGTGTTGTTGACGCCAGCCCGGAACGGCGTAAAGAGATGCTGCACAATGCCGCGC
TACGCGGCGAGCAGATGAAGGGCCACGCTGCCACCATCGAAGATCAAGTCCGACGGATGATCG
CCGACTGGGGTGAGGCCGGCGAGATCGATCTGCTGGACTTCTTCGCCGAGCTGACCATCTACA
CCTCCTCGGCCTGCCTGATCGGCAAGAAGTTCCGCGACCAGCTCGACGGGCGATTGCCAAGC
35 TCTATCACGAGTTGGAGCGCGGCACCGACCCACTAGCCTACGTGACCCGTATCTGCCGATCG
AGAGCTTCCGTGCGCCGCGACGAAGCCCGCAATGGTCTGGTGGCACTGGTTGCGGACATCATGA
ACGGCCGGATCGCCAACCCACCCACCGACAAGAGCGACCGTGACATGCTCGACGTGCTCATCG

CCGTCAAGGCTGAGACCGGCACTCCCCGGTTCTCGGCCGACGAGATCACCGGCATGTTTCATCT
 CGATGATGTTCCCGGGCCATCACACCAGCTCGGGTACGGCTTCGTGGACGCTGATCGAGTTGA
 TGCGCCATCGCGACGCCTACGCGGCCGTGATCGACGAACTCGACGAGCTGTACGGCGACGGC
 CGATCGGTGAGTTTCCATGCGCTGCGCCAGATTCCGCAGCTGGAAAACGTGCTGAAAGAGACG
 5 CTGCGCCTGCACCCTCCGCTGATCATCCTCATGCGAGTGGCCAAGGGCGAGTTCGAGGTGCAA
 GGCCACCGGATTTCATGAGGGCGATCTGGTGGCGGCCTCCCCGGCGATCTCCAACCGGATCCCC
 GAAGACTTCCCCGATCCCCACGACTTCGTGCCAGCACGATACGAGCAGCCGCGCCAGGAAGAT
 CTGCTCAACCGCTGGACGTGGATTCCGTTCCGCGCCGGCCGGCATCGTTGCGTGGGGGCGGC
 GTTCGCCATCATGCAGATCAAAGCGATCTTCTCGGTGTTGTTGCGCGAGTATGAGTTTGAGATG
 10 GCGCAACCGCCAGAAAGCTATCGTAACGACCATTGAAGATGGTGGTGCAGTTGGCCCAGCCC
 GCTTGCGTGCGCTACCGCCGGCGAACGGGAGTTTAA

>Rv0861c - DNA helicase TB.seq 958524:960149 MW:59773

>emb|AL123456|MTBH37RV:c960149-958521, Rv0861c SEQ ID NO:34

15 GTGCAGTCCGATAAGACGGTGCTGTTGGAAGTCGACCATGAACTGGCCGGCGCTGCACGCGCC
 GCCATCGCGCCGTTCCGCCAGCTGGAACGTGCACCCGAACATGTCCACACCTACCGCATCACA
 CCGCTGGCACTGTGGAATGCTCGCGCCGCCGGCCATGATGCCGAGCAAGTCGTGACGCGCT
 GGTCACTTACTCCCGCTACGCGGTGCCGCAACCCTTGCTCGTCGACATCGTCGACACCATGGC
 CCGCTACGGACGACTGCAGTTGGTCAAGAACCCGGCCCATGGCCTGACGCTGGTGAGCCTGGA
 20 CCGCGCGGTGCTTGAGGAAGTGCTGCGCAACAAGAAGATCGCGCCGATGCTTGGCGCCCGCAT
 CGATGACGACACCGTCGTGTCACCCAGCGAACGCGCGCGGGTCAAGCAGCTGCTGCTCAA
 GATCGGTTGGCCCGCAGAGGATCTCGCCGGCTACGTCGATGGTGAAGCGCACCCGATCAGCCT
 GCACCAGGAGGGCTGGCAGCTGCGCGATTACCAGCGGCTGGCCGCGGACTCGTTCTGGGCGG
 GCGGCTCCGGGGTGGTGGTGCTGCCATGTGGGGCCGGCAAGACGCTGGTCGGTGCGGCCGC
 25 AATGGCCAAAGCCGGCGCGACGACGTTGATCCTGGTCACCAATATCGTCGCGGCCCGGCAATG
 GAAACGAGAGCTGGTCGCGCGCACCTCGCTCACCGAGAATGAGATCGGCGAATTCTCGGGAGA
 ACGCAAGGAAATCCGACCTGTCACCATCTCGACATACCAGATGATCACCCGCCGCACTAAGGGC
 GAGTACCGCCATCTGGAAGTGTTCGACAGCCGCGACTGGGGGCTCATCATCTATGACGAGGTG
 CACCTGTTGCCGGCACCGGTCTTCGGATGACCGCTGACCTGCAGTCCAAACGGCGGCTGGGG
 30 CTGACCGCCACGTTGATCCGTGAAGACGGACGCGAGGGCGACGTGTTTTCCCTTATCGGACCA
 AAGCGCTATGACGCGCCGTGGAAGGACATTGAGGCGCAGGGCTGGATCGCGCCAGCTGAGTG
 CGTGGAAGTCCGGGTACGATGACCGACAGCGAGCGGATGATGTACGCCACCGCCGAACCCG
 AAGAACGCTACCGGATCTGCTCGACGGTGACACCAAAATTGCTGTGGTCAAGTCGATTCTGGC
 GAAGCACCCGGATGAGCAGACCCTGGTCATCGGAGCGTACTTGGATCAGCTCGACGAGCTGGG
 35 CGCCGAGCTCGGCGCTCCGGTGATTACGGGGTGCACAAGGACCAGCGAACGCGAGGCACTGT
 TCGACGCCTTCCGCCGCGGCGAGGTGCTACGCTCGTGGTGTCCAAGGTGGCTAACTTCTCCA
 TCGACTTGCCGGAAGCCGCCGTGGCGGTACAGGTTTCGGGAACATTGGGCTCACGCCAGGAAG

AGGCGCAACGGCTCGGCCGGATATTGCGACCCAAGGCCGACGGGGGCGGTGCCATCTTCTAC
TCGGTGGTGGCCCGGACAGCCTGGATGCCGAGTACGCCGCACACCGGCAGCGTTTTTAGCT
GAGCAGGGCTACGGTTACATCATCCGCGACGCCGACGACCTGCTGGGCCCGGCAATTTAG

5 >Rv0904c accD3 TB.seq 1006694:1008178 MW:51741

>emb|AL123456|MTBH37RV:c1008178-1006691, accD3 SEQ ID NO:35

GTGAGTCGTATCACGACCGACCAACTGCGGCACGCGGTGCTAGACCGGGGATCTTTTCGTCAGC
TGGGATAGCGAGCCGCTGGCGGTGCCGGTAGCCGACTCCTATGCGCGGGAGCTGGCCGCCGC
TCGGGCGGCCACCGGCGCGGACGAATCGGTGCAGACCGGTGAGGGACGCGTATTTCGGGCGG
10 CGGGTGGCCGTGGTGGCCTGTGAGTTCGACTTCCTGGGCGGCTCGATTGGGGTGGCAGCGGC
CGAACGGATCACCGCCGCCGTGAGCGGGCGACCGCCGAGCGGCTGCCGCTACTGGCGTCAC
CAAGCTCGGGAGGCACCCGCATGCAAGAAGGCACGGTTCGCGTTTCTGCAGATGGTGAAGATCG
CTGCGGCCATCCAGCTGCACAACCAGGCGCGCCTGCCCTACCTGGTCTATTTGCGCCATCCGA
CCACGGGTGGAGTTTTTCGCGTCGTGGGGCTCGCTGGGGCATCTCACCGTCGCCGAGCCGGGC
15 GCCCTGATCGGCTTTCTGGGACCACGGGTCTATGAGTTGCTCTATGGCGACCCCTTCCCATCCG
GCGTCCAAACCGCCGAGAATCTACGGCGGCATGGGATCATCGACGGCGTCGTTGCACTGGACC
GGCTACGACCGATGCTGGATCGTGCGTTGACGGTGCTCATCGACGCTCCCGAACCGCTTCCGG
CACCGCAGACGCCCGCGCCGTACCCGATGTGCCACGTGGGACTCGGTGGTGGCATCGCGC
CGGCCGGACCGGCCGGGCGTCAAGCAGCTACTGCGACACGGCGCCACCGACCGGGTGTGTT
20 GTCAGGAACCGATCAAGGCGAAGCGGCGACACGCTGCTGGCGCTGGCCCGCTTTGGCGGCC
AACCACGGTGGTCTCGGCCAGCAAAGGGCAGTAGGCGGCGGGGGAAGCACTGTGGGGCCC
GCTGCGTTACGCGAAGCCCGACGCGGGATGGCGCTCGCCGCCGAGCTGTGCCTGCCGCTGGT
GCTGGTCATTGACGCGGCCGGACCCGCGTTGTGCGCCGACCCGAACAGGGCGGGCTGGCCG
GCCAGATCGCGCATTGCCTGGCCGAGCTCGTCACGCTGGATACCCCGACCGTGTGATCCTGC
25 TGGGCCAGGGCAGCGGCGGGCGCGCTGGCGATGTTGCCCGCCGACCGGGTGTGGCCGC
ACTCCACGGCTGGCTGGCGCCCTTGCCTCCCGAAGGAGCCAGCGCGATCGTGTTCCGAGACAC
TGCTCATGCCGCCGAACCTCGCTGCCGCCAAGGCATCCGGTCGGCCGACCTACTGAAGTCGGG
GATTGTCGACACCATCGTGCCGGAGTACCCCGACGCGCAGACGAGCCGATCGAGTTCGCCCT
ACGACTGTGCAACGCCATCGCCGCCGAAGTGCACGCGTTACGGAAGATACCGGCCCGGGAACG
30 CCTCGCGACTCGGTTGCAACGCTACCGCCGGATCGGGTTGCCCCGCGACTAA

>Rv0983 - TB.seq 1099064:1100455 MW:46454

>emb|AL123456|MTBH37RV:1099064-1100455, Rv0983 SEQ ID NO:36

ATGGCCAAGTTGGCCCGAGTAGTGGGCCTAGTACAGGAAGAGCAACCTAGCGACATGACGAAT
35 CACCCACGGTATTCGCCACCGCCGACGAGCCGGGAACCCAGGTTATGCTCAGGGGCAGCA
GCAAACGTACAGCCAGCAGTTCGACTGGCGTTACCCACCGTCCCCGCCCGCCGAGCCAACCCA
GTACCGTCAACCCTACGAGGCGTTGGGTGGTACCCGGCCGGGTCTGATACCTGGCGTGATTCC

GACCATGACGCCCCCTCCTGGGATGGTTCGCCAACGCCCTCGTGCAGGCATGTTGGCCATCGG
CGCGGTGACGATAGCGGTGGTGTCCGCCGGCATCGGCGGCGCGGCCGCATCCCTGGTCGGGT
TCAACCGGGACACCGCGGCCAGCGGCGGCCAGTGGCTGCCAGCGCGGCCAAGCAT
CCCCGCAGCAAACATGCCGCCGGGTGGTTCGAACAGGTGGCGGCCAAGGTGGTGGCCAGTG
5 TCGTCATGTTGAAACCGATCTGGGCCGCCAGTCGGAGGAGGGCTCCGGCATCATTCTGTCTG
CCGAGGGGGCTGATCTTGACCAACAACCACGTGATCGCGGCGGCCGCCAAGCCTCCCCTGGGC
AGTCCGCCGCCGAAAACGACGGTAACCTTCTCTGACGGGCGGACCGCACCCCTTCACGGTGGTG
GGGGCTGACCCACCAAGTGATATCGCCGTCTCGTTCAGGGCGTCTCCGGGCTCACCCTG
ATCTCCCTGGGTTCTCCTCGGACCTGAGGGTCGGTCAGCCGGTGTGGCGATCGGGTCGCCG
10 CTCGGTTTTGGAGGGCACCGTGACCACGGGGATCGTCAGCGCTCTCAACCGTCCAGTGTGACG
ACCGGCGAGGCCGGCAACCAGAACACCGTGCTGGACGCCATTCAGACCGACGCCGCGATCAA
CCCCGGTAACCTCCGGGGGCGCGCTGGTGAACATGAACGCTCAACTCGTCGGAGTCAACTCGGC
CATTGCCACGCTGGGCGCGGACTCAGCCGATGCGCAGAGCGGCTCGATCGGTCTCGGTTTTGC
GATTCCAGTCGACCAGGCCAAGCGCATCGCCGACGAGTTGATCAGCACCGGCAAGGCGTCACA
15 TGCCTCCCTGGGTGTGCAGGTGACCAATGACAAAGACACCCTGGGCGCCAAGATCGTCGAAGT
AGTGGCCGGTGGTGTGCTGCCGCGAACGCTGGAGTGCCGAAGGGCGTCTTGTACCAAGGTGCG
ACGACCGCCCGATCAACAGCGCGGACGCGTTGGTTGCCGCCGTGCGGTCCAAAGCGCCGGGC
GCCACGGTGGCGCTAACCTTTCAGGATCCCTCGGGCGGTAGCCGCACAGTGCAAGTCACCCTC
GGCAAGGCGGAGCAGTGA

>Rv1008 - Similar to E.coli protein YcfH TB.seq 1127087:1127878 MW:29066

>emb|AL123456|MTBH37RV:1127087-1127881, Rv1008 SEQ ID NO:37

TTGGTCGACGCCCACACCCATCTCGACGCGTGCGGTGCACGAGACGCCGATACGGTGCGGTC
GCTCGTCGAGCGAGCCGCCGCGGCCGGCGTGACCGCGGTGGTCACCGTCGCCGACGACCTG
25 GAGTCCGCGCGCTGGGTACCCGCGCGGCCGAATGGGATCGGCGAGTCTATGCCGCGGTGGC
GTTGCACCCGACCCGCGCCGATGCGCTACCGACGCTGCCCGTGCCGAGCTCGAGCGATTGG
TTGCCACCCAGGGTGGTGGCCGTGCGTGAGACCGGAATCGACATGTACTGGCCGGGTGCG
CTGGACGGGTGTGCGGAGCCGCACGTCCAGCGGGAGGCCTTTGCCTGGCATATCGATCTGGC
CAAGCGGACCGGTAAACCGCTGATGATCCACAATCGTCAGGCCGACCGCGACGTGCTGGACGT
30 GCTGCGGGCCGAGGGCGCGCCGGACACCGTGATCTTGCACTGCTTCTCGTCGGACGCGGCGA
TGGCCCGCACGTGTGTGGACGCCGGGTGGCTGCTCAGCCTGTCCGGGACGGTGAGCTTCCGT
ACCGCCCGTGAACACGGGAAGCCGTCCCGCTGATGCCGGTGGAGCAGCTTTTGGTGGAAACC
GATGCACCGTATTTGACCCCGCATCCCCACCGGGGCTTGGCGAACGAACCGTACTGCCTGCCC
TATACCGTGCGGGCGCTGGCTGAACTGGTCAATCGGCGCCCCGAAGAGGTGGCGCTCATCACC
35 ACAAGCAACGCTCGCCGAGCTTATGGGCTAGGGTGGATGCGCCAATGA

>Rv1009 - lipoprotein, similar to various other MTB proteins TB.seq 1128089:1129174 MW:38079

>emb|AL123456|MTBH37RV:1128089-1129177, Rv1009 SEQ ID NO:38

ATGTTGCGCCTGGTAGTCGGTGCGCTGCTGCTGGTGTGGCGTTCGCCGGTGGCTATGCGGTC
GCCGCATGCAAAACGGTGACGTTGACCGTCGACGGAACCGCGATGCGGGTGACCACGATGAAA
5 TCGCGGGTGATCGACATCGTCGAAGAGAACGGTTCTCAGTCGACGACCGCGACGACCTGTAT
CCCGCGGCCGGCGTGACAGTCCATGACGCCGACACCATCGTGCTGCGGCGTAGCCGTCCGCT
GCAGATCTCGCTGGATGGTCACGACGCTAAGCAGGTGTGGACGACCGCGTCGACGGTGGACG
AGGCGCTGGCCCAACTCGCGATGACCGACACGGCGCCGGCCGCGGCTTCTCGCGCCAGCCGC
GTCCCGCTGTCCGGGATGGCGCTACCGGTCGTCAGCGCCAAGACGGTGCAGCTCAACGACGG
10 CGGGTTGGTGCGCACGGTGCACTTGCCGGCCCCCAATGTCGCGGGGCTGCTGAGTGCGGGCCG
GCGTGCCGCTGTTGCAAAGCGACCACGTGGTGCCCGCCGCGACGGCCCCGATCGTCGAAGGC
ATGCAGATCCAGGTGACCCGCAATCGGATCAAGAAGGTCACCGAGCGGCTGCCGCTGCCGCCG
AACGCGCGTCGTGTCGAGGACCCGGAGATGAACATGAGCCGGGAGGTGCTCGAAGACCCGGG
GGTTCGCGGGACCCAGGATGTGACGTTTCGCGGTAGCTGAGGTCAACGGCGTCGAGACCCGGCC
15 GTTTGCCCGTCGCCAACGTCGTGGTGACCCCGGCCACGAAGCCGTGGTGCGGGTGGGCACC
AAGCCCGGTACCGAGGTGCCCCCGGTGATCGACGGAAGCATCTGGGACGCGATCGCCGGCTG
TGAGGCCGGTGGCAACTGGGCGATCAACACCGGCAACGGGTATTACGGTGGTGTGCAGTTTGA
CCAGGGCACCTGGGAGGCCAACGGCGGGCTGCGGTATGACCCCGCGCTGACCTCGCCACCC
GCCAAGAGCAGATCGCCGTTGCCGAGGTGACCCGACTGCGTCAAGGTTGGGGCGCCTGGCCG
20 GTATGTGCTGCACGAGCGGGTGCGCGCTGA

>Rv1010 ksgA 16S rRNA dimethyltransferase TB.seq 1129150:1130100 MW:34647

>emb|AL123456|MTBH37RV:1129150-1130103, ksgA SEQ ID NO:39

ATGTGCTGCACGAGCGGGTGCGCGCTGACCATCCGGCTGCTCGGGCGCACTGAGATCAGGCG
25 GCTGGCCAAAGAGCTCGACTTTCGGCCGCGCAAATCTCTCGGACAGAACTTCGTGCACGACGC
CAACACGGTGCGACGGGTGGTTGCCGCCTCCGGGGTCAGCCGTTCCGACCTGGTTTTGGAGGT
CGGGCCGGGCCTGGGATCGCTGACCCTGGCACTGCTCGACCGCGGCGCGACCGTCACCGCGG
TCGAGATCGATCCACTACTGGCTTCTCGGCTGCAACAGACCGTGCGGGAGCACTCGCACAGCG
AGGTTACCGACTAACGGTGGTCAATCGCGACGTCCTGGCCCTGCGCCGGGAGGATCTAGCCG
30 CGGCGCCGACCGCGGTGGTTGCCAATCTGCCGTACAACGTAGCGGTACCGGCGTTGTTGCATC
TGCTTGTCGAGTTCCCGTCGATCCGTGTCGTGACGGTGATGGTGCAGGCCGAGGTGCGCGAAC
GGCTCGCCGCCGAGCCGGGCAGCAAAGAGTACGGCGTGCCAGCGTTAAGCTGCGCTTCTTC
GGGCGGGTTCGCCGCTGCGGCATGGTGTGCGCGACCGTTTTCTGGCCATTCCGCGTGTCTAT
TCCGGGCTGGTACGCATCGATCGATATGAGACCTCGCCCTGGCCACCGACGACGCTTTTCGA
35 CGGCGGGTATTGAACTCGTGGACATCGCATTGCGCGAGCGGCGCAAGACTTCTCGCAACGCG
TTTGTGCAGTGGGCGGGCTCGGGAAGCGAGTCGGCGAATCGATTGTTGGCGGCCAGCATCGAC
CCCGCCCGTCGCGGTGAGACGCTGTCCATCGACGACTTCGTGCGGCTGCTGCGACGGTCCGG

CGGCTCCGACGAGGCCACCAGCACCGGCCGGGACGCCAGGGCGCCGGACATTTGCGGGGCAC
GCGTCGGCGAGCTGA

>Rv1011- Homology to E.coli protein YcbH TB.seq 1130189:1131106 MW:31350

>emb|AL123456|MTBH37RV:1130189-1131109, Rv1011 SEQ ID NO:40

GTGCCCACCGGGTCGGTCACCGTTCGGGTGCCCGAAAGGTCAACCTCTATCTGGCGGTCTGGC
GATCGCCGCGAGGACGGCTATCACGAGCTGACCACGGTATTTTCATGCCGTCTCGCTGGTCGAC
GAGGTAACCGTTTCGTAACGCTGATGTGCTCTCGCTCGAGTTGGTCGGCGAGGGGGCCGACCAG
CTGCCGACCGACGAACGCAATCTCGCCTGGCAGGCGGCCGAGCTGATGGCCGAACACGTGGG
CCGGGCGCCGGACGTCTCGATCATGATCGACAAATCCATTCCGGTCGCCGGCGGCATGGCCG
GTGGCAGCGCGGACGCTGCGGCGGTCTGGTTGCGATGAACTCGTTGTGGGAACTCAATGTGC
CCCGCCGCGACCTGCGCATGCTCGCCGCGCGGCTAGGCAGCGATGTGCCGTTTGCCCTGCAT
GGTGGTACCGCGCTGGGGACGGGTGCGGGCGAGGAGTTGGCCACCGTGTTATCCCGCAACAC
CTTCCACTGGGTCTGCGGTTTCGCCGACAGCGGGTTGCTCACCTCCGCGGTGTACAACGAGCT
CGACCGGCTCAGGGAGGTGGGGGATCCGCCCGGCTTGGTGAGCCCGGGCCGGTTCTGGCTG
CCTTAGCTGCGGGTGATCCGGATCAGCTGGCGCCGTTGCTGGGTAATGAAATGCAAGCGGCCG
CGGTGAGCCTGGACCCGGCGCTGGCTCGTGCGTTACGCGCCGGTGTGGAGGCCGGCGCGCTC
GCAGGCATCGTGTCCGGTTCGGGTCCACGTGTGCCTTCCTGTGCACCTCGGCGAGCTCGGCG
ATCGATGTGCGCGCGCAGCTGTGCGGGGCGGGAGTTTGTGCGACCGTTCGAGTCGCCACCGG
GCCGGTACCCGGCGCCCGCGTGGTGTCTGCGCCGACCGAAGTGTGA

>Rv1106c - cholesterol dehydrogenase TB.seq 1232845:1233954 MW:40743

>emb|AL123456|MTBH37RV:c1233954-1232842, Rv1106c SEQ ID NO:41

ATGCTTCGCCGCATGGGTGATGCATCGCTGACAACCGAGCTCGGCCGCGTTCTGGTCACCGGC
GGCGCGGGCTTCGTGGGCGCCAACCTGGTGACCACCTTGCTGGACCGCGGGCACTGGGTGCG
TTCCTTCGACCGCGCGCCGTCGCTGTTGCCTGCGCATCCGCAACTGGAGGTGCTGCAAGGGGA
CATCACCGACGCGGACGTCTGCGCCGCGGCCGTGGACGGCATCGACACGATCTTCCACACCG
CAGCGATCATCGAGCTGATGGGCGGCGCGTCGGTCACCGACGAGTACCGCCAACGTAGCTTTG
CGGTCAACGTGCGCGGCACCGAGAACCTGCTGCACGCCGGCCAGCGGGCCGGGGTGCAGCG
GTTCTGTCTACACGTCATCCAACAGTGTGGTGATGGGCGGCCAGAACATCGCCGGCGGTGACGA
GACGCTGCCCTATACCGACCGGTTCAACGACCTCTACACCGAGACCAAGGTGGTTGCCGAGCG
ATTCGTGTTGGCCAGAACGGTGTGACGGCATGCTGACGTGCGCGATCCGGCCCGAGCGGCAT
CTGGGGAAACGGCGATCAGACGATGTTCCGCAAGCTGTTGAAAGTGTGCTCAAGGGCCACGT
CAAGGTGCTGGTGGGCGCAAGTCGGCCCGGCTGGATAACTCTTACGTGCACAACCTGATTCA
CGGTTTCATCTTGGCCGCTGCCCATCTGGTGCCGGACGGCACAGCGCCCGGGCAGGCTTACTT
CATCAACGACGCAGAGCCGATCAATATGTTTCGAGTTCGCTCGGCCGGTGTCTCGAGGCGTGCGG
GCAGCGCTGGCCGAAGATGCGGATTTCCGGCCCGCGGTCCGCTGGGTAATGACGGGGTGGC

AGCGGCTGCACTTCCGGTTCGGATTCCCCGCGCCGCTGCTCGAGCCGCTGGCCGTGGAACGAC
TGTACCTGGACAACACTACTTTTCGATCGCTAAGGCACGCCGCGACCTGGGCTATGAGCCGCTGTT
CACCACCCAGCAGGCGCTGACCGAATGCCTGCCGTACTACGTGAGTCTGTTTGAGCAGATGAA
GAACGAGGCCCGGGCGGAAAAACGGCCGCCACAGTCAAGCCGTAG

5

>Rv1110 lytB2 TB.seq 1236183:1237187 MW:36298

>emb|AL123456|MTBH37RV:1236183-1237190, lytB' SEQ ID NO:42

ATGGTTCGACGGTCGACATGGGGATTCCCGGGGCTTCGGTATCGTCGCGATCGGTGGCCGAC
CGTCCCAACCGTAAGCGGGTGCTGCTGGCCGAGCCGCGTGGCTACTGCGCTGGCGTGGATCG
10 GGCCGTGGAACGGTCGAACGCGCGCTTCAAAAACACGGCCCGCCTGTCTACGTGCGTCACGA
GATCGTGCATAACCGCCACGTGGTTGACACCCTGGCTAAGGCCGGTGCGGTTTTTCGTGAAGA
GACCGAGCAGGTTCCCGAGGGAGCGATTGTGGTGTCTCCGCGCACGGGGTTCGCGCTACGG
TGCACGTCAGCGCCAGCGAGCGCAACCTGCAGGTCATTGACGCCACCTGCCCCGTGGTCACCA
AGGTGCACAACGAGGCCAGGCGGTTCCGCCGGGACGACTACGACATCTTGCTGATCGGTCTATG
15 AGGGCCACGAGGAAGTCGTGGTACTGCTGGGGAAGCTCCCGATCATGTGCAGCTGGTCGACG
GGGTGGACGCCGTGACCGAGGTGACCGTCCGTGACGAGGACAAAGTGGTTTGGCTGTGCGAG
ACCACCCTGTCCGTGATGAGACCATGGAGATTGTGCGGGCGGTTGCGTCGGCGTTTCCCCAAG
CTGCAGGATCCGCCAGCGACGACATCTGCTATGCGACCCAGAATCGGCAGGTGCGCGTCAAG
GCGATGGCGCCCGAGTGCGAGCTGGTCATCGTGGTGGCTCGCGCAATTCGTGAATTTCGGTT
20 CGGCTGGTTCGAGGTGGCGCTGGGTGCCGGGGCGCGGGGCCCGCCACCTGGTGGACTGGGCCG
ACGATATCGACTCGGCCTGGCTGGACGGCGTTACCACGGTCGGCGTTACGTCGGGGGCATCGG
TCCCCGAGGTGCTGGTGCGCGGTGTGCTGGAGCGGCTGGCCGAATGCGGCTACGACATCGTG
CAACCGGTGACAACGGCCAACGAGACGTTGGTGTTCGCATTGCCCCGGGAGCTCCGCTCACCT
CGCTGA

25

>Rv1216c - TB.seq 1359473:1360144 MW:24863

>emb|AL123456|MTBH37RV:c1360144-1359470, Rv1216c SEQ ID NO:43

ATGCACATTGGGCTGAAGATATTCATATGGGGCGTGTTAGGACTCGTCGTTTTTCGGCGCGCTCC
TATTCGGGCCAGCCGGCACGTTTCACTATTGGCAGGCGTGCGTGTTCCTCGCCGCATTTGTGA
30 GCACCACGATTGGCCCCACAATCTATCTGGCTCGCAACGATCCCGCGGCCCTTCAACGTGCGAT
GCGCAGCGGTCCGCTCGCGGAGGGCCGAACGATTGAGAAAGTTCATCGTCATCGGCGCTTTTCT
GGGGTTCTTCGCGATGATGGTGCTGAGCGCGTGCGACCATCGTTATGGTTGGTCGTGAGTCC
AGCCGCGGTGTGCGTGATCGGCGACGTCCTAGTGATGACGGGCCTTGGCATCGCCATGCTGGT
GGTCATCCAGAACAGGTATGCCGCTCGACGGTCAGGGTGGAGGCGGGCCAGATATTGGCCTC
35 CGACGGTCTCTACAAAATTGTCCGACACCCGATGTACGCCGGGAACGTGGTCATGATGACAGG
CATACCGCTGGCACTGGGCTCTTACTGGGCGATGTTTCATCCTCGTCCCCGGCACACTGGTGTG

GTGTTCCGCATCCTCGACGAGGAAAACTACTGACGCAAGAACTCAGCGGGTACCGCGAATACC
GGCAACTGGTGCGCTACCGGTTGGTGCCCTACGTGTGGTAG

>Rv1223 htrA TB.seq 1365810:1367456 MW:56547

5 >emb|AL123456|MTBH37RV:1365810-1367459, htrA SEQ ID NO:44

GTGAGCCACTTGTGCGAGCGCATGGCGGGGTTGCTGCGAGTTCATGGCGAGTGGTCGCGATCC
GTGGATACTAGGGTGGACACGGACAACGCGATGCCTGCACGTTTTAGCGCCAGATTGAGAAT
GAGGATGAGGTGACCTCCGACCAAGGCAACAACGGCGGCCCGAACGGCGGAGGCCCGCCTGGC
GCCGCGCCCGGTTTTTCGGCCACCGGTCGACCCGGCGTCGCGTCAAGCGTTCGGGCGTCCGT
10 CCGGGGTCCAAGGTCCTTTGTGGCCGAGCGTGTGCGCCCGCAGAAGTACCAGGACCAGTCT
GACTTCACACCGAACGATCAGCTTGCTGACCCGGTGCTTCAGGAGGCGTTCGGTCGTCCGTTC
GCGGGCGCCGAATCGCTGCAGCGCCATCCCATCGATGCCGGAGCGCTGGCAGCTGAGAAAGA
CGGTGCCGGCCCCGACGAGCCCGACGATCCGTGGCGCGACCCCGCGGCCGCGGCCGCGCTG
GGGACGCCAGCGCTAGCCGCGCCGGCACCCGCACGGTGCGCTGGCCGGCAGCGGCAAGCTGG
15 GTGTGCGCGACGTGCTGTTTGGCGGCAAGGTGTCTACTTGGCGCTGGGCATCTTGGTCGCTA
TCGCACTGGTGATCGGCGGCATCGGCGGTGTCATCGGCCGCAAGACCGCGGAAGTAGTCGAT
GCGTTCACCACGTCGAAGGTGACCCTGTCGACCACTGGCAATGCCAGGAACCGGCCGGCCG
GTTACCAAGGTGGCGGCCGCGGTGGCCGATTCCGTGGTGACCATTGAGTCGGTCAGCGACCA
GGAGGGCATGCAAGGTTCCGGCGTCATCGTCGATGGCCGCGGCTACATCGTCACCAACAATCA
20 CGTGATCTCTGAGGCGGCCAACAATCCAGCCAGTTCAAGACGACCGTGTTGTTCAACGACGG
CAAGGAGGTGCCCCGCCAATCTGGTGGGTGCTGACCCCAAGACCGACTTGGCCGTCTCAAGGT
CGACAACGTCGACAATCTGACCGTGCCCCGGCTCGGTGATTCCAGCAAGGTACGGGTCGGTGA
CGAAGTCCTCGCGGTGCGCGCGCCCTGGGGCTGCGCAGTACGGTGACCCAGGGCATTGTCA
GCGCGCTACACCGCCCCGTTCCGTTGTGCGGCGAGGGCTCTGACACCGACACCGTCATTGACG
25 CAATTGACACCGACGCCTCGATCAACCACGGTAACCTCCGGCGGTCCGCTAATCGACATGGATGC
CCAGGTGATTGGCATCAACACCGCCGGTAAGTCACTGTGCGATAGCGCCAGCGGGCTGGGCTT
TGCGATCCCGGTCAACGAGATGAAATTGGTGGCAAATCTCTGATCAAAGACGGAAAGATCGTG
CATCCGACGTTGGGCATCAGCACCCGGTCAGTAAGCAACGCGATCGCGTCGGGCGCGCAGGT
GGCCAATGTAAAGGCGGGAAGTCCCGCGCAGAAGGGCGGGATCTTGAGAACGATGTGATCGT
30 CAAGGTCGGTAACCGCGCGGTGCGCGACTCCGACGAGTTCGTCGTCGCCGTGCGCCAGTTGG
CTATCGGCCAGGACGCTCCGATAGAGGTGGTCCGCGAGGGTCGGCATGTGACGCTGACGGTG
AAACCGGACCCCGATAGCACCTAG

>Rv1224 - TB.seq 1367461:1367853 MW:14083

35 >emb|AL123456|MTBH37RV:1367461-1367856, Rv1224 SEQ ID NO:45

GTGTTCCGCAACATCGGTTGGTGGGAAATGCTCGTCCTCGTCATGGTCGGGCTGGTGGTGCTT
GGCCCGGAGCGGCTCCCGGGTGCCATCCGCTGGGCGGCAAGCGCTCTGCGGCAGGCGCGCG

ACTATCTCAGCGGTGTGACCAGCCAGCTACGTGAGGACATTGGACCCGAATTCGATGATCTGCG
GGGACATCTCGGTGAGCTGCAGAAGCTACGGGGAATGACTCCGCGGGCTGCGTTGACCAAGCA
CCTACTGGATGGCGATGATTCCCTGTTACCCGAGACTTCGACCGACCGACGCCGAAGAAACC
GGATGCGGCGGGCTCGGCGGGGCCGACGCTACTGAGCAGATCGGTGCGGGGCCCATCCCCG
5 TTTGACAGCGATGCCACCTAG

>Rv1229c mrp similar to MRP/NBP35 ATP-binding proteins TB.seq 1371778:1372947 MW:41064
>emb|AL123456|MTBH37RV:c1372947-1371775, mrp SEQ ID NO:46

ATGCCAAGCCGCCTACACTCGGCGGTGATGTCCGGAACCTCGTGATGGCGACCTGAACGCGGGCG
10 ATACGCACCGCGCTGGGCAAGGTAATCGACCCCGAATTGCGGCGCCCCATCACCGAACTGGGG
ATGGTCAAAAGCATCGACACCGGCCCGGATGGGAGCGTGACGTCGAGATCTACCTGACCATC
GCCGGCTGCCCCGAAGAAGTCCGAAATCACCGAGCGTGTACCCGGGCGGTGCGCCGACGTGCC
AGGCACTTCGGCGGTGCGGGTCAGCTTGGACGTGATGAGCGACGAGCAGCGCACCGAGCTGC
GTAAGCAGTTGCGTGGCGATACCCGCGAACCCGTCATCCCGTTGCGCGAACCCGATTCTTGAC
15 CCGGGTGTATGCCGTGGCTTCCGGTAAGGGCGGAGTCGAAAGTCCACCGTCACGGTCAACCT
GGCCGCCGCGATGGCCGTCCGCGGCCCTGTCGATCGGGGTGCTGGACGCTGATATCCACGGCC
ACTCTATCCCCCGGATGATGGGCACCACCGACCGGCCTACCCAGGTTGAGTCGATGATCCTGC
CGCCGATCGCCACCAGGTGAAGGTCATCTCGATAGCCCAGTTACCCAGGGCAACACCCCGG
TGGTGTGGCGCGGGCCGATGCTGCACCGGGCGTTGCAGCAGTTTCTGGCCGACGTGTACTGG
20 GGGGATCTGGACGTGCTGCTGCTGGACTTGCCGCCCGGAACCGGCGACGTGCGCATCTCGGT
GGCTCAACTGATCCCCAACGCCGAACCTCCTGGTGGTCACCACCCCGCAGCTGGCCGCCGCGGA
GGTGGCCGAACGGGCGCGCAGCATCGCGCTGCAAACCCGCCAACGCATCGTCGGCGTCGTGG
AGAACATGTCGGGGCTCACGCTGCCGGACGGCACACGATGCAGGTGTTGGCGAGGGCGGT
GGCCGGCTGGTCGCCGAGCGGTTGTGCGGTGCGGTGCGCGCCGACGTGCCGCTGCTGGGTCA
25 GATCCCGCTGGACCCCGCACTGGTGGCCGCCGGCGATTGCGGCGTACCGCTCGTGTTGAGCT
CGCCGGA CTGCGGATCGGCAAGGAACTGCATAGCATCGCCGACGGCTTGTGCTACTCGACGAC
GCGGATTGGCGGGCATGTGCTGGGGTTGGACCCGACACGACGCTAG

>Rv1239c corA magnesium and cobalt transport protein TB.seq 1381943:1383040 MW:41470

30 >emb|AL123456|MTBH37RV:c1383040-1381940, corA SEQ ID NO:47

GTGTTCCCAGGGTTTGACGCATTGCCCCGAAGTGCTGCGACCGGTGCGCGACCCAGCCGCCG
AACGCACACCCCGTTGCCAGCCACCGGCCCAAGCCTTGGTCGACTGCGGTGTCTACGTCTGC
GGCCAGCGACTGCCCGGCAAGTACACCTACGCCGCCGCGCTGCGCGAGGTGCGCGAGATCGA
ACTGACCGGGCAGGAGGCGTTGCTGATCGGGCTGCACGAGCCCGATGAAAACAGATGCA
35 GGACGTAGCAGACGTTTTTCGGGTTGCACCCGTTAGCCGTTGAGGACGCCGTGCACGCGCACCA
GCGACCCAAGTTGGAGCGCTACGACGAGACGCTGTTCTCGTCCTCAAGACCGTCAACTACGT
CCCGCACGAATCGGTGGTACTGGCCCGCGAGATCGTCAAACCGGCGAGATCATGATCTTCGT

CGGCAAGGATTTTCGTGGTCACCGTCCGCCACGGCGAACACGGCGGGTTATCCGAGGTGCGTAA
GCGGATGGATGCCGACCCCGAACATTTGCGGTTGGGACCGTATGCGGTGATGCACGCGATCGC
CGACTACGTGGTGCACCACTACCTCGAGGTGACCAATCTCATGGAGACCGATATCGACAGCATC
GAGGAAGTAGCGTTCGCGCCGGGCCGCAAGCTCGACATCGAACCGATCTATCTGCTCAAGCGG
5 GAAGTGGTTCGAGTTGCGCCGGTGCGTGAATCCGCTATCGACCGCATTCCAGCGCATGCAGACC
GAGAGCAAAGACCTCATTTGAAAGAAGTGCGGCGCTACCTGCGCGACGTGCGCGACCACCAG
ACCGAGGCCGCGGACCAGATCGCCAGCTACGACGACATGCTCAACTCGCTGGTGCAGGCCGC
GCTCGCCCGGGTCGGCATGCAGCAAACATGGACATGCGCAAGATATCCGCGTGGGCAGGTAT
CATCGCGGTCCCCACCATGATCGCGGGCATCTATGGCATGAACTTTCATTTCATGCCCCGAGCTG
10 GACTCCAGGTGGGGTTACCCGACAGTGATCGGCGGGATGGTCCTTATCTGTCTGTTCTCTACC
ACGTCTTCCGCAACAGAACTGGCTCTAG

>Rv1279 - TB.seq 1430060:1431643 MW:57332

>emb|AL123456|MTBH37RV:1430060-1431646, Rv1279 SEQ ID NO:48

15 ATGGACACTCAGAGCGACTACGTTCGTGGTACCGGCTCAGCCGGGGCGGTTGTGGCCAG
CCGGCTTAGCACCGATCCGGCCACGACGGTGGTGGCCCTGGAGGCGGGGCCGCGTGACAAGA
ACAGATTCATCGGCGTCCCAGCGGCGTTTTCCAAGCTGTTCCGCAGCGAGATCGACTGGGATTA
CCTAACCGAACCGCAGCCGAGCTCGACGGCCGCGAAATCTATTGGCCTCGTGGCAAGGTGCT
CGGTGGCTCGTCGTCCATGAACGCAATGATGTGGGTGCGTGGATTGCGATCAGACTACGATGA
20 GTGGGCCGCGCGAGCCGGTCCGCGGTGGTCGTACGCCGACGTGCTCGGCTACTTTGCGCCGA
TCGAGAACGTCACCGCTGCCTGGCACTTTGTGACGGTGACGACAGCGGAGTAACCGGTCCGT
TGCATATTTCCCGGCAACGCAGCCCAAGATCGGTGACCGCAGCGTGGCTGGCAGCCGCACGTG
AGTGCGGATTTGCGCTGCGCGGCCGAATTCCCCTCGACCGGAAGGCTTTTTCGAGACCGTCG
TCACCCAGCGCCGCGGTGCTCGATTCACTACTGCCGACGCCTATCTGAAGCCCGCGATGCGCC
25 GTAAAAACCTCCGTGTGCTTACCGGCGCCACTGCTACCCGGGTGGTCATCGACGGCGACCGGG
CCGTGCGCGTGGAATACCAAAGCGACGGTCAAACCCGCATCGTCTACGCCCGCCGCGAGGTG
GTGCTCTGCGCTGGTGCCGTCAACAGCCCTCAGCTGCTGATGCTCTCCGGCATCGGCGACCGC
GACCACCTCGCCGAACACGACATCGACACCGTTTACCACGCGCCGAGGTGCGGTGCAACCTG
CTCGATCATCTCGTCACGGTGCTGGGTTTCGACGTCGAAAAGGACAGCTTGTTTGCCGCCGAGA
30 AGCCCGGCCAGTTGATCAGCTACTTACTGCGACGCCGCGGCATGCTCACCTCCAACGTCGGCG
AGGCGTACGGATTTGTCCGCAGCCGACCCGAACTGAAGCTGCCCGATTTGGAGTTGATTTTTGC
CCCGGCGCCGTTTTACGACGAAGCGCTGGTTCACCGGCTGGTCACGGTGTGGTATTCGGCCC
GATTCTGGTCGCGCCGCAAAGCCGTGGCCAGATCACGCTGCGGTCCGCCGATCCGCATGCCAA
GCCTGTCATCGAACCGGTTACCTGTCCGATCTCGGTGGCGTAGACCGGGCCGCCATGATGGC
35 GGGCCTGCGGATATGCGCGCGGATCGCGCAGGCCCGCCCGCTCAGAGATCTCCTTGGGTCCA
TCGCGCGACCGCGCAACAGCACCGAGCTGGACGAGGCCACTCTCGAGTTGGCGCTGGCCACT
TGTTGCGACACCCTGTACCACCCGATGGGCACCTGCCGCATGGGCAGCGACGAGGCCAGCGT

GGTGGATCCGCAGCTGCGGGTCCGCGGTGTCGACGGACTCCGCGTCGCCGACGCGTCGGTGA
TGCCCAGCACGGTTCGTGGGCATACGCATGCGCCGTCGGTGCTGATCGGGGAGAAGGCCGCC
GACTTAATCCGCAGCTGA

5 >Rv1294 thrA homoserine dehydrogenase TB.seq 1449373:1450695 MW:45522

>emb|AL123456|MTBH37RV:1449373-1450698, thrA SEQ ID NO:49

GTGCCCCGGTGACGAAAAGCCGGTCGGCGTAGCGGTACTCGGTTTGGGCAACGTCCGCAGCGA
GGTTGTCCGCATCATCGAGAACAGCGCCGAGGATCTCGCGGCTCGTGTCGGTGCCCCATTGGT
CCTGCGGGGCATCGGCGTGCGCCGCGTGACGACCGATCGCGGCGTGCCGATCGAATTGTTGA
10 CCGACGACATTGAAGAGCTCGTGCCCGCGAGGATGTCGATATCGTGGTGGAAAGTATGGGGC
CGGTGGAACCGTCGCGCAAGGCGATCCTGGGCGCCCTTGAGCGCGGCAAGTCCGTCGTTACG
GCGAACAAGGCTTTACTCGCCACCTCCACCGGCGAATTGGCACAGGCCGCCGAAAGCGCCCAT
GTTGATCTGTATTTGAGGCGGCCGTGGCGGGCGCCATTCCGGTCATCCGTCCGCTCACCCAG
TCGCTGGCCGGCGACACGGTGCTGCGAGTGGCCGGGATCGTCAACGGCACCACTACATC
15 CTCTCGGCGATGGACAGCACCGGCGCTGACTATGCCAGCGCCCTGGCCGACGCAAGTGCGCT
GGGCTATGCGGAGGCTGATCCACCGCAGACGTGCAAGGCTACGACGCCGCGGCCAAGGCAG
CGATCCTGGCATCCATTGCCTTCCACACCCGGGTGACCGCAGACGACGTGTATCGCGAAGGCA
TCACCAAGGTCACTCCGGCCGACTTCGGATCCGCGCACGCGCTGGGTTGCACCATCAAAGTGC
TGTCGATCTGTGAGCGCATAACCACCGACGAAGGTTGCGAGCGGGTATCGGCCCGCGTCTATC
20 CGGCCCTGGTACCTCTGTGCGATCCGCTTGCCGCGGTCAACGGCGCGTTCAATGCCGTGGTGG
TCGAGGCCGAGGCCGCGGGCCGGCTGATGTTCTACGGCCAGGGCGCGGGCGGCGCGCCGAC
CGCCTCTGCGGTGACCGGTGACCTAGTGATGGCCGCCCGCAACCGGGTACTCGGCAGCCGCG
GCCCCCGTGAGTCTAAATACGCTCAACTTCCGGTGGCACCAATGGGTTTCATTGAAACGCGCTA
TTACGTCAGCATGAACGTCGCCGACAAGCCGGGCGTCTTGTCGCGGTGGCGGCGGAATTGCG
25 CAAACGCGAGGTGAGCATCGCCGAGGTGCGCCAGGAGGGCGTGTGTGACGAAGGTGGTCGAC
GGGTGGGAGCCCGAATCGTGGTGGTCACGCACCTCGCCACTGACGCCGCACTCTCGGAAACC
GTTGATGCACTGGACGACTTGGATGTGCTGCAGGGTGTGTCCAGCGTGATACGACTGGAAGGA
ACCGGCTTATGA

30 >Rv1323 fadA4 acetyl-CoA C-acetyltransferase (aka thiL) TB.seq 1485860:1487026 MW:40049

>emb|AL123456|MTBH37RV:1485860-1487029, fadA4 SEQ ID NO:50

GTGATTGTTGCTGGCGCGCGTACACCCATCGGCAAGTTGATGGGCTCCCTGAAGGATTTAGCG
CCAGCGAGCTGGGTGCCATCGCCATTAAGGGCGCCCTGGAGAAGGCCAACGTGCCGGCGTCC
TTGGTCGAGTACGTGATCATGGGCCAGGTGTTGACCGCGGGTGCCGGGCAAATGCCCGCACG
35 GCAGGCGGCAGTGGCGGCCGGCATCGGTTGGGATGTCCCTGCGCTGACGATCAACAAGATGT
GCCTGTCCGGCATCGACGCAATCGCGCTGGCTGATCAACTCATTGCGGGCCAGAGAGTTGACG
TGGTGGTGGCCGGCGGTGAGGAGTCGATGACGAAGGCGCCCCACCTGTTGATGAATAGCCGGT

CGGGTTACAAGTACGGCGACGTTACGGTTTTGGACCACATGGCCTACGACGGTCTGCACGACG
 TGTTACCGGATCAGCCGATGGGCGCGCTCACCAGCAACGCAACGACGTCGACATGTTACCCC
 GCTCCGAACAGGACGAGTACGCGGCTGCGTCCCACCAAAAGGCGGCCGCGGCATGGAAGGAC
 GGCGTATTCGCCGACGAGGTGATCCCGGTGAACATCCCGCAGCGCACGGGCGATCCACTGCA
 5 GTTCACCGAGGACGAGGGGATCCGCGCCAACACCACCGCCGCGCTGGCCGGTCTGAAGC
 CGGCGTTCCGTGGCGACGGCACCATCACCGCCGGGTGCGCGTCACAGATCTCCGACGGTGCG
 GCCGCGGTGGTGGTCATGAACCAGGAAAAGGCCAGGAACTGGGGCTGACCTGGCTAGCCGA
 GATCGGCGCCACGGTGTGGTGGCCGGGCGGATTCCACACTGCAATCGCAGCCGGCCAACG
 CGATCAACAAGGCGCTGGATCGCGAGGGCATCTCGGTGGACCAGCTCGACGTGGTGGAGATCA
 10 ACGAGGCGTTGCTGCGGTGGCATTGGCCTCGATACGCGAACTCGGGCTGAACCCCCAGATCG
 TCAACGTCAACGGTGGTGGCATTGCCGTGCGGCATCCCCTCGGCATGTCAGGGACGCGAATCA
 CGCTACATGCGGCGCTGCAGTTGGCACGCCGGGGATCGGGCGTCGGGGTTGCCGCATTGTGC
 GGGGCTGGCGGGCAGGGCGACGCACTGATATTGCGGGCCGGATAG

15 >Rv1389 gmk putative guanylate kinase TB.seq 1564399:1565022 MW:22064

>emb|AL123456|MTBH37RV:1564399-1565025, gmk SEQ ID NO:51

GTGAGCGTCGGCGAGGGACCGGACACCAAGCCCACCGCGCGTGGCCAACCGGCGGCAGTGG
 GACGTGTGGTGGTGTGTCCGGTCCCTCCGCGGTGCGCAAATCCACGGTGGTTCCGTGTCTGC
 GCGAGCGGATCCCGAATCTGCATTTCAAGTGTCTCGGCCACGACGCGGGCGCCACGCCCGGGC
 20 GAGGTGACGGTGTGCGACTACCACTTCATCGACCCACCCGCTTTCAGCAGCTCATCGACCAG
 GGTGAGTTGCTGGAATGGGCAGAAATCCACGGCGGCCTGCACCGGTGCGGCACTTTGGCCCA
 GCCGGTGCGGGCGGCCGCGGCGACTGGTGTGCCGGTGTCTTATCGAGGTTGACCTGGCCGGGG
 CCAGGGCGATCAAGAAGACGATGCCCGAGGCTGTACCGTGTTTCTGGCGCCACCTAGCTGGC
 AGGATCTTCAGGCCAGACTGATTGGCCGCGGCACCGAAACAGCTGACGTTATCCAACGCCGCC
 25 TGGACACCGCGCGGATCGAATTGGCAGCGCAGGGCGACTTTGACAAGGTCGTGGTGAACAGGC
 GATTAGAGTCTGCGTGTGCGGAATTGGTATCCTTGCTGGTGGGAACGGCACCGGGCTCCCCGT
 GA

30 >Rv1407 fmu similar to Fmu protein TB.seq 1583099:1584469 MW:48494

>emb|AL123456|MTBH37RV:1583099-1584472, fmu SEQ ID NO:52

ATGACCCCTAGATCGCGTGGGCCGCGCCGCGCGCTGGACCCGGCGCGTCGTGCGGCCTT
 CGAGACGCTGCGGGCGGTTAGTGCGCGCGACGCCTACGCGAACCTGGTGTTGCCGCGCTGC
 TGGCCCAACGCGGTATCGGCGGTGCGGACGCCGCGTTGCCACCGAGCTGACATACGGCACC
 TGCCGAGCCCGCGGCCTGCTCGACGCGGTGTCGGTGGCGCCGCGAGCGTTGCCGCGAGGC
 35 GATCGATCCGGTGCTGCTAGACCTGTTGCGGCTCGGCACCTACCAATTGCTGCGCACGCGGGT
 CGACGCACACGCCGCAAGTGTGACACCGTTCGAGCAGGCCGGAATCGAATTGATTGCGCGC
 GAGCAGGTTTCGTCAACGGTGTACTACGAACGATCGCCGGCCGAGACGAGCGGTCTGGGTTG

GCGAACTCGCTCCTGATGCGCAGAACGATCCGATCGGGCATGCCGCGTTCGTGCATGCGCATC
 CCCGATGGATCGCCAGGCCTTTGCTGACGCGTTGGGCGCGGCGGTGCGGGAGCTCGAGGCA
 GTTTTGGCCAGCGACGACGAACGGCCAGCGGTGCACCTGGCGGCACGCCCCGGGGTGCTGAC
 CGCCGGCGAACTGGCCCCGCGCGGTGCGCGGAACCGTCGGTTCGGTATTCGCCGTTTGCGGTGT
 5 ATCTGCCGCGCGGTGACCCGGGGCGACTGGCGCCGGTGCGCGACGGCCAAGCGCTGGTCCA
 GGACGAGGGCAGCCAGTTAGTCGCCCGAGCATTGACCCTGGCGCCAGTCGACGGCGATACCG
 GACGGTGGCTGGACCTGTGTGCCGGACCGGGCGGCAAGACCGCGCTGTTGGCCGGGCTGGGT
 TTGCAGTGCGCAGCCCCGGGTGACCGCGGTGGAACCCTCGCCACACCGCGCGGACCTGGTAGC
 ACAGAACACCCGCGGGCTGCCGGTTGAGCTCTTGCGTGTGACGGGCGGCACACCGACCTCG
 10 ACCCGGGTTTCGACCGGGTGCTGGTGGATGCGCCCTGCACCGGGCTGGGCGCGTTACGCCGT
 CGGCCGAGGCCCGTTGGCGTCGTACGCCGGCGGACGTAGCGGCACTGGCCAAGCTACAACG
 CGAGTTGTTGAGCGCCGCCATCGCGCTGACTCGGCCCGGCGGTGTCGTGCTCTATGCCACATG
 CTCGCCGCACCTGGCCGAGACTGTGGGTGCTGTGCCGACGCGCTACGCCGACATCCGGTTCA
 CGCGCTCGATAACCCGCCCACTGTTGAGCCGGTGATCGCGGGGCTGGGGGAGGGGCCCCACG
 15 TTCAGCTGTGGCCGCACCGGCACGGTACCGACGCCATGTTGCGCGCGGCGTTGCGCCGCCTG
 ACGTGA

>Rv1409 ribG riboflavin biosynthesis TB.seq 1585192:1586208 MW:35367

>emb|AL123456|MTBH37RV:1585192-1586211, ribG SEQ ID NO:53

20 ATGAACGTGGAGCAGGTCAAGAGCATCGACGAGGCTATGGGTCTCGCCATCGAGCACTCCTAC
 CAGGTCAAAGGCACGACTTATCCAAAACCCCCAGTGGGGGCCGTCATTGTGGATCCCAACGGT
 CGGATCGTCGGCGCCGGCGGCACCGAGCCGGCCGGTGGCGATCATGCCGAGGTGGTGGCGC
 TGCGCCGGGCCGGCGGATTGGCTGCCGGCGCCATCGTGGTGGTCACCATGGAACCCTGTAAC
 CACTACGGCAAGACTCCGCCATGCGTGAACGCTCTGATCGAAGCCAGGGTGGGGACGGTGGTC
 25 TACGCCGTGCGCCGACCCGAACGGGATCGCTGGGGGTGGCGCGGGCCGGCTGTCAGCAGCGG
 GCCTACAGGTGCGGTCCGGGGTGTGGCTGAACAGGTGGCGGCCGGACCGCTGCGGGAGTGG
 CTCCACAAGCAACGCACCGGTCTGCCGCATGTACCTGGAAGTACGCCACCAGCATCGACGGC
 CGCAGCGCCGCCGCGGACGGCTCCAGCCAGTGATCTCCAGCGAGGCCGCACGCCTGGATCT
 GCATCGCCGCCGCGCCATCGCCGACGCGATCTTGGTCGGCACCGGCACCGTCCTCGCCGACG
 30 ACCCGGCCCTGACCGCGCGGCTGGCCGACGGCTCGCTGGCGCCGCAGCAGCCGCTGCGCGT
 GGTGGTGGGCAAGCGCGACATACCGCCGGAAGCACGGGTCTCAACGACGAGGCACGCACCA
 TGATGATCCGCACCCACGAACCTATGGAGGTGCTCAGGGCGTTGTGCGATCGCACCGACGTGC
 TGCTGGAAGGAGGTCCACCCCTCGCCGGCGCCTTCCTACGAGCGGGTGCGATCAACCGGATCC
 TGGCCTACGTCGCACCGATCCTGTTGGGCGGTCCGGTTACCGCGGTGATGACGTGCGGGTGT
 35 CCAACATACCAACGCGTTGCGTTGGCAGTTCGACAGCGTCGAAAAGGTGCGACCGGATCTGTT
 GCTGAGCTTGGTGGCTCGTTAG

>Rv1440 secG TB.seq 1617715:1618065 MW:12140

>emb|AL123456|MTBH37RV:1617715-1618068, secG SEQ ID NO:54

GTGGCAGGCGTGACAGCCGCGGTCAAGTGCACGCCTCAAAGCCGATGAGGCGCGACGGCCTGG
GTTCTACGCGGCAGGCAGCGGTCCGCTGCCGCAGGTTGCGGGGAGTACGCTACCCGTCATGG
5 AATTGGCCCTGCAGATCACGCTGATCGTCACGAGCGTGCTGGTGGTGTGTTAGTACTGCTGCA
CCGGGCCAAGGGTGGCGGGCTATCGACACTGTTCCGGCGGTGGTGTGCAGTCAAGCCTGTCCG
GCTCGACGGTGGTGGAGAAGAACCTGGACCGGTTGACGCTGTTGTTACCGGCATCTGGCTGG
TGTCCATCATCGGCGTGGCGTTGCTCATCAAATACCGCTAG

10 >Rv1484 inhA TB.seq 1674200:1675006 MW:28529

>emb|AL123456|MTBH37RV:1674200-1675009, inhA SEQ ID NO:55

ATGACAGGACTGCTGGACGGCAAACGGATTCTGGTTAGCGGAATCATCACCGACTCGTCGATCG
CGTTTCACATCGCACGGGTAGCCCAGGAGCAGGGCGCCCAGCTGGTGCTCACCGGGTTCGAC
CGGCTGCGGCTGATTACGCGCATCACCGACCGGCTGCCGGCAAAGGCCCGCTGCTCGAACT
15 CGACGTGCAAAACGAGGAGCACCTGGCCAGCTTGGCCGGCCGGGTGACCGAGGCGATCGGGG
CGGGCAACAAGCTCGACGGGGTGGTGCATTGATTGGGTTTCATGCCGCAGACCGGGATGGGC
ATCAACCCGTTCTTCGACGCGCCCTACGCGGATGTGTCCAAGGGCATCCACATCTCGGCGTATT
CGTATGCTTCGATGGCCAAGGCGCTGCTGCCGATCATGAACCCCGAGGTTCCATCGTCGGCA
TGGACTTCGACCCGAGCCGGGCGATGCCGGCCTACAACCTGGATGACGGTCGCCAAGAGCGCG
20 TTGGAGTCGGTCAACAGGTTCTGGCGCGCGAGGCCGGCAAGTACGGTGTGCGTTCTGAATCTC
GTTGCCGCAGGGCCCTATCCGGACGCTGGCGATGAGTGCGATCGTCGGCGGTGCGCTCGGCGA
GGAGGCCGGCGCCCAGATCCAGCTGCTCGAGGAGGGCTGGGATCAGCGCGCTCCGATCGGCT
GGAACATGAAGGATGCGACGCCGGTGCCTAAGACGGTGTGCGCGCTGCTGTCTGACTGGCTG
CCGGCGACACGGGTGACATCATCTACGCCGACGGCGGCGCGCACACCCAATTGCTCTAG

25 >Rv1617 pykA pyruvate kinase TB.seq 1816187:1817602 MW:50668

>emb|AL123456|MTBH37RV:1816187-1817605, pykA SEQ ID NO:56

GTGACGAGACGCGGGAAAATCGTCTGCACTCTCGGGCCGGCCACCCAGCGGGACGACCTGGT
CAGAGCGCTGGTCGAGGCCGAATGGACGTGCCCCGAATGAACCTCAGCCACGGCGACTACGA
30 CGATCACAAGGTCGCTATGAGCGGGTCCGGGTAGCCTCCGACGCCACCGGGCGCGCGGTGCG
GCGTGCTCGCCGACCTGCAGGGCCCCGAAGATCAGGTTGGGACGCTTCGCTCCGGGGCCACC
CACTGGGGCCGAAGGCGAAACCGTCCGGATCACCGTGGGCGCCTGCGAGGGCAGCCACGATCG
GGTGTCCACCACCTACAAGCGGCTAGCCCAGGACGCGGTGGCCGGTGACCGGGTGCTGGTCG
ACGACGGCAAAGTCGCATTGGTGGTGCAGCCGTCGAGGGCGACGACGTGGTCTGCACCGTC
35 GTCGAAGGCGGCCCCGGTCAGCGACAACAAGGGCATCTCGTTGCCCGGAATGAACGTGACCGC
GCCGGCCCTGTGCGAGAAGGACATCGAGGATCTCACGTTGCGGCTGAACCTCGGCGTCGACAT
GGTGGCGCTTTCCTTCGTCCGCTCCCCGGCCGATGTCGAACTGGTCCACGAGGTGATGGATCG

GATCGGGGCGACGGGTGCCGGTGATCGCCAAGCTGGAGAAGCCGGAAGCCATCGACAATCTCG
 AAGCGATCGTGCTGGCGTTCGACGCCGTCATGGTCGCTCGGGGCGACCTAGGTGTTGAGCTGC
 CGCTCGAAGAGGTCCCGCTGGTACAGAAGCGAGCCATCCAGATGGCCCGGAGAACGCCAAG
 CCGGTCATTGTGGCGACCCAGATGCTCGACTCGATGATCGAGAACTCGCGGCCGACCCGAGCT
 5 GAGGCCTCCGACGTCGCCAACGCGGTGCTCGATGGCGCCGACGCGCTGATGCTGTCCGGGGA
 AACCTCGGTAGGGAAGTACCCCTTGCTGCGGTCCGGACAATGTCGCGCATCATCTGCGCGGT
 CGAGGAGAACTCCACGGCCGACCGCCGTTGACACACATTCCCCGGACCAAGCGTGGGGTCAT
 CTCGTATGCGGCCCGTGACATCGGCGAACGACTCGACGCCAAGGCCTTGGTGGCCTTCACTCA
 GTCCGGTGATACCGTGCGGCGACTGGCCCGCCTGCATACCCCGCTGCCGCTGCTGGCCTTCAC
 10 CGCGTGGCCCGAGGTGCGCAGCCAACTGGCGATGACCTGGGGCACCGAGACGTTTCATCGTG
 CGAAGATGCAGTCCACCGATGGCATGATCCGCCAGGTGACAAATCGCTGCTCGAACTCGCCC
 GCTACAAGCGTGTTGACTTGGTGGTCATCGTCGCGGTGCGCCGCCAGGCACAGTGGGTTCGA
 CCAACCTGATCCACGTGCACCGGATCGGGGAAGATGACGTCTAG

15 >Rv1630 rpsA 30S ribosomal protein S1 TB.seq 1833540:1834982 MW:53203
 >emb|AL123456|MTBH37RV:1833540-1834985, rpsA SEQ ID NO:57
 ATGCCGAGTCCCACCGTCACCTCGCCGCAAGTAGCCGTCAACGACATAGGCTCTAGCGAGGAC
 TTTCTCGCCGCAATAGACAAAACGATCAAGTACTTCAACGATGGCGACATCGTCGAAGGCACCA
 TCGTCAAAGTGGACCGGGACGAGGTGCTCCTCGACATCGGCTACAAGACCGAAGGCGTGATCC
 20 CCGCCCGCGAACTGTCCATCAAGCACGACGTCGACCCCAACGAGGTGTTTTCCGTCCGTGACG
 AGGTGGAAGCCCTGGTGCTACCAAGGAGGACAAAGAGGGGCCGCTCATCCTCTCCAAGAAAC
 GCGCGCAGTACGAGCGTGCCTGGGGCACCATCGAGGCGCTCAAGGAGAAGGACGAGGCCGTC
 AAGGGCACGGTCATCGAGGTGTCGAAGGGTGGCCTGATCCTCGACATCGGGCTGCGCGGTTTC
 CTGCCCCGCTCGCTGGTGGAGATGCGCCGGGTGCGCGACCTGCAGCCCTACATCGGCAAGGA
 25 GATCGAGGCCAAGATCATCGAGCTGGACAAGAACC GCAACAACGTGGTGCTGTCCCGTCGCGC
 CTGGCTGGAGCAGACCCAGTCCGAGGTGCGCAGCGAGTTCCTGAATAACTTGCAAAAAGGCAC
 CATCCGAAAGGGTGTGCTGTCTCGATCGTCAACTTCGGCGCGTTGTCGATCTCGGCGGTGT
 GGACGGTCTGGTGATGTCTCCGAGCTATCGTGGAAGCACATCGACCACCGTCCGAGGTGGT
 CCAGGTTGGTGACGAGGTACCGTCGAGGTGCTCGACGTGACATGGACCGTGAGCGGGTTTC
 30 GTTGTCACTCAAGGCGACTCAGGAAGACCCGTGGCGGCACTTCGCCCGCACTCACGCGATCGG
 GCAGATCGTGCCGGGCAAGGTCACCAAGTTGGTTCCGTTCCGTGCATTGTCGCGCTCGAGGA
 GGGTATCGAGGGCCTGGTGACATCTCCGAGCTGGCCGAGCGTCACGTGAGGTGCCCGATC
 AGGTGGTTGCCGTCGGCGACGACGCGATGGTCAAGGTCATCGACATCGACCTGGAGCGCCGTC
 GGATCTCGTTGTGCTCAAGCAAGCCAATGAGGACTACACCGAGGAGTTCGACCCGGCGAAGT
 35 ACGGCATGGCCGACAGTTACGACGAGCAGGGCAACTACATCTTCCCCGAGGGCTTCGATGCCG
 AAACCAACGAATGGCTTGAGGGATTGAAAAGCAGCGCGCCGAATGGGAAGCTCGGTACGCCG
 AGGCCGAGCGCCGGCACAAGATGCACACCGCGCAGATGGAGAAGTTCGCCGCCGCGAGGCG

GCTGGACGCGGCGCGGACGATCAGTCGTCGGCCAGTAGCGCACCGTCGGAAAAGACCGCGGG
TGGATCACTGGCCAGCGACGCCAGCTGGCGGCCCTGCGGGAAAACTCGCCGGCAGCGCTT
GA

5 >Rv1631 - TB.seq 1835011:1836231 MW:44669

>emb|AL123456|MTBH37RV:1835011-1836234, Rv1631 SEQ ID NO:58

ATGCTGCGCATCGGGCTGACCGGCGGCATTGGCGCCGGGAAGTCGTTGCTGTCCACGACGTTT
TCGCAATGCGGCGGAATCGTTGTCGACGGCGATGTGTTGGCGCGTGAAGTGGTCCAGCCGGGC
ACCGAGGGGCTGGCCTCGCTGGTCGACGCGTTTCGGTCGCGACATCCTGCTTGCAGACGGAGC
10 GCTGGACCGGCAGGCGTTGGCGGCCAAGGCGTTTCGAGATGACGAGTCGCGCGGTGTGCTCA
ACGGAATCGTGACCCCGCTGGTCGCCCCGGCGCCGATCCGAGATCATCGCGGCGGTTTCGGGG
GACGCGGTTGTGGTGAAGATATTCCACTGCTGGTGAATCCGGGATGGCGCCATTGTTTCCGC
TGGTGGTGGTGGTGCACGCGACGTCGAGCTACGGGTGCGACGGCTGGTCGAGCAACGCGGC
ATGGCCGAAGCCGACGCCCCGGGCTAGGATCGCTGCGCAGGCCAGCGACCGAGCGTCGTGC
15 CGTCGCCGACGTCTGGCTGGACAACTCGGGCAGCCCAGAGGATTTGGTGGCGCGGGCCCGCG
ACGTCTGGAACACGCGCGTCCAGCCCTTCGCGCACAACTGGCCCAACGTGAGATTGCGCGCG
CGCCGGCTAGGTTGGTGCCGGCGGATCCAAGCTGGCCGGATCAGGCGCGGCGCATCGTCAAC
CGGCTAAAGATCGCGTGCGGGCATAAGGCCCTTGCGAGTTGACCACATTGGGTCAACCGCCGTG
TCGGGCTTCCCCGATTTTCTAGCCAAGGATGTCATCGACATCCAGGTACCGTCAATCACTTG
20 ACGTGGCCGACGAGCTGGCCGAGCCCTTGCTGGCCGCCGGCTACCCACGCCTCGAGCACATC
ACCCAGGACACCGAAAAGACCGACGCTCGCAGCACCGTCGGCCGCTACGACCACACCGACAGT
GCCGCTCTGTGGCACAAGCGCGTGACGCCTCGGCGGATCCCGGTGGCCGACCAACGTGCA
CCTGCGGGTGACGGCTGGCCCAACCAACAGTTCGCCCTGCTGTTTCGTCGACTGGCTGGCGGC
CAATCCCGGCGCGAGAGAAGACTATTTGACGGTCAAGTGTGACGCCGACAGGCGCGCCGACG
25 GTGAGCTCGCGCGCTACGTACCGCCAAGGAGCCGTGGTTCTGGATGCCTACCAGCGGGCAT
GGGAGTGGGCGGATGCGGTGCACTGGCGTCCCTGA

>Rv1706c - TB.seq 1932695:1933876 MW:39779

>emb|AL123456|MTBH37RV:c1933876-1932692, PPE SEQ ID NO:59

30 ATGACCCTCGATGTCCCGGTCAACCAGGGGCATGTCCCCCGGGCAGCGTCGCCTGCTGCCTT
GTTGGGGTCACCGCCGTTGCTGACGGCATCGCCGGGCATTCCCTGTCCAACTTTGGGGCGTTA
CCTCCCGAGATCAATTCGGGTCGTATGTATAGCGGTCCGGGATCCGGGGCCACTGATGGCTGCC
GCGGCGGCCTGGGACGGGCTGGCCGCAGAGTTGTCGTCGGCAGCGACTGGCTACGGTGCGG
CGATCTCGGAGCTGACAAACATGCGGTGGTGGTGGGGGCCGCGCATCGGATTGATGGTGGCC
35 GCCGTCCTGCCCTTTGTGGCTGGCTGAGTACCACCGCGACGCTAGCCGAACAGGCCGCGATG
CAGGCTAGGGCGGGCGCAGCGGCCCTTTGAAGCCGCTTCGCCATGACGGTGCCCCCGCCGGC
GATCGCGGCCAACCGGACCTTGTTGATGACGCTCGTCGATACCAACTGGTTCGGGCAAAACAC

GCCGGCGATCGCCACCACCGAGTCCCAATACGCCGAGATGTGGGCCCAAGACGCCGCCGCGA
TGTACGGCTATGCCAGCGCCGCGGCACCCGCCACGGTTTTGACTCCGTTGACACCACCGCCGC
AAACCACCAACCGCGACCGGCCTCGTCGGCCACGCAACAGCGGTGGCCGCGCTGCGGGGGCAG
CACAGCTGGGCCGCGGCGATTCCATGGAGCGACATACAGAAATACTGGATGATGTTCTGGGC
5 GCCCTCGCCACTGCCGAAGGGTTCATTTACGACAGCGGTGGGTAAACGCTGAATGCTCTGCAGT
TCGTGCGCGGGATGTTGTGGAGCACCGCATTGGCAGAAGCCGGTGCGGCCGAGGCAGCGGCC
GGCGCGGGTGGAGCCGCTGGATGGTCGGCGTGGTCGCAGCTGGGAGCTGGACCGGTGGCGG
CGAGCGCGACTCTGGCCGCCAAGATCGGACCGATGTCGGTGCCGCCGGGCTGGTCCGCACCG
CCCGCCACGCCCCAGGCGCAAACCGTCGCGCGATCGATTCCCGGTATTGCGAGCGCCGCCGA
10 GGCGGCTGAAACATCGGTCCTACTCCGGGGGGCACCGACTCCGGGCAGGAGTCGCGCCGCC
ATATGGGACGCCGATATGGAAGACGACTCACCGTGATGGCTGACCGGCCGAACGTCCGATAG

>Rv1745c - similar to Q46822 ORF_O182 TB.seq 1971381:1971989 MW:22490

>emb|AL123456|MTBH37RV:c1971989-1971378, Rv1745c SEQ ID NO:60

15 ATGACCCGCAGCTACCGGCCAGCTCCACCGATCGAGCGGGTGGTTTTGCTCAACGACCGCGGC
GACGCGACAGGTGTGGCCGACAAGGCCACCGTGCACACCGGCGACACCCCTTTGCACCTCGC
GTTCTCCAGCTATGTGTTGATCTGCACGATCAGCTGTTGATCACGCGGCGGGCCGCCACCAAG
AGGACGTGGCCGGCGGTATGGACCAACAGTTGCTGCGGGCACCCCTGCCTGGCGAATCGCT
ACCGGCGCCATACGCCGGCGGCTCGCTGCCGAACCTCGGACTGACCCAGATCGGGTCGATC
20 TGATCCTGCCGGGGTTCCGCTACCGGGCCGCTATGGCCGATGGCACCGTGGAACGAGATCT
GCCCCGTCTACCGAGTCCAGGTTGACCAACAGCCCCGGCCGAACCTCGGACGAGGTCGACGCG
ATCCGCTGGTTGTCTTGGGAACAATTCGTGCGCGATGTTACCGCCGGCGTAATCGCCCCGGTAT
CCCCTTGGTGCCGCTCACAACTGGGCTACCTGACCAAACTTGACCATGTCCGGCACAGTGGC
CCGTGGCCGACGACTGCCGGCTACCGAAAGCCGCACATGGTAATTAA

25 >Rv1800 - TB.seq 2039451:2041415 MW:67068

>emb|AL123456|MTBH37RV:2039451-2041418, PPE SEQ ID NO:61

30 ATGCTGCCGAATTTGCGGGTGCTGCCCCCGAGGTCAATTCGGCGAGGGTGTTGCGCGGTGCG
GGGTGCGCGCCGATGTTAGCGGCAGCGGCCCGCTGGGATGATCTAGCCTCCGAGCTGCATTGT
GCTGCAATGTCATTGCGGTGCGTTACGTCGGGATTGGTGGTTGGGTGGTGGCAGGGATCGGCG
TCGGCGGCGATGGTGGACGCAGCCGCGTCGTACATCGGGTGGCTGAGCACGTGCGCTGCCCA
CGCCGAGGGCGCGGCCCGGTCTGGCTCGGGCCGCGGTATCGGTGTTGAGGAGGCGCTGGCC
GCGACGGTGATCCGGCGATGGTTGCGGCAAATCGCGCCCAGGTGGCGTCGCTGGTAGCGTC
GAACTTGTTTGGGCAGAACGCGCCTGCGATCGCCGCGCTCGAATCCTTGATGAGTGTATGTGG
35 GCCCAGGATGCAGCGGCCATGGCGGGTTATTACGTTGGGGCTTCGGCGGTGGCCACACAGTTG
GCATCGTGGCTGCAACGGCTACAGAGCATCCCCGGCGCCGCCAGTCTTGATGCCCGTCTGCCG
AGCTCGGCCGAGGCACCGATGGGAGTCGTCCGCGCGGTCAACAGCGCGATCGCCGCCAATGC

GGCTGCGGCACAAACCGTTGGCCTGGTCATGGGAGGCAGCGGCACGCCAATACCGTCGGCCA
GATATGTCGAGCTCGCGAACGCGCTGTACATGAGTGGCAGCGTCCCGGGTGTTATCGCGCAGG
CGCTCTTCACGCCCCAAGGGCTCTACCCGGTGGTCGTGATCAAGAACCTCACTTTTCGATTCTC
GGTGGCGCAGGGTGCCGTCATTCTCGAAAGTGCGATTTCGGCAGCAAATTGCCGCCGGCAACAA
5 CGTCACCGTCTTCGGCTACTCGCAGAGCGCCACGATCTCGTCACTAGTGATGGCCAATCTTGCG
GCTTCGGCCGACCCGCCGTCTCCAGACGAGCTTTCCTTCACGCTGATCGGCAATCCCAACAACC
CCAATGGCGGGGTTGCCACCAGGTTCCCGGGGATCTCCTTTCAGGCTTGGGCGTGACGGCCA
CCGGGGGCCACTCCGCACAATCTGTACCCGACCAAGATCTACACCATCGAATACGACGGCGTCG
CCGACTTTCCGCGGTACCCGCTCAACTTTGTGTGACCCCTCAACGCCATTGCCGGCACCTACTA
10 CGTGCACTCCAATACTTCATCCTGACGCCGGAACAAATTGACGCAGCGGTTCCGCTGACCAAT
ACGGTCGGTCCCACGATGACCCAGTACTACATCATTCGCACGGAGAACCTGCCGCTGCTAGAG
CCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAATTGAAG
GTGATTGTTAACCTGGGCTACGGCGACCCGGCCTATGGTTATTCGACCTCGCCGCCCAATGTTG
CGACTCCGTTTCGGGTTGTTCCAGAGGTCAGCCCGGTGTCATCGCCGACGCTCTCGTCGCCG
15 GGACCCAGCAGGGAATCGGCGATTTGCCTACGACGTCAGCCACCTCGAACTGCCGTTGCCGG
CAGACGGGTCGACGATGCCAAGCACCGCACCGGGCTCGGGTACGCCGGTCCCCCGCTCTCG
ATCGACAGCCTGATAGACGACCTGCAGGTGGCTAACCGCAACCTCGCCAACACGATTTTGAAG
GTGGCCGCGACGAGCTACGCGACGGTGCTCCCAACCGCCGACATCGCCAATGCGGCGTTGAC
GATCGTGCCGTCGTACAACATCCACCTTTTTTTGGAGGGCATCCAGCAAGCGCTCAAGGGCGAC
20 CCGATGGGACTCGTCAACGCGGTCCGATAACCACTCGCGGCCGACGTGGCACTGTTACGGCC
GCAGGCGGTCTTCAGCTCTTGATCATCATCAGCGCGGGCCGAACGATTGCCAATGACATCTCGG
CCATTGTCCCCTGA

>Rv1844c gnd 6-phosphogluconate dehydrogenase (Gram -) TB.seq 2093732:2095186

MW:51548 >emb|AL123456|MTBH37RV:c2095186-2093729, gnd SEQ ID NO:62

ATGAGTTCGTCGGAATCGCCAGCCGGCATCGCGCAGATCGGCGTCACTGGCCTGGCCGTGATG
GGTTCCAACATCGCCCGAACTTCGCCCGGCACGGCTACACCGTGGCAGTGACAATCGGTGCG
GTCGCCAAGACCGACGCGCTGCTTAAGGAGCACAGCTCAGACGGCAAGTTCGTGCGCAGTGAA
ACGATCCCCGAATTTCTTGCCGCACTGGAAAAACCGCGTCGGGTGCTGATCATGGTCAAGGCC
30 GGAGAGGCCACTGACGCTGACGCTGTCATCAACGAACCTTGCTGACGCCATGGAACCCGGCGAC
ATCATCATCGACGGCGGCAATGCGTTGTACACCGACACCATGCGCCGCGAGAAAGCGATGCGT
GAGCGGGGCTTGCACTTCGTGCGGGGCCGGATCTCCGGCGGCGAAGAGGGCGCGTTGAACGG
GCCGTCGATCATGCCCGGCGGACCCGCCGAGTCATACCAATCGCTGGGTCCGCTGCTCGAGGA
GATCTCCGCGCATGTGACGGCGTGCCGTGCTGCACCCACATTGGCCCGGACGGCTCCGGGC
35 ACTTCGTCAAGATGGTCCACAACGGCATCGAGTACTCCGACATGCAGCTCATCGGTGAGGCCTA
CCAGCTGATGCGCGACGGGCTAGGTCTGACCGCGCCGGCGATCGCCGATGTGTTACCGAGT
GGAACAATGGCGATCTGGACAGCTACCTGGTTCGAGATCACCGCCGAGGTGCTGCGGCAGACCG

ATGCCAAGACCGGCAAACCGCTCGTCGACGTCATCGTGGACCGGGCCGAGCAGAAAGGCACC
GGCCGTTGGACCGTCAAGTCCGCGCTGGACCTGGGTGTGCCGGTGACCGGCATCGCCGAAGC
GGTGTTCGCCGCGCTCTCTCGGGATCCGTGGGGCAACGCTCGGCCGCCAGCGGTCTGGCTTC
GGGCAAGCTCGGCGAGCAGCCGCGGACCCCGCCACGTTACCGAAGACGTCCGCCAGGCGT
5 TGTACGCCTCCAAGATCGTGGCCTACGCTCAGGGCTTCAACCAGATCCAGGCCGGCAGCGCCG
AATTCGGCTGGGACATCACGCCGGGCGACCTGGCCACCATCTGGCGTGGCGGCTGCATCATCC
GGGCGAAGTTCCTCAACCACATCAAGGAAGCCTTTGACGCCAGCCCGAACCTGGCCAGTCTGA
TTGTGGCCCCGTATTTCCGCGGGCGCCGTGCAATCGGCGATCGACAGTTGGCGGCGTGTGGTGT
CGACGGCGGCCCAACTGGGTATCCCGACCCCGGGATTCTCGTCGGCCCTGTCGTATTACGACG
10 CGCTGCGCACCGCGCGGCTGCCCCTGCACTCACCCAGGCCAGCGCGACTTCTTCGGCGCA
CACACCTACGGCCGGATCGACGAACCAGGCAAGTTCCACACACTATGGAGTTCAGACCGCACC
GAAGTACCGGTGTAG

>Rv1900c lipJ TB.seq 2146246:2147631 MW:49685

>emb|AL123456|MTBH37RV:c2147631-2146243, lipJ SEQ ID NO:63

GTGGCGCAGGCTCCCCACATTCACAGGACCCGCTACGCAAAATGCGGCGACATGGATATCGCC
TACCAGGTGCTGGGTGACGGTCCGACGGATCTGCTGGTGTGCCGGGGCCGTTCTGTCGGATC
GACTCGATCGACGACGAGCCATCGCTGTACCGTTTCCATCGCCGTCTTGCGTCATTACGAGGG
TGATCCGCCTCGACCATCGTGGGGTCGGCCTGTCGTACGGCTCGCCGCGATAACCACGCTGG
20 GGCCGAAGTTCTGGGCCCAGGACGCGATCGCGGTGATGGACGCGGTCCGATGCGAGCAGGCG
ACAATTTTCGCGCCCAGTTTCCACGCCATGAACGGACTTGTCTCGCCGCCGACTACCCCGAGC
GGGTGCGCAGCCTGATCGTCGTCAACGGCTCGGCGCGCCCACTATGGGCGCCCGACTACCCG
GTAGGCGCCCAGGTTTCGTGAGCTGACCCGTTCTGACGGTGGCGCTGGAACCGGATGCCGTC
GAGCGGGGCTTCGACGTGCTGAGCATCGTGGCTCCTACCGTGGCCGGAGATGACGTGTTTCGA
25 GCCTGGTGGGATCTCGCCGGCAACCGTGCCGGACCGCCGAGCATTGCCCGTGCCGTTTCAAAG
GTCATAGCCGAGGCCGACGTACGAGATGTCTTGGGACACATCGAGGCTCCAACACTGATCTTGC
ACCGTGTCCGATCGACGTACATCCCGGTGGGACATGGTCGCTACCTCGCCGAGCACATCGCTG
GATCCCGCTTGGTCGAATAACCGGCACCGATAACCCTGTAAGTGGGTTGGCGACACCGGGCCGA
TGCTCGATGAAATCGAGGAATTCATCACCGGCGTGCGCGGCGGCGCTGACGCCGAGCGCATGC
30 TTGCCACCATCATGTTTACCGACATCGTCGGCTCGACCCAGCACGCCGCCGCGCTCGGCGACG
ACCGATGGCGCGACCTGTTGGACAACCACGACACCATCGTGTGCCACGAAATCCAGCGGTTCCG
GCGGTGCGGAAGTGAACACGGCCGGTGACGGTTTCGTGCGGACGTTACCAAGTCCGAGTGCC
GCGATCGCGTGCGCGGACGACATCGTCGACGCGGTGCGCCGCGCTGGGTATTGAGGTCCGGAT
CGGTATTCATGCGGGCGAGGTGAGGTGCGCGATGCCTCGACGGTACCGACGTGCGCCGGCG
35 TGGCCGTGCATATCGGTGCGCGCGTCTGCGCGCTGGCCGGACCCAGTGAGGTGCTGGTGTCC
TCGACCGTGCGAGACATCGTCGCCGGATCACGGCACCGGTTCCGCCGAGCGTGGTGAGCAGGA

ACTCAAGGGCGTACCGGGCAGATGGCGGCTATGCGTGCTCATGCGCGACGACGCCACCCGCA
CGCGCTAA

>Rv1967 - TB.seq 2210599:2211624 MW:36516

>emb|AL123456|MTBH37RV:2210599-2211627, Rv1967 SEQ ID NO:64

ATGAGGGAGAACCTGGGGGGCGTCGTGGTGCGCCTCGGCGTCTTCCTGGCGGTATGCCTGCT
GACGGCGTTCTCTGCTGATTGCCGTCTTCGGGGAGGTGCGCTTCGGCGACGGCAAGACCTACTA
CGCCGAGTTCGCCAACGTGTCCAATCTGCGAACGGGCAAGCTGGTGCGCATCGCCGGCGTCGA
GGTCGGCAAGGTCACCAGGATCTCCATCAACCCCGACGCGACGGTGCGGGTGCAGTTACACGC
CGACAACCTCGGTACCCCTCACGCGGGGGCACCCGGGCGGTGATCCGCTACGACAACCTGTTCCG
TGACCGCTATTTGGCGCTGGAGGAAGGGGGCCGGCGGACTCGCCGTTCTTCGTCCCGGTACAC
GATTCCGTTGGCGCGCACCCAACCGGCGTTGGATCTGGATGCCCTGATCGGTGGATTCAAGCC
GCTGTTTCGTGCGCTGAACCCCGAGCAGGTCAACGCGCTGAGCGAACAGTTGCTGCACGCGTT
TGCCGGACAGGGGGCCACGATCGGGTCATTGCTGGCCAGTCCGCGGCCGTGACCAACACCC
TGCCCGACCGTGATCGGCTGATCGGGCAGGTGATCACCAACCTCAACGTGGTGCTGGGCTCGC
TGGGCGCTCACACCGATCGGTTGGACCAGGCGGTGACGTGCTATCAGCGTTGATTCACCGGC
TCGCGCAACGCAAGACCGACATCTCCAACGCCGTGGCCTACACCAACGCCGCCCGCGGCTCG
GTCGCCGATCTGCTGTGCGAGGCTCGCGCGCCGTTGGCGAAGGTGGTTCGCGAGACCGATCG
GGTGGCCGGCATCGCGGCCGCCGACCACGACTACCTCGACAATCTGCTCAACACGCTGCCGGA
CAAATACCAGGCGCTGGTCCGCCAGGGTATGTACGGCGACTTCTTCGCCTTCTACCTGTGCGAC
GTCGTGCTCAAGGTCAACGGCAAGGGCGGCCAGCCGGTGTACATCAAGCTGGCCGGTCAGGA
CAGCGGGCGGTGCGCGCCGAAATGA

>Rv1975 - TB.seq 2218050:2218712 MW:23650

>emb|AL123456|MTBH37RV:2218050-2218715, Rv1975 SEQ ID NO:65

ATGTCGCGTCGAGCATCGGCCACGTGTGCCTTGTCCGCGACCACCGCCGTCGCCATAATGGCT
GCTCCCGCCGCACGGGCCGACGACAAGCGGCTCAACGACGGCGTGGTCGCCAACGTCTACAC
CGTTCAACGTCAGGCCGGCTGCACCAACGACGTCACGATCAACCCGCAACTACAATTGGCCGC
CCAATGGCACACCCTCGATCTGCTGAACAACGGGCACCTCAACGACGACACCGGTTCTGACGG
ATCCACACCGCAAGACCGCGCGCATGCCGCCGGCTTCGCGGGAAAGTCGCTGAAACCGTGG
CGATCAATCCCGCCGTAGCGATCAGCGGCATCGAGTTGATAAACCAAGTGGTACTACAACCCCGC
GTTTTTCGCGATCATGTCCGACTGCGCCAACACCCAGATCGGGGTGTGGTCAGAAAACAGCCC
GGATCGCACCGTCGTGGTGGCCGTTTACGGACAGCCCGATCGACCTTCGCGATGCCGCCAG
GGGAGCGGTAACCGGACCGCCGTCCCCGGTGGCCGCGCAAGAGAACGTTCTATCGACCCCA
GCCCCGACTACGACGCCAGCGACGAGATCGAATACGGCATCAACTGGCTGCCATGGATCCTGC
GCGGCGTGTACCCGCCGCCCGCAATGCCGCCGCGAGTAG

>Rv1981c nrdF ribonucleotide reductase small subunit TB.seq 2224221:2225186 MW:36591

>emb|AL123456|MTBH37RV:c2225186-2224218, nrdF SEQ ID NO:66

ATGACCGGCAAGCTCGTTGAGCGGGTGCACGCAATCAATTGGAACCGGTTGCTCGATGCTAAA
 GATTTGCAGGTCTGGGAACGTTTGACCGGTAACTTTTGGTTGCCGAAAAGATTCCGCTCTCCA
 5 ACGACCTGGCATCTTGGAACGTTGAGTTCCACCGAGCAGCAGACGACGATCCGGGTGTTCA
 CCGGCTTGACCCTGCTCGACACCGCGCAGGCGACGGTGGGAGCAGTGGCCATGATCGACGAC
 GCGGTCAACCCCCACGAAGAGGCGGTCTGACCAACATGGCGTTCATGGAGTCAGTGCACGCC
 AAGAGCTACAGCTCGATCTTCTCGACCCTGTGCTCGACCAAGCAGATCGACGATGCCTTCGACT
 GGTCGGAACAGAACCCCTTACCTGCAGCGAAAAGCGCAGATCATCGTCGACTACTACCGCGGTG
 10 ACGACGCGCTCAAGCGCAAAGCATCGTCGGTAATGCTGGAGTCCTTCCTGTTCTACTCCGGCTT
 CTACCTGCCCATGTACTGGTCGTCGCGGGGTAAGCTCACCAACACCGCCGATCTGATCCGGCT
 GATCATCCGAGATGAAGCCGTCCACGGCTACTACATCGGCTACAAATGTCAACGAGGTTTGGCC
 GACCTGACCGACGCCGAGCGGGCCGACCACCGCGAATACACCTGCGAGCTGCTGCACACGCT
 CTACGCGAACGAGATCGACTATGCGCACGACTTGTACGACGAGTTGGGCTGGACCGACGACGT
 15 TTTGCCCTACATGCGTTACAACGCCAACAAGGCGCTAGCCAACCTGGGATACCAGCCTGCATTC
 GATCGTGACACCTGCCAGGTGAACCCGGCCGTGCGCGCAGCTCTCGACCCCGGTGCAGGGGA
 GAACCACGACTTTTTCTCCGGCTCCGGAAGCTCATACGTAATGGGCACCCACCAACCCACCACC
 GACACCGACTGGGACTTCTAA

>Rv2092c helY helicase, Ski2 subfamily TB.seq 2349335:2352052 MW:99576

>emb|AL123456|MTBH37RV:c2352052-2349332, helY SEQ ID NO:67

GTGACTGAGCTGGCCGAGCTGGACCGGTTACCGCGGAACTACCGTTCTCGCTCGACGACTTT
 CAGCAGCGGGCTTGACGCGCGCTGGAACGCGGCCACGGTGTGCTGGTGTGCGCGCCGACCG
 GCGCTGGCAAGACGGTGGTCGGCGAGTTGCGCGTGACCTGGCGCTGGCGGCCGGCAGTAAA
 25 TGTTTTCTACACCACGCCGCTGAAAGCCCTGAGCAACCAAAAGCACACCGATCTCACAGCACGCT
 ACGGCCGTGACCAGATCGGGCTGCTGACCGGTGACCTGTGCGTCAACGGCAACGCGCCGGTG
 GTGGTGATGACCACCGAAGTGCTGCGCAACATGCTCTACGCGGATTGCGCTGCGCTGCAGGGG
 CTTTCCTATGTGGTGATGGATGAGGTGCATTTCTCGCCGACCGGATGCGGGGTCCGGTGTGG
 GAGGAGGTGATCCTGCAACTGCCCCACGACGTGCGGGTGGTCAGCCTGTGCGCGACGGTGAG
 30 CAACGCCGAGGAGTTCGGCGGTTGGATCCAGACGGTGCAGGGGCGACACCACGGTGGTGGTCG
 ACGAGCATCGGCCGGTGCCGTTGTGGCAACACGTCTTGGTGGGCAAGCGCATGTTGACCTGT
 TCGATTACCGGATCGGCGAAGCCGAAGGGCAGCCCCAAGTCAACCGCGAGTTGCTGCGCCACA
 TCGCGCATCGCCGTGAGGCCGACCGGATGGCCGATTGGCAGCCTCGGCGCCGAGGCTCGGGC
 CGGCCCGGCTTCTACCGGCCACCCGGCCGACCCGAGGTGATCGCCAACTCGACGCTGAAGG
 35 GCTGTTGCCGGCGATCACCTTCGTGTTCTCCCGGGCCGGTGTGACGCCGCGGTCACCCAATG
 CCTGCGGTACCGCTGCGGTTGACCAGCGAAGAGGAGCGCGCACGGATCGCCGAGGTGATCG
 ACCACCGCTGCGGTGACCTGGCCGACTCCGACCTGGCGGTAATCGGCTACTACGAATGGCGG

GAAGGGTTACTGCGCGGTCTGGCCGCCCACCACGCGGGCATGTTGCCGGCCTTCCGGCACAC
 GGTGGAGGAGCTGTTCAACGCCGGTTTGGTCAAGGCTGTATTCGCCACCGAGACTCTGGCGCT
 CGGTATCAACATGCCGGCCCCGCACGGTGGTGCTGGAGCGGCTGGTGAAGTTCAACGGTGAGCA
 GCACATGCCGCTGACGCCGGGGGAGTACACCCAACTGACCGGTGCGGCCGGCCGGCGCGGTA
 5 TCGACGTCGAGGGTCACGCGGTGGTGATCTGGCACCCGGAAATTGAACCGTCCGAGGTGGCG
 GGCCTGGCCTCCACCCGCACCTTTCCGCTGCGCAGCTCGTTTGCCCCGTGCTACAACATGACG
 ATCAACCTGGTGCACCGGATGGGTCCGCAACAGGCGCACCGACTGCTCGAGCAGTCGTTCCGCC
 CAATATCAGGCCGACCGATCCGTGGTCGGACTGGTCCGCGGAATTGAGCGGGGCAACAGGATA
 CTCGGCGAGATCGCAGCCGAACTGGGCGGATCTGATGCGCCCATCCTCGAATACGCTCGATTG
 10 CGCGCGCGGGTGTCCGAGCTGGAACGTGCGCAGGCCCGCGCGTCGCGGTTACAGCGACGGC
 AGGCGGCCACCGATGCGCTGGCCGCGCTGCGCCGCGGTGACATCATCACCATCACCCACGGC
 CGCCGCGGTGGTCTGGCCGTGCTCCTGGAATCAGCCCGCGACCGCGACGACCCGCGTCCGCT
 GGTGCTAACCGAACACCGATGGGCGGGACGGATCTCCTCGGCCGACTACTCGGGCACGACGC
 CGGTGGGGTCGATGACGCTGCCCAAGCGGGTGGAGCACCGCCAGCCGCGGGTCCGGCGTG
 15 CCTGGCCTCGGCGCTGCGATCGGCAGCCGCGGGTCTGGTTATTCCAGCCGCCCGGCGCGTCA
 GCGAGGCCCGCGGGTTTCACGATCCGGAGCTGGAGTCGTGCGCGGAACAATTGCGCCGTCAT
 CCGGTGCATACCTCGCCCGGGCTCGAGGACCAGATCCGCCAGGCCGAGCGTTACTTACGCATC
 GAACGCGACAACGCGCAATTAGAGAGGAAGGTGCGCCGCCGCCACCAACTCGTTGGCCCGCAC
 GTTCGACCGATTTCGTGCGGGCTGCTCACCGAACGGGAGTTCATCGATGGCCCGGCCACTGATCC
 20 CGTGGTCACCGACGACGGCCGGCTGCTGGCGCGGATTTACAGCGAGAGCGACCTGTTGGTGG
 CCGAGTGCCTACGTACAGGTGCGTGGGAGGGTTTAAAGCCGGCCGAATTGGCGGGGGTGGTG
 TCGGCGGTGGTCTACGAGACGCGCGGTGGTGACGGCCAGGGCGCCCCGTTCCGAGCCGATGT
 GCCACACCGCGGTTACGGCAGGCTCTGACTCAGACATCAAGGCTGTCCACGACATTGCGCGC
 CGACGAGCAGGCACACCGCATCACCCCGAGTCGCGAACCCGACGATGGCTTTGTCAGAGTCAT
 25 CTACCGCTGGTCGCGAACCGGTGATCTAGCGGCGGCATTGGCCGCTGCCGACGTGAACGGCA
 GCGGATCACCGTTATTGGCAGGGGATTTGTCGCTTGGTGCCGTCAGGTGCTCGATCTGCTGG
 ACCAAGTTCGTAACGCTGCGCCCAACCCCGAACTGCGGGCTACCGCAAAGCGCGCTATCGGTG
 ACATTCGGCGCGGCGTCTGTCGCGGTTGACGCCGGGTAG

30 >Rv2101 helZ helicase, Snf2/Rad54 family TB.seq 2360238:2363276 MW:111632

>emb|AL123456|MTBH37RV:2360238-2363279, helZ SEQ ID NO:68

ATGCTGGTTTTGCACGGCTTCTGGTCCAACCTCCGGCGGGATGCGGCTGTGGGCGGAGGACTCC
 GATCTGCTGGTGAAGAGCCCGAGTCAGGCGCTGCGCTCCGCGCGGCCACACCCGTTCCGCGGC
 GCCGCTGACCTGATCGCCGGCATAATCCGGGCAAACCCGCAACCGCCGTTTTGCTGTTGCC
 35 GTCGTTGCGATCGGCGCCGCTGGAATCGCCGGAGCTGATCCGGCTCGCCCCGCGCCCGGCCG
 CGCGAACCGATCCGATGCTGTTGGCGTGACGGTACCGGTGGTGGACCTGGACCCACCGCG
 GCGTTGGCCGCCTTCGACCAGCCCGCCCCGACGTCCGCTACGGCGCGTCCGTCGACTACCT

GGCCGAGCTGGCCGTTTTTCGCGCGCGAGTTGGTCGAGCGTGGTCGCGTGCTGCCCCAGCTGC
 GCCGCGACACCCACGGCGCGGCCGCTGCTGGCGTCCGGTGTTCAGGGACGCGACGTGGTC
 GCGATGACCTCGCTGGTCTCGGCGATGCCGCCGGTCTGCCGCGCCGAAGTTGGTGGGCACGA
 CCCGCACGAACTGGCAACCTCGGCTCTGGACGCGATGGTCGACGCCGCCGTGCGCGCGGGCGC
 5 TGTACCGATGGACCTGCTGCCCCCGGACGGGGTCGCTCCAAACGGCATCGGGCCGTGGAG
 GCTTGGCTGACCGCGTTGACCTGCCCGGACGGCCGGTTCGACGCGGAGCCCGACGAACTCGA
 CGCGCTGGCCGAGGCGTTGCGGCCATGGGACGACGTCCGTATCGGCACCGTCGGCCCCGGCGC
 GGGCGACGTTTTCGGCTGTCCGAAGTCGAGACCGAAAACGAGGAGACGCCCGCGGGCTCGTTG
 TGGAGGCTGGAGTTCTTATTGCAGTCGACGCAGGACCCCAGCCTGCTGGTCCCCGCCGAGCAG
 10 GCATGGAACGACGACGGCAGCCTGCGCCGCTGGCTGGACCGGCCGAGGAGCTGCTGCTGAC
 CGAACTGGGCCGGGCCCTCTCGGATTTTCCCCGAGCTCGTCCCGGCGCTGCGCACCGCGTGCC
 CGTCCGGGCTTGAGCTCGACGCCGACGGCGCCTACCGATTCTGTCGGGTACGGCCGCGGTG
 CTCGACGAGGCTGGGTTTGGCGTGCTGCTGCCGTCTGGTGGGACCGCCGCCGCAAGCTGGG
 CTTGGTCCTGTCCGCATATACCCCGGTGACGGCGTGGTGGGCAAGGCCAGCAAGTTTCGGCCG
 15 CGAGCAGCTCGTCGAGTTCCGCTGGGAGCTGGCCGTGGGCGACGATCCGCTCAGCGAGGAGG
 AGATCGCGGCGCTGACCGAAACCAAGTCCCCGCTGATCCGGCTGCGTGGCCAGTGGGTGCGG
 CTCGATACCGAACAGATGCGCCGCGGGCTGGAGTTTTTGGAGCGTAAGCCAACCGGCCGCAAG
 ACCACCGCCGAGATCCTCGCGCTGGCCGCCAGCCACCCCGACGACGTGGACACCCCGCTCGA
 GGTACCGCCGTACGCGCCGACGGCTGGCTCGGGGACCTGCTCGCCGGGGCCGCCGCGGCG
 20 TCGCTGCAGCCGTTGGACCCGCCGACGGATTACCGCGACGCTGCGTCCCTACCAGCAGCGC
 GGTCTGGCGTGGCTGGCGTTTTTGTCTCGCTCGGTTTGGGACGCTGCCTGGCCGACGACATG
 GGCCTGGGCAAGACGGTGCAGCTATTGGCCCTGGAAACCTTGGAATCCGTTACGCGCCACCAG
 GATCGCGGCGTCGGACCCACACTGCTACTGTGCCCGATGTCGTTGGTGGGCAACTGGCCGACG
 GAAGCGGCCAGGTTTGCACCCAACCTGCGGGTGTACGCCACCCACGGGGGCGCCCGGCTGCA
 25 CGGCGAGGCGTTGCGCGACCACTCGAGCGCACCGACCTGGTCTGAGCACCTATACCACCG
 CCACCCGCGACATCGACGAGCTGGCGGAATACGAATGGAACCGGGTGGTGTGACGAGGCC
 CAGGCGGTGAAGAACAGCCTGTCCCGGGCGGCCAAGGCGGTGCGACGGCTACGCGCGGGCGC
 ACCGGGTGCGCTGACCGGGACACCGATGGAGAACCGGCTCGCCGAGCTGTGGTGCATCATG
 GACTTCCTCAACCCGGGCCTGCTCGGATCCTCCGAACGCTTCCGCACCCGCTACGCGATCCCG
 30 ATCGAGCGGCACGGGCACACCGAACCGGCCGAACGGCTGCGCGCATCGACGCGGCCCTACAT
 CCTGCGCCGGCTCAAGACCGACCCGGCGATCATCGACGATCTGCCGGAGAAGATCGAGATCAA
 GCAGTACTGCCAACTACCAACCGAGCAGGCGTCGCTGTATCAGGCCGTGCTCGCCGACATGAT
 GGAAAAGATCGAAAACACCGAAGGGATCGAGCGGCGCGGCAACGTGCTGGCCGCGATGGCCA
 AGCTCAAACAGGTGTGCAACCACCCGCCCAGCTGCTGCACGATCGCTCCCCGGTGGTTCGGC
 35 GGTCCGGGAAGGTGATCCGGCTCGAGGAGATCCTGGAAGAGATCCTGGCCGAGGGCGACCGG
 GTGCTGTGTTTTACCCAGTTCACCGAGTTCGCCGAGCTGCTGGTGCCGCACCTGGCCGCACGC
 TTCGGCCGTGCCGCCGAGACATTGCCTACCTGCACGGTGGCACCCCGAGGAAGCGGCGTGA

CGAGATGGTGGCCCGGTTCCAGTCCGGTGACGGCCCGCCATTTTTCTGCTGTCGTTGAAGGC
GGGCGGTACCGGGCTGAACCTCACCGCCGCCAATCATGTTGTGCACCTGGACCGCTGGTGGAA
CCCGGCGGTGAGAACAGGCGACGGACCGGGCGTTTCGGATCGGGCAGCGGCGCACGGTG
CAGGTCCGCAAGTTCATCTGCACCGGCACCCTCGAGGAGAAGATCGACGAAATGATCGAGGAG
5 AAAAAGGCGCTGGCCGACTTGGTGGTCACCGACGGCGAAGGCTGGCTGACCGAACTGTCCACC
CGCGATCTGCGCGAGGTGTTGCGCTGTCCGAAGGCGCCGTCGGTGAGTAG

>Rv2110c prcB proteasome [beta]-type subunit 2 TB.seq 2369727:2370599 MW:30274

>emb|AL123456|MTBH37RV:c2370599-2369724, prcB SEQ ID NO:69

10 GTGACCTGGCCGTTGCCGATCGCCTGTCCATTAATCACTCTCTGGAACACCCGCTGTAGACC
TATCTTCTTTCACTGACTTCCTGCGCCGCCAGGCGCCGGAGTTGCTGCCGGCAAGCATCAGCG
GCGGTGCGCCACTCGCAGGCGGCGATGCGCAACTGCCGCACGGCACCACTTGTGCGCGCTG
AAATACCCCGGCGGTGTTGTCATGGCGGGTGACCGGCGTTTCGACGCAGGGCAACATGATTTCT
GGGCGTGATGTGCGCAAGGTGTATATCACCGATGACTACACCGCTACCGGCATCGCTGGCAGC
15 GCTGCGGTGCGCGTTGAGTTTGCCCGGCTGTATGCCGTGGAAGTTGAGCACTACGAGAAGCTC
GAGGGTGTGCCGCTGACGTTTGCCGGCAAAATCAACCGGCTGGCGATTATGGTGCGTGGAAT
CTGGCGGCCGCGATGCAGGGTCTGCTGGCGTTGCCGTTGCTGGCGGGCTACGACATTCATGCG
TCTGACCCGCAGAGCGCGGGTCGTATCGTTTCGTTTCGACGCCCGCGGGTGGAAACATCGAG
GAAGAGGGCTATCAGGCGGTGGGCTCGGGTTCGCTGTTTCGCGAAGTCGTCGATGAAGAAGTTG
20 TATTCGCAGGTTACCGACGGTGATTCGGGGCTGCGGGTGGCGGTGAGGCGCTCTACGACGCC
GCCGACGACGACTCCGCCACCGGCGGTCCGGACCTGGTGCGGGGCATCTTTCCGACGGCGGT
GATCATCGACGCCGACGGGGCGGTTGACGTGCCGGAGAGCCGGATTGCCGAATTGGCCCGCG
CGATCATCGAAAGCCGTTCCGGTGCGGATACTTTCCGGCTCCGATGGCGGTGAGAAGTGA

25 >Rv2118c - = B2126_C1_165 (83.6%) TB.seq 2377471:2378310 MW:30091

>emb|AL123456|MTBH37RV:c2378310-2377468, Rv2118c SEQ ID NO:70

GTGTCAGCAACCGGCCCATTCAGCATCGGCGAACGTGTTACGCTCACCGACGCTAAGGGGCGC
CGCTACACCATGTCGCTGACTCCCGGTGCCGAATTCCACACTCATCGTGGCTCGATCGCCACG
ACGCGGTGATCGGGTTGAGCAAGGCAGCGTGGTCAAATCCAGCAACGGCGCCCTGTTCTCTGG
30 TGCTGCGCCCGCTGCTGGTCTGACTACGTCATGTCGATGCCGCGCGGCCCGCAGGTGATCTATC
CCAAAGATGCGGCCAGATCGTGATGAGGGCGACATATTTCCCGGCGCGCGGGTGCTGGAG
GCAGGAGCCGATCCGGTGCTCTGACCTTGCTTTGCTGCGGGCGGTTGGGCGCGCCGGACA
GGTGATCTCCTACGAACAGCGCGCCGATCATGCCGAACACGCCCGGCGCAATGTGAGCGGCTG
CTACGGCCAGCCGCCGACAACCTGGCGACTGGTCGTACGCGACCTCGCCGACTCCGAAGTGC
35 CCGACGGATCCGTTGATCGGGCCGTGCTCGACATGCTGGCGCCGTGGGAGGTGCTCGACGCG
GTATCGCGGCTGCTGGTCGCCGGCGAGTGCTGATGGTCTACGTGGCCACCGTCACTCAGCTG
TCGAGGATCGTGGAGGCACTGCGGGCCAAGCAGTGCTGGACCGAACCGAGAGCCTGGGAGAC

GCTGCAGCGGGGCTGGAACGTCGTAGGGTTGGCGGTTTCGGCCGCAGCATTGATGCGCGGGC
ATACCGCGTTCCTGGTAGCAACGCGCCGGTTGGCGCCGGGGGCTGTGGCTCCGGCGCCGCTA
GGTCGTAAGCGCGAGGGACGCGACGGGTAG

5 >Rv2144c - TB.seq 2404166:2404519 MW:12028

>emb|AL123456|MTBH37RV:c2404519-2404163, Rv2144c SEQ ID NO:71

ATGCTGATCATTGCGCTGGTCTTGGCCCTGATTGGGCTCCTGGCCTTGGTGTTCGCGGTGGTCA
CCAGCAACCAGCTAGTGGCCTGGGTATGCATCGGGGCCAGCGTGCTGGGTGTGGCGTTGCTGA
TCGTGATGCGTTGCGAGAACGCCAGCAAGGTGGCGCGGACGAAGCTGATGGGGCTGGGGAA
10 ACGGGTGTGCGGAGGAAGCCGACGTCGACTACCCGGAGGAAGCCCCGAGGAGAGCCAAGC
CGTCGACGCCGGTGTTCATCGGCAGTGAGGAGCCATCGGAGGAGGCCAGCGAAGCGACCGAGG
AGTCGGCGGTATCGGCGGACCGAAGCGACGACAGCGCCAAGTAG

>Rv2146c - TB.seq 2405667:2405954 MW:10805

15 >emb|AL123456|MTBH37RV:c2405954-2405664, Rv2146c SEQ ID NO:72

TTGGTGGTGTTTTTTTCAGATCCTTGGGTTCGCGCTGTTTCATCTTCTGGCTGCTGCTGATCGCTCG
GGTCGTCGTTGAGTTCATCCGCTCGTTCAGCCGTGACTGGCGTCCCACCGGTGTCACCGTGGT
GATCTTGGAGATCATCATGTGATCACTGATCCGCCGTGAAGGTGCTGCGCCGGCTGATCCC
GCAACTCACGATCGGCGCGGTCCGGTTTCGACCTGTGATCATGGTGCTGCTGCTGGTTGCGTT
20 CATCGGTATGCAACTGGCGTTTGGTGCTGCGGCCTGA

>Rv2147c - TB.seq 2406119:2406841 MW:27630

>emb|AL123456|MTBH37RV:c2406841-2406116, Rv2147c SEQ ID NO:73

GTGAATAGTCACTGTAGTCACACCTTCATCACAGACAACAGATCTCCCAGGGCTAGAAGGGGTC
25 ACGCAATGAGCACACTGCACAAGGTCAAGGCCTACTTCGGTATGGCTCCCATGGAGGATTACGA
CGACGAGTACTACGACGACCGCGCTCCCTCGCGCGGGTATGCGCGGCCCCGATTTCGACGACG
ACTACGGCCGCTACGATGGGCGCGACTACGACGACGCGCGCAGCGATTACGCGGTGACCTG
CGCGGTGAGCCGGCCGACTATCCACCACCGGGATATCGCGGCGGGTACGCGGACGAACCACG
TTTCCGGCCCCGGGAGTTTCGACCGCGCGGAGATGACACGGCCGCGCTTCGGATCGTGGCTGC
30 GCAACTCCACCCGCGGCGCGCTAGCGATGGACCCCCGCCGGATGGCGATGATGTTTCGAGGAT
GGCCATCCGCTCTCGAAGATCACCACGCTGCGGCCCAAGGACTACAGCGAGGCTCGCACCATC
GGTGAGCGGTTCCGCGACGGCAGCCCGGTTCATCATGGATCTGGTGTGATGGACAACGCCGAT
GCCAAGCGGCTGGTCGATTTTCGCGGCCGGCCTGGCCTTCGCGCTGCGCGGCTCGTTTCGACAA
GGTCGCGACCAAGGTGTTCTGCTCTCGCCTGCAGACGTGATGTGTCCCCGAGGAGCGCCG
35 CAGGATCGCCGAAACCGGGTTCTACGCCTACCAATAG

>Rv2148c - TB.seq 2406841:2407614 MW:27694

GCTGCAGCGGGGCTGGAACGTCGTAGGGTTGGCGGTTCCGCCGCAGCATTGATGCGCGGGC
ATACCGCGTTCCTGGTAGCAACGCGCCGGTTGGCGCCGGGGGCTGTGGCTCCGGCGCCGCTA
GGTCGTAAGCGCGAGGGACGCGACGGGTAG

5 >Rv2144c - TB.seq 2404166:2404519 MW:12028

>emb|AL123456|MTBH37RV:c2404519-2404163, Rv2144c SEQ ID NO:71

ATGCTGATCATTGCGCTGGTCTTGGCCCTGATTGGGCTCCTGGCCTTGGTGTTCGCGGTGGTCA
CCAGCAACCAGCTAGTGGCCTGGGTATGCATCGGGGCCAGCGTGCTGGGTGTGGCGTTGCTGA
TCGTGATGCGTTGCGAGAACGCCAGCAAGGTGGCGCGGACGAAGCTGATGGGGCTGGGGAA
10 ACGGGTGTGCGGAGGAAGCCGACGTCGACTACCCGGAGGAAGCCCCGAGGAGAGCCAAGC
CGTCGACGCCGGTGTGTCATCGGCAGTGAGGAGCCATCGGAGGAGGCCAGCGAAGCGACCGAGG
AGTCGGCGGTATCGGCGGACCGAAGCGACGACAGCGCCAAGTAG

>Rv2146c - TB.seq 2405667:2405954 MW:10805

15 >emb|AL123456|MTBH37RV:c2405954-2405664, Rv2146c SEQ ID NO:72

TTGGTGGTGTTTTTTTCAGATCCTTGGGTTCGCGCTGTTTCATCTTCTGGCTGCTGCTGATCGCTCG
GGTCGTCGTTGAGTTCATCCGCTCGTTCAGCCGTGACTGGCGTCCCACCGGTGTCACCGTGGT
GATCTTGGAGATCATCATGTCGATCACTGATCCGCCGGTGAAGGTGCTGCGCCGGCTGATCCC
GCAACTCACGATCGGCGCGGTCCGTTTCGACCTGTCGATCATGGTGCTGCTGCTGGTTGCGTT
20 CATCGGTATGCAACTGGCGTTTGGTGCTGCGGCCTGA

>Rv2147c - TB.seq 2406119:2406841 MW:27630

>emb|AL123456|MTBH37RV:c2406841-2406116, Rv2147c SEQ ID NO:73

GTGAATAGTCACTGTAGTCACACCTTCATCACAGACAACAGATCTCCCAGGGCTAGAAGGGGTC
25 ACGCAATGAGCACACTGCACAAGGTCAAGGCCTACTTCGGTATGGCTCCCATGGAGGATTACGA
CGACGAGTACTACGACGACCGCGCTCCCTCGCGCGGGTATGCGCGGCCCGATTGACGACG
ACTACGGCCGCTACGATGGGCGCGACTACGACGACGCGCGCAGCGATTACGCGGTGACCTG
CGCGGTGAGCCGGCCGACTATCCACCACCGGGATATCGCGCGGGTACGCGGACGAACCACG
TTTCCGGCCCCCGGAGTTGACCGCGCGGAGATGACACGGCCGCGCTTCGGATCGTGGCTGC
30 GCAACTCCACCCGCGGCGCGCTAGCGATGGACCCCCGCGGATGGCGATGATGTTGAGGAT
GGCCATCCGCTCTCGAAGATCACCACGCTGCGGCCCAAGGACTACAGCGAGGCTCGCACCATC
GGTGAGCGGTTCCGCGACGGCAGCCCGGTGTCATGATCTGGTGTGATGGACAACGCCGAT
GCCAAGCGGCTGGTCGATTTGCGCGCCGGCCTGGCCTTCGCGCTGCGCGGCTCGTTCGACAA
GGTCGCGACCAAGGTGTTCTGCTCTCGCCTGCAGACGTGATGTGTCCCCCGAGGAGCGCCG
35 CAGGATCGCCGAAACCGGGTTCTACGCCTACCAATAG

>Rv2148c - TB.seq 2406841:2407614 MW:27694

>emb|AL123456|MTBH37RV:c2407614-2406838, Rv2148c SEQ ID NO:74

ATGGCGGCGGATCTTTCGGCGTATCCAGACCGCGAATCGGAATTGACGCATGCGTTGGCGGCA
ATGCGATCGCGACTTGCGGCGGCCGCGGAGGCGGCGGGTCGCAATGTCGGCGAAATTGAACT
TCTACCGATTACCAAATTCTTTCAGCAACCGATGTTGCGATTTTGTTCGATTGGGTTGTCGGTC
5 CGTTGGCGAATCGCGCGAACAGGAAGCTTCAGCCAAGATGGCCGAACCTTAATCGGTTGTTGGC
GGCTGCCGAGTTGGGTCACTCGGGGGGTGTGCACTGGCACATGGTGGGCCGATTCAACGCA
ACAAAGCCGGGTCGCTGGCTCGCTGGGCGCACACCGCTCACTCGGTGGACAGCTCGCGGTTG
GTGACCGCGCTGGATCGGGCGGTTGTTGCGGCGCTGGCCGAACACCGTCGTGGCGAGCGGCT
GCGGGTTTACGTCCAGGTCAGCCTCGACGGTGACGGATCCCGGGGCGGCGTCGACAGCACGA
10 CGCCCGGCGCCGTAGACCGGATTTGCGCGCAGGTGCAGGAGTCAGAGGGCCTCGAACTGGTC
GGGTTGATGGGCATTCCGCCGCTGGATTGGGACCCGGACGAGGCCTTTGACCGGCTGCAATCG
GAGCACAACCGGGTGCGTGCGATGTTCCCGCACGCGATCGGTCTGTCGGCGGGCATGTCCAAC
GACCTTGAAGTCGCCGTCAAACATGGTTCGACCTGTGTGCGTGTCGGTACCGCGCTATTGGGTC
CGCGGCGGTTACGGTCACCGTGA

>Rv2150c ftsZ TB.seq 2408386:2409522 MW:38757

>emb|AL123456|MTBH37RV:c2409522-2408383, ftsZ SEQ ID NO:75

ATGACCCCCCGCACAACTACCTGGCCGTCATCAAGGTCGTGGGTATCGGTGGTGGCGGTGTC
AACGCCGTCAACCGAATGATCGAGCAGGGCCTCAAAGGCGTGGAATTCATCGCGATCAACACC
20 GACGCCAGGCGTTGTTGATGAGCGATGCCGACGTCAAACCTCGACGTCGGCCGCGACTCCACC
CGCGGGCTGGGCGCCGGCGCCGATCCGGAGGTGCGCCGTAAGGCCGCGAGGACGCCAAGG
ACGAGATCGAAGAGCTGCTGCGCGGTGCCGACATGGTGTTCGACCGCCGGCGAGGGGGGC
GGAACCGGCACCGGGGGGGCACCCGTCGTCGCCAGCATCGCCCGCAAGCTGGGCGCGTTGAC
CGTCGGTGTGGTCACCCGGCCGTTCTCGTTGAGGGCAAGCGACGCAGCAATCAGGCCGAAAA
25 TGGCATCGCGGCGCTGCGGGAGAGTTGCGACACCCTCATCGTGATTCCCAACGACCGGTTGCT
GCAGATGGGAGATGCCGCGGTATCGCTGATGGATGCTTTCGTAGCGCCGACGAGGTGCTGCT
CAACGGCGTGCGAGGCATCACCGACCTGATTACCACCCCGGGTCTAATCAACGTCGACTTCGC
CGACGTCAAGGGCATCATGTCCGGTGCCGGCACCGCACTGATGGGCATCGGCTCGGCCCGGG
GCGAAGGCCGGTCGCTCAAAGCGGCCGAGATCGCCATCAACTCGCCGTTGCTGGAAGCCTCGA
30 TGGAGGGCGCGCAAGGCGTGCTGATGTCGATCGCCGGCGGCAGCGACTTGGGCTTGTTGAG
ATCAACGAGGCGGCCTCGTTGGTACAAGACGCCGCTCACCCCGATGCCAACATCATCTTCGGC
ACCGTCATCGACGATTCGCTCGGTGACGAGGTGCGGGTGACCGTGATCGCGGCCGGCTTCGAC
GTCAGCGGTCCCGGCCGCAAGCCGGTGATGGGCGAGACCGGCGGCGCCACCGGATCGAGT
CAGCCAAGGCAGGCAAGCTCACCTCGACCTTGTTCGAGCCGGTCGACGCCGTGACGTCGCCGT
35 TGCACACCAACGGCGCAACCCTGAGCATCGGCGGTGATGACGACGATGTGACGTGCCGCCCT
TCATGCGCCGCTGA

>Rv2152c murC TB.seq 2410639:2412120 MW:51146

>emb|AL123456|MTBH37RV:c2412120-2410636, murC SEQ ID NO:76

GTGAGCACCGAGCAGTTGCCGCCGATCTGCGGCGGGTGCACATGGTCGGCATCGGCGGAGC
TGGCATGTCGGGCATCGCCGAATCCTGCTGGACCGCGGCGGGCTGGTCTCCGGGTGAGACG
5 CCAAGGAGTCGCGCGGTGTGCATGCGCTGCGGGCGCGGGGCGCGTTGATCCGGATCGGACAC
GACGCGTCGTCGCTGGACCTGTTGCCCGGTGGCGCCACGGCGGTCTGCTACTACCCATGCCGC
CATCCCCAAAACCAACCCCGAGCTCGTCGAAGCGAGGCGCCGCGGCATTCCCGTGGTGCTGCG
GCCGGCCGTGCTGGCCAAGTTGATGGCCGGGCGCACACATTGATGGTCACCGGCACGCACG
GCAAGACAACGACGACGTCCATGCTGATCGTCGCCCTGCAGCACTGCGGGCTTGACCCGTCTT
10 TTGCGGTGCGCGGTGAGCTGGGGGAGGCCGGTACCAACGCCCATCACGGCAGTGGCGACTGT
TTCGTCGCCGAAGCCGACGAAAGCGATGGCTCGCTGTTGCAGTACACACCCACGTGCGGGTG
ATCACCAACATCGAGTCCGATCACCTGGACTTCTACGGCAGCGTCGAGGCGTATGTTGCGGTGT
TCGACTCCTTCGTGGAGCGCATTGTCCCCGGGGGTGCGCTGGTGGTGTGCACTGACGACCCCG
GAGGGGGCCGCGCTGGCTCAGCGCGCGACTGAGCTGGGAATTCGAGTGCTGCGATACGGGTGCG
15 GTGCCGGGTGAGACCATGGCAGCCACGTTGGTCTCGTGGCAGCAACAGGGGGTCGGCGCGGT
CGCACATATCCGTTGGCCTCAGAACTAGCCACAGCACAGGGTCCCCGCGTGATGCGGCTGTC
GGTGCCCCGGGCGACACATGGCGCTCAACGCGCTGGGAGCGCTGCTGGCCGCGGTGCAGATCG
GCGCCCCGCGGACGAGGTGCTCGACGGGCTGGCCGGCTTCGAAGGAGTGCGGCGACGATTC
GAACTGGTTGGACCTGCGGCGTCGGAAGGCGTCGGTGCGCGTGTTGATGACTACGCCAC
20 CACCCGACGGAGATCAGCGCGACACTGGCGGCGGCGCGCATGGTGCTCGAACAGGGCGACGG
TGGCCGCTGCATGGTTGTGTTTCAACCCCATTTGATTTCGCGGACAAAGGCATTGCTGCTGAG
TTTGGGCGTGCGCTGAATGCCGCTGACGAGGTGTTCTGACTCGACGTCTACGGAGCTCGTGAA
CAACCGCTGGCCGGTGTGAGCGGAGCCAGCGTCGCTGAGCACGTCACTGTGCCGATGCGCTA
CGTCCCGGATTTTTTCGGCGGTGCGACAGCAAGTGGCCGCCGCCGCTAGTCCGGGCGACGTCAT
25 CGTCACGATGGGTGCCGGAGACGTGACCTTGCTGGGCCCGGAAATCCTGACCGCCCTTCGGGT
CCGGGCCAACCGAAGCGCCCCCGGCCGTCCGGGGGTGCTGGGATGA

>Rv2153c murG TB.seq 2412120:2413349 MW:41829

>emb|AL123456|MTBH37RV:c2413349-2412117, murG SEQ ID NO:77

30 GTGAAGGACACGGTCAGCCAGCCGGCGCGGGCGCGGGGCAACGGCGCCCCGGCCCGCCG
ATGCCGCCTCGCCGTCTTGTTGTTCTCGCCGTCTGCTGATTCCGTGTGCGTCTGCTCGCCGG
CGGCGGGACCGCCGGGCACGTGAGCCCGCCATGGCCGTGCGCGACGCCTTGGTCGCGTTGG
ATCCGCGCGTCCGGATTACCGCGTTGGGCACCCTCCGTGGACTAGAGACCAGGCTGGTGCCCC
AGCGCGGCTACCACCTGGAGCTGATCACGGCGGTGCCGATGCCGCGCAAGCCCGGCGGCGAC
35 CTGGCCCCGGCTGCCGTGCGGGGTGTGGCGCGCCGTCCGGGAGGCCCGGGACGTGCTCGACG
ATGTGACGCGCGACGTGCTGCTCGGTTTTCGGTGGGTACGTGCGGCTACCGGCTTACCTAGCCG
CTCGCGGCCTGCCTTTGCCGCCCGGCGCCGGCGCGCGGATCCCGGTGGTGATCCACGAAGCC

AACGCCAGGGCGGGACTGGCCAACCGGGTCGGCGCCCATACCGCGGACCGGGTGCTCTCCGC
GGTGCCGGATTCCGGGCTGCGGCGCGCCGAGGTGGTTGGGGTCCCGGTCCGTGCGTCGATCG
CCGCGCTGGACCGCGCGGTGCTGCGAGCCGAGGCGCGGGCACACTTCGGCTTCCCCGACGAC
GCGCGGGTGCTGCTGGTGTTCGGGGGTTTCGAGGGCGCGGTCTCGCTCAACCGGGCGGTGTC
5 CGGCGCCGCCGCGACCTGGCCGCCGCGGTGTTTGCGTGCTGCATGCCATGGACCCCAGA
ACGTGCTGGAGTTGCGCCGTCGGGCTCAAGGTGACCCACCGTACGTGGCGGTGCCCTATTTGG
ACCGGATGGAGCTGGCCTACGCCGCCGCGATCTGGTGATCTGCCGGGCCGGGGCGATGACG
GTCGCCGAAGTATCCGCCGTCGGTCTGCCGGCCATCTACGTGCCGCTGCCGATCGGCAACGGT
GAACAGCGGCTGAATGCGTTGCCGGTAGTCAATGCCGGCGGCGGCATGGTGGTCGCCGACGC
10 CGCCCTGACCCCCGAGTTGGTGGCCCGCCAGGTTGCCGGGCTGCTACCGACCCCCGCGCGGC
TGGCCGCGATGACCGCGGCCGCGAGCCAGGGTGGGACATCGCGATGCCGCGGGCCAGGTGGC
CCGGGCCGCGCTGGCCGTCGCCACCGGGGCCGGTGCCAGGACAACGACGTGA

>Rv2154c ftsW TB.seq 2413349:2414920 MW:56306

>emb|AL123456|MTBH37RV:c2414920-2413346, ftsW SEQ ID NO:78

GTGCTAACCCGGTTGCTGCGTCGGGGCACACGACCGACGGCTCCAGACTCGAGGGGCG
CGAGCCGGTCGAGGGGCGAGCGGACGGGCCCGGAAGAAGCCTCTAACCCGGGTTGCGCGAGG
CCCCGCACCCGTTTCGGTGCCCTGGCTGGGCCGTCCGATGACCTCGTTTACCTCATCATCGCC
GTTGCCGCATTGCTGACCACCCTTGGAATGATCATGGTGCTGTGCGCATCGGCGGTGCGGTCC
20 TACGACGACGACGGATCGGCTTGGGTGATCTTCGGCAAGCAGGTCTTGTGGACGCTTGTGGGT
CTTATCGGCGGCTATGTCTGTCTGCGGATGTCGGTGCGGTTTCATGCGGCGCATCGCCTTCTCCG
GTTTCGCGATCACCATCGTGATGCTGGTGCTGGTGCTGGTGCCGGGGATCGGCAAGGAGGCCA
ACGGCTCGCGCGGCTGGTTCGTGGTTCGCGGGCTTCTCGATGCAGCCCTCTGAGCTGGCTAAGA
TGCGGTTTCGCCATCTGGGGAGCGCATCTGCTGGCCGCCCGGCGCATGGAACGGGCTTCACTG
25 CGCGAGATGCTGATTCCACTGGTGCCGGCCGCCGTCGTTGCGCTGGCGCTGATCGTGCCCGAG
CCCGACCTCGGACAGACCGTGTCGATGGGCATCATCTTGTGGGCCTGCTGTGGTATGCGGGG
CTGCCGCTGCGCGTCTTCCTCAGCTCACTGGCGGCGGTCTGTCGTCTCGGCCGCCATCCTGGCG
GTGTCCGCGGGCTACCGATCGACCGGGTGCGGTCTGGCTCAACCCCGAAAACGATCCGCAA
GACTCCGGCTACCAGGCCCGACAGGCAAAGTTCGCGCTGGCTCAAGGTGGCATTTTCGGCGAC
30 GGTCTGGGCCAAGGCGTGGCCAAGTGGAATACTTGCCCAACGCCCAACGACTTCATTTTCG
CCATCATCGGCGAAGAGCTGGGTCTCGTCGGCGCGCTCGGACTGCTGGGGCTATTTCGATTGT
TCGCCTACACCGGCATGCGCATCGCTAGCCGGTCCGCCGACCCGTTCTGCGGCTGCTGACCG
CCACCACGACACTGTGGGTGCTGGGACAGGCGTTCATCAACATCGGCTATGTGATCGGGCTGC
TGCCCGTCAACCGCCTGCAGCTGCCGCTCATCTCCGCCGGTGGAACCTCCACGGCCGCAACAC
35 TTTCGCTGATAGGCATCATCGCCAACGCGGCTCGCCACGAACCGGAGGCGGTGGCCGCGCTG
CGGGCTGGGCGCGACGACAAGGTGAACCGGTGCTGCGGCTGCCGCTGCCCGAGCCGTATCT
GCCCCCTCGTCTCGAGGCGTTTCGTGACCGCAAGCGCGCCAACCGCAACCGGCCCAAACGCA

GCCCCGCGCGAAGACCCCCGCACGGCGCCCGGACAGCCTGCCCGGCAGATGGGCCTGCCC
CCGCGACCCGGCTCGCCCCGCACGGCCGATCCGCCGGTTCGTGATCAGTGCATCATGGAGCT
GGCCAGCGGTACGCGGGGCCAGCGTCGCACACGGCGCGTTCGGGCATTGGAAGGTCAGCGTTA
CGGGTGA

5

>Rv2155c murD TB.seq 2414935:2416392 MW:49314

>emb|AL123456|MTBH37RV:c2416392-2414932, murD SEQ ID NO:79

GTGCTTGACCCTCTGGGGCCGGGTGCGCCCGTGTGGTAGCCGGTGGCCGGGTGACCGGTCA
GGCGGTGGCCGCGGTGCTGACTCGGTTTGGTGCGACGCCGACGGTGTGCGACGACGATCCGG
10 TCATGCTGCGACCGCACGCCGAACGTGGGCTGCCGACCGTTAGTTCCTCGGACGCGGTGCAGC
AGATAACCGGGTATGCGCTGGTGGTCGCCAGTCCCGGCTTCTCGCCCGCAACCCCGCTACTGG
CCGCGGGCCGCGGCGGCGGGGGTGCCGATCTGGGGTGACGTGGAGTTAGCCTGGCGGCTAGA
CGCAGCGGGCTGCTACGGACCGCCGCGCAGCTGGCTGGTGGTGACCGGCACCAACGGCAAGA
CCACCACGACGTGATGCTGCACGCCATGCTGATCGCCGGTGGCCGCCGCGCCGTGCTGTGC
15 GGCAATATCGGCAGTGCGGTGCTGGATGTGCTGGACGAGCCGGCCGAGCTGCTGGCCGTGGA
GTTGTCCAGTTTCCAGCTGCACTGGGCGCCGTGCTGCGGCCCGAGGCCGCGCGGTGCTCA
ACATTGCCGAAGACCACCTGGACTGGCATGCCACGATGGCCGAATACACCGCGGCCAAGGCC
GGGTGCTGACCGGCGGGGTAGCGGTGGCCGGGTGGATGACAGCCGAGCGGCCGCACTGCT
GGACGGCTCACCGGCGCAGGTGCGGGTCGGCTTCCGGCTCGGCGAGCCGGCCGCGCGGGAA
20 CTGGGCGTGCGCGACGCCACCTGGTCGATCGCGCCTTCTCCGACGACTTGACGCTGCTGCCG
GTCGCGTCGATAACCGGTGCCAGGTCCGGTCGGCGTGCTTGACGCCCTGGCCGCGGCGGCGCT
GGCCCGCTCGGTGCGGGTGCCCGCCGGTGCGATCGCCGACGCGGTACGTCGTTTCGAGTGG
GCCGACACCGCGCCGAGGTGGTGGCCGTTGCCGACGGCATCACCTACGTGGACGACTCCAAG
GCCACCAACCCGCACGCCGCGCGGGCTTCGGTGCTTGCATACCCGAGGGTGGTATGGATCGC
25 CGGTGGCCTGCTCAAGGGCGCGTCGCTTACGCCGAGGTTGCGGCGATGGCGTCGCGGCTGG
TCGGTGCGGTGCTGATCGGCCGGGATCGCGCAGCGGTTGCCGAGGCGTTATCACGACACGCG
CCCGATGTCCCAGTCGTTAGGTTGTGGCAGGCGAGGATACTGGTATGCCTGCGACTGTTGAG
GTTCTGTTGCTTGTGTTCTAGATGTGGCAAAAGATGACAAAGCCGGTGAGACCGTTGGCGCTG
CCGTGATGACCGCTGCGGTGGCCGCGGCCCGGCGGATGGCCCAACCCGGTGACACCGTGCTG
30 CTGGCACCGGCCGCGCCTCATTCGACCAAGTTACCGGTTATGCCGACCGGGGCGAGGCATTC
GCGACCGCGGTCCGCGCGGTGATCCGGTAG

>Rv2156c murX TB.seq 2416397:2417473 MW:37714

>emb|AL123456|MTBH37RV:c2417473-2416394, murX SEQ ID NO:80

35 ATGAGGCAGATCCTTATCGCCGTTGCCGTAGCGGTGACGGTGTCCATCTTGCTGACCCCGGTG
CTGATCCGGTTGTTCACTAAGCAGGGCTTCGGCCACCAGATCCGTGAGGATGGCCCGCCAGC
CACCACACCAAGCGCGGTACGCCGTGATGGGCGGGGTGGCGATTCTGGCCGGCATCTGGGC

GGGCTACCTGGGCGCCACCTAGCGGGCCTGGCGTTTGACGGTGAAGGCATCGGCGCATCGG
GTCTGTTGGTGCTGGGCCTAGCCACCGCTTTGGGCGGCGTCGGGTTCATCGACGATCTGATCA
AGATCCGCGAGGTGCGCGCAATCTCGGGTTGAACAAGACGGCCAAGACCGTCGGGCAGATCACCT
CCGCCGTGCTGTTTGGCGTGCTGGTGCTGCAGTTCCGGAATGCTGCCGGCCTGACACCGGGCA
5 GCGCGGATCTGTCTACGTGCGTGAGATCGCCACCGTCACATTGGCGCCGGTGCTGTTCTGTGT
TGTTCTGCGTGGTTCATCGTCAGCGCCTGGTCGAACGCGGTCAACTTCACCGATGGCCTGGACG
GGCTGGCCGCGCGCACCATGGCGATGGTCACCGCCGCCTACGTGCTGATCACCTTCTGGCAGT
ACCGCAACGCGTGCGTGACGGCGCCGGGCCTGGGCTGCTACAACGTGCGCGACCCGCTGGAC
CTGGCGCTCATCGCGGCCGCAACCGCTGGCGCCTGCATCGGTTTTTTGTGGTGGAACGCCGCG
10 CCCGCCAAGATCTTCATGGGTGACACTGGGTGCGTGGCGTTGGGCGGCGTCATCGCGGGGTTG
TCGGTGACCAGCCGCACCGAGATCCTTGCGGTGGTGCTGGGTGCGCTGTTCTGTCGCCGAGATC
ACCTCGGTGGTGTTGCAAATCCTGACCTTCCGGACCACCGGGCGCCGGATGTTTCGGATGGCG
CCCTTCCACCACCATTTGAGTTGGTCGGTTGGGCTGAAACCACGGTCATCATCCGGTTCTGGC
TGCTCACCGCGATCACCTGCGGTCTGGGCGTGCCCTTGTTCTACGGTGAGTGGCTTGCCGCGG
15 TCGGTGCCTGA

>Rv2157c murF TB.seq 2417473:2419002 MW:51634

>emb|AL123456|MTBH37RV:c2419002-2417470, murF SEQ ID NO:81

ATGATCGAGCTGACCGTCGCGCAGATCGCCGAGATCGTCGGGGGCGCAGTGGCCGATATCTCC
20 CCGCAAGACGCCGCGCACCGCCGCGTCACCGGGACCGTCGAGTTCGACTCGCGCGCCATCGG
CCCGGGCGGGCTGTTCTCGCCCTGCCGGGGGCGCGCGCCGACGGCCACGACCATGCCGCG
TCGGCGGTAGCCGCGGGCGCCGCCGTCGTGCTGGCCGCCCGCCCGGTGGGGGTGCCGGCCA
TCGTGGTTCCGCCAGTGGCCGCGCCGAACGTATTGGCCGGCGTCCTCGAGCACGACAACGAC
GGGTGCGGGGCGGCGGTGCTGGCCGCGCTGGCCAAGCTGGCCACCGCGGTGGCCGCGCAGT
25 TGGTGGCCGGCGGGCTACCATCATCGGGATCACCGGCTCGTCGGGCAAGACGTGACCAAG
GACCTGATGGCCGCCGTGCTGGCCCCGCTGGGGGAGGTGGTGGCCCCGCCCGGATCGTTCAA
CAACGAGCTGGGTACCCGTGGACGGTGCTGCGCGCGACGCGGCGCACCGACTACCTGATTTT
GGAGATGGCGGCACGCCATCACGGCAACATCGCCGCGCTCGCCGAGATCGCGCCCCCGTCGA
TCGGAGTCGTGCTCAACGTCGGCACCGCACATTTGGGTGAGTTCCGGTCCCGCGAGGTCATCG
30 CACAGACCAAAGCCGAAGTCCCGCAGGCTGTTCCGCATTCCGGAGCGGTGTCCTCAACGCTG
ATGACCCCGCGGTGGCGGCGATGGCCAAGCTGACCGCGGCCCGGGTGGTGCGGGTCAGCCG
GGACAACACCGGTGACGTTTGGGCGGGGGCCGGTGTGCTGGACGAATTGGCCAGGCCGCGCT
TTACGCTGCATGCCACGATGCCAAGCCGAGGTCCGACTCGGGGTCTGCGGCGACCACCAG
GTCACTAACGCGCTGTGCGCCGCGGCGGTGCGCTGGAGTGTGGGGCCAGCGTTGAACAGGT
35 CGCGGCCGCGCTGACCGCGGCGCCGCCGGTGTGCGGGCATCGGATGCAGGTGACCACCCGC
GGCGACGGGGTGACGGTGATCGACGACGCTACAACGCCAACCCCGACTCCATGCGGGCCGG
GCTGCAGGCGCTGGCCTGGATCGCGCACCAACCCGAGGCCACCCGCGCAGCTGGGCGGTGC

TGGGTGAGATGGCCGAGCTGGGTGAGGACGCGATAGCCGAGCACGATCGCATCGGCCGGCTC
GCGGTGCGCTTAGATGTGTCTCGACTCGTTGTCTGGGAACCGGGAGGTGATCAGCGCCATG
CACCACGGAGCGGTCTCTGGAGGGGGCGTGGGGCTCGGGGGAAGCCACTGCTGATCACGGTGC
GGATCGCACGGCCGTCAATGTGGCCGACGGTGACGCCGCCCTGGCACTACTGCGCGCCGAGC
5 TGCACCCGGGGATGTGGTCTTGGTCAAGGCCTCGAACGCGGCCGGGGCTGGGTGCGGTGGCC
GATGCATTGGTCGCAGACGACACATGCGGGAGTGTGCGCCCATGA

>Rv2158c murE TB.seq 2419002:2420606 MW:55310

>emb|AL123456|MTBH37RV:c2420606-2418999, murE SEQ ID NO:82

10 GTGTCATCGCTGGCCCCGAGGGATCTCGCGGCGGCGAACGGAGGTGGCGACACAGGTGGAGGC
TGCGCCCACTGGCTTGCGCCCCAACGCCGTCGTGGGCGTTGCGTTGGCCGCACTGGCCGATCA
GGTCGGCGCGGCCCTGGCCGAGGGTCCAGCTCAGCGTGCCGTCACCGAGGACCGGACGGTCA
CCGGGGTCACTGCTGCGCGCCCAGGACGTGTACCCGGTGACCTGTTGCGCGCCCTGACCGGC
TCGACCACCCACGGGGGCCCGCCACGTGCGCGACGCGATCGCACGCGGCGCCGTGCGGGTGCT
15 CACCGACCCCGCCGGGGTCCCGAGATCGCGGACGAGCGGCCGTGCCGTGTTGGTGCACC
CCGCACCCCGCGGCGTGCTCGGCGGCTTGGCCGCCACCGTGTACGGGCATCCGTCCGAGCGG
TTGACGGTTATCGGGATCACCGGAACGTCCGGCAAGACCACCACCTATCTGGTCGAGGCC
GGGTTACGGGCTGCCGGACGCGTCGCCGGGCTGATCGGCACCATCGGCATCCGCGTCGGCGG
CGCCGACCTTCCCAGCGCGCTGACCACCCCGAGGGCCCCACGCTGCAGGCGATGCTGGCGG
20 CGATGGTCGAACGCGGGGTGGACACCGTGGTCATGGAGGTGTCCAGCCACGCGCTGGCGCTG
GGCCGGGTGGACGGCACCCGTTCCCGCTCGGCGCCTTACCAATCTCTCCCGTGACCACCTG
GATTTCCACCCAGCATGGCCGACTACTTCGAGGCCAAGGCGTCATTGTTGATCCGGAATCGG
CACTGCGCGCCCGCACCGCCGTGGTGTGCATCGACGACGACGCCGGGCGCGGATGGCGGC
GCGGGCCCGCGACGCGATCACCGTCAGCGCCCGGACCGGCCCGCACACTGGCGCGCCACG
25 GATGTGGCGCCACGGACGCGGGCGGGCAACAATCACCGCCATCGACCCCGCCGGCGTAGG
GCATCACATCGGAATCCGGCTACCGGGCCGCTACAACGTGCGCAATTGCCTGGTCGCCCTGGC
GATTCTGGACACCGTCGGGGTCTCCCCGGAACAGGCGGTGCCGGGCCTGCGTGAGATCCGGG
TCCCGGGGCGGCTCGAGCAGATCGACCGCGGCCAGGGCTTTCTCGCGCTGGTCTGACTACGCG
CACAAACCGGAAGCGCTGCGGTGCGTGCTGACCACCTTGGCGCACCCGGACCGCCGGCTGGC
30 GGTGGTGTTCGGCGCCGGCGGCGATCGTGACCCGGGCAAGCGGGCCCCGATGGGCGGATA
GCCGCGCAGCTGGCCGACTTGGTGGTCGTACCGACGACAACCCGCGTGACGAAGATCCAC
GGCGATCCGCCGCGAAATCCTGGCTGGGGCGGCCGAAGTCGGCGGTGATGCCAGGTGCTCG
AGATCGCAGACCGGCGGGACGCGATCCGGCACGCGTTGCCTGGGCGCGCCCCGGCGACGT
GGTGCTCATCGCCGGCAAAGGCCACGAGACCGGGCAACGCGGCGGGCGGGTCCGCCCG
35 TTCGACGACCGGGTGGAGCTGGCTGCCGCGCTAGAGGCCCTCGAGCGGCGCGCATGA

>Rv2159c - TB.seq 2420632:2421663 MW:36377

>emb|AL123456|MTBH37RV:c2421663-2420629, Rv2159c SEQ ID NO:83

ATGAAATTTGTCAACCATATTGAGCCCGTCGCGCCCCGCCGAGCCGGCGGGCGCGGTGCGCCGAG
GTCTATGCCGAGGCCCGCCGCGAGTTTCGGCCGGCTGCCCCGAGCCGCTCGCCATGCTGTCCCC
GGACGAGGGACTGCTCACC GCCGGCTGGGCGACGTTGCGCGAGACACTGCTGGTGGGCCAGG
5 TGCCGCGTGGCCGCAAGGAAGCCGTCGCCGCCGCCGTCGCGGCCAGCCTGCGCTGCCCTGG
TGCGTCGACGCACACACCACCATGCTGTACGCGGCAGGCCAAACCGACACCGCCGCGGCGAT
CTTGGCCGGCACAGCACCTGCCGCCGGTGACCCGAACGCGCCGTATGTGGCGTGGGCGGCAG
GAACCGGGACACCGGCGGGACCGCCGGCACCGTTTCGGCCCGGATGTCGCCGCCGAATACCTG
GGCACCGCGGTGCAATTCACCTTCATCGCACGCCTGGTCCTGGTGCTGCTGGACGAAACCTTC
10 CTGCCGGGGGGGCCCGCGCGCCCAACAGCTCATGCGCCGCGCCGGTGGACTGGTGTTCGCCCG
CAAGGTGCGCGCGGAGCATCGGCCGGGCCGCTCCACCCGCCGGCTCGAGCCGCGAACGCTG
CCCGACGATCTGGCATGGGCAACACCGTCCGAGCCCATAGCAACCGCGTTTCGCCGCGCTCAGC
CACCACCTGGACACCGCGCCGCACCTGCCGCCACCGACTCGTCAGGTGGTCAGGCGGGTCGT
GGGGTCGTGGCACGGCGAGCCAATGCCGATGAGCAGTCGCTGGACGAACGAGCACACCGCCG
15 AGCTGCCCCGCCGACCTGCACGCGCCACCCGTCTTGCCCTGCTGACCGGCCTGGCCCCGCAT
CAGGTGACCGACGACGACGTCGCCGCGGGCCGATCCCTGCTCGACACCGATGCGGCGCTGGT
TGGCGCCCTGGCCTGGGCCGCCTTCACCGCCGCGCGGGCGCATCGGCACCTGGATCGGCGCCG
CCGCCGAGGGCCAGGTGTGCGGGCAAACCCGACTGGGTGA

>Rv2163c pbpB TB.seq 2425049:2427085 MW:72506

>emb|AL123456|MTBH37RV:c2427085-2425046, pbpB SEQ ID NO:84

GTGAGCCGCGCCGCCCCAGGCGGGCCAGTCAGTCGAGTCGACGCGACCGGCGCGCGGTTT
GCGCCGGCCACCGGGAGCCAGGAGTTGGGCAACGCAAACGGCCCGGCAAAACGCAGAAAG
CCCGGCAAGCCCAGGAAGCCACGAAATCCCGCCCTGCGACACGGTCAGACGTCGCACCCGCG
25 GGTGCTCGACTCGTGCGAGGCGCACCCGGCAGGTGGTGGACGTCGGGACGCGCGGTGCGTC
GTTCTGCTTTTCGGCATCGGACCGGAAACGCGGTCATCTTGGTGTTGATGTTGGTCGCGGCAACA
CAATTGTTCTTTCTGCAGGTATCACATGCCGCGGGCCTGCGTGCGCAGGCGGCGGCCAACTC
AAGGTCACCGACGTCAGCCAGCGGCTCGCGGCAGCATCGTCGACCGCAACAATGACCGGCTC
GCGTTCACCATCGAGGCGCGTGCCCTGACGTTCCAGCCGAAGCGGATTGCGCGGCAATTGGAA
30 GAGGCCAGGAAGAAGACGTCGGCTGCACCCGACCCGCAGCAGCGCCTGCGCGATATCGCCCA
GGAGGTCGCCGGCAAGCTGAACAACAAGCCAGATGCCGCGGCCGTGCTGAAGAAGCTGCAAA
GCGACGAGACCTTCGTCTACTTGCGCGGTGCGGTGACCCGGCTGTGCGCAGCGCGATCTGCG
CGAAGTATCCCGAGGTCGGTGCGGAAAGACAGGATCTGCGTCAGTACCCGGGTGGGTGCTG
GCGGCAAACGTCGTGCGGTGGCATCGACTGGGATGGTCATGGGCTGCTGGGTCTGGAGGACTCC
35 CTGGATGCGGTGCTGGCCGGAACCGACGGATCGGTACCTACGACCGTGGGTGAGACGGCGT
CGTCATCCCCGGCAGCTACCGGAATCGGCACAAGGCGGTCCACGGTTCACCGTCGTGCTCAC
CCTCGACAACGACATCCAGTTCTACGTGCAGCAGCAGGTGCAGCAGGCCAAGAACCTATCGGG

GGCTCACAACGTCTCGGCCGTCGTCCTGGACGCCAAGACCGGCGAGGTGCTCGCGATGGCCA
 ACGACAACACCTTCGACCCGTCGCAAGACATCGGGCGCCAGGGCGACAAGCAGTTGGGCAACC
 CGGCGGTGTCGTCGCCCTTCGAGCCGGGCTCGGTGAACAAGATCGTCGCCGCGTCCGCGGTC
 ATCGAGCACGGGTTGAGCAGCCCCGACGAGGTGCTACAGGTGCCTGGCTCGATCCAGATGGG
 5 CGGTGTTACCGTGATGACGCTTGGGAGCACGGCGTGATGCCCTATACCACCACGGGGGTGTT
 CGGAAAGTCCTCCAACGTCGGCACGCTGATGCTTTCCCAACGTGTCGGACCGGAACGCTATTAC
 GATATGCTCCGCAAGTTCGGGTTGGGACAGCGCACCGGCGTGGGCCTGCCCGGTGAGAGCGC
 CGGACTGGTGCCGCCAATCGACCAAGTGGTCGGGCAGTACGTTGCTAATCTTCCTATTGGCCAA
 GGTCTTTCGATGACTTTGCTGCAGATGACCGGCATGTACCAGGCCATCGCCAACGATGGAGTGC
 10 GGTACCCCCACGCATTATCAAGGCCACCGTCGCACCCGACGGCAGCCGAACCGAAGAACCGC
 GCCCCGACGACATTCGCGTGGTGTGCGCGCAGACCGCCCAGACCGTGCGCCAGATGCTGCGT
 GCCGTGGTGCAACGCGATCCGATGGGCTACCAGCAGGGTACCGGGCCGACGGCCGGGGTGCC
 CGGCTATCAGATGGCCGGCAAGACCGGTACCGCGCAGCAGATCAACCCTGGCTGCGGCTGCTA
 CTTGACGACGTGTATTGGATCACCTTCGCCGAATCGCCACTGCCGACAATCCCCGCTACGTG
 15 ATCGGCATCATGTTGGACAACCCGGCGCGCAACTCCGACGGCGCGCCTGGGCACTCGGCCGC
 CCCGCTGTTCCACAACATCGCGGGCTGGCTGATGCAGCGCGAAAACGTCCCGCTGTCACCGA
 TCCCGGGCCTCCTTTGGTCTTGCAGGCCACCTAG

>Rv2165c - TB.seq 2428236:2429423 MW:42498

>emb|AL123456|MTBH37RV:c2429423-2428233, Rv2165c SEQ ID NO:85

GTGCAAACCCGTGCACCGTGGTCTCTGCCCGAAGCGACCCTGGCGTACTTCCCCAACGCCAGG
 TTCGTGTCTTCGGACAGGGACCTCGGTGCAGGGGCGGCGCCTGGAATAGCCGCGTCCCGAAGT
 ACGGCTTGCCAGACCTGGGGAGGTATCACGGTGGCTGATCCAGGTTCCGGGGCCAACCGGTTTC
 GGTGATGTGCCGGTATTGGCGCAACGTTGCTTCGAACTGCTTACCCCCGCACTAACCCGCTACT
 25 ATCCAGACGGCTCGCAGGCGGTCTTCTCGACGCGACCATCGGCGCGGGCGGGCATGCGGAG
 CGGTTTTTGGAGGGATTGCCGGGTCTGCGCCTGATCGGGCTCGACCGTGACCCAACCGCTCTG
 GACGTGCGCGGTCTCGGCTGGTGCATTGCTGACCGACTTACCCTGGTGACACCCGCTAT
 GACTGTCTGGGCGCAGCGCTGGCTGAATCCGTTATGCCGCAGTGGGATCAGTCGACGGAATC
 CTGTTGATCTCGGCGTCTCATCCATGCAGCTCGACCGCGCCGAGCGGGGCTTCGCCTACGCC
 30 ACGGACGCGCCATTGGACATGCGGATGGACCCGACGACGCCGTTGACCGCAGCTGACATTGTC
 AACACTTACGACGAGGCGGCACTAGCCGACATCCTGCGTCGCTACGGAGAGGAGCGGTTTGCT
 CGGCGCATCGTGCCGGTATCGTCCGCCGACGCGCAAAAACCCCGTTACCTCGACCGCCGAA
 CTGGTTGCCCTGCTGTACCAGGCGATTCCAGCTCCGGCCCCGGCGTGTGCGCGGGCATCCAGCC
 AAGCGAACATTCCAGGCGCTGCGCATCGCGGTCAACGATGAGCTGGAATCGCTGCGCACGGCC
 35 GTTCCTGCCGCGCTGGATGCCCTCGCTATCGGTGGGCGCATCGCGGTGCTGGCCTACCAAGTCG
 CTAGAGGACAGGATCGTCAAACGGGTGTTCCCGGAGGCAGTCGCGTCCGGCCACCCCTGCGGG
 ACTTCCGGTCGAACTTCCCGGCCATGAGCCGCGATTCCGTTGTTAACGCACGGCGCCGAACG

AGCGAGTGTGGCTGAGATCGAACGCAATCCCCGCAGTACTCCAGTGCGGTTGCGGGCCCTGCA
ACGAGTCGAGCACCGGGCGCAATCGCAGCAATGGGCAACCGAGAAGGGTGATTCATGA

>Rv2166c - TB.seq 2429428:2429856 MW:15912

5 >emb|AL123456|MTBH37RV:c2429856-2429425, Rv2166c SEQ ID NO:86

ATGTTTCTCGGCACCTACACGCCCAAACCTCGACGACAAGGGGCGGCTGACGCTGCCGGCCAAG
TTTCGCGACGCGTTGGCAGGGGGGTTGATGGTCACCAAGAGCCAAGATCACAGCCTGGCCGTT
TACCCGCGGGCGGCGTTTCGAGCAGCTGGCGCGCCGGGCCAGCAAGGCGCCACGAAGCAACC
CCGAGGCGAGAGCGTTCCTACGTAATCTCGCCGCCGGTACCGACGAACAGCATCCCGACAGTC
10 AAGGCCGGATCACCTTGTCTGGCCGACCACCGCCGCTACGCAAGCCTTTCCAAGGACTGTGTGG
TGATCGGCGCGGTGCGACTATCTCGAGATCTGGGATGCGCAAGCCTGGCAGAACTACCAACAAAT
CCATGAAGAGAACTTCTCCGCGGCCAGCGATGAAGCACTCGGTGACATCTTCTGA

>Rv2197c - TB.seq 2461505:2462146 MW:22481

15 >emb|AL123456|MTBH37RV:c2462146-2461502, Rv2197c SEQ ID NO:87

ATGGTGAGCAGATATTCCGCATACCGGCGTGGGCCGGATGTAATCTCGCCGGACGTCATCGAT
CGCATCCTGGTTGGGGCATGTGCCGCGGTGTGGCTGGTGTTCACCGGCGTGTGGTGGCCGC
CGCTGTCTGCCCTGATGGACCTGGGTAGGGGCTTCCACGAGATGGCCGGAACCCGCACACCAC
GTGGGTGCTGTACGCCGTAATTGTGGTCTCCGCACTGGTCATCGTGGGCGCGATAACCGGTGCT
20 GTTTCGAGCTCGCCGCATGGCTGAGGCCGAGCCCGCGACGAGGCCGACGGGTGCATCCGTGC
GGGGCGGGCGATCGATCGGATCCGGGCATCCGGCGAAACGCGCTGTGGCCGAGTCGGCACCC
GTACAGCACGCGGATGCATTTCGAGGTGGCCGCCGAGTGGTCCAGTGAGGCGGTGGACCGGAT
CTGGTTGCGCGGGACAGTCGTGTTGACCAGTGCGATTGGCATTGCGTTGATTGCCGTGGCGGC
GGCGACCTACCTCATGGCGGTGCGTACGACGGGCCATCTTGATCAGCTACGGGTGGCCGG
25 GGTGGTCACCGCGGGCATGCCGGTGCAGTGGCTATACGCTCGGCAGCTGCGCCGGGTGG
TGGCGCCCCAGTCCAGTTAG

>Rv2198c - TB.seq 2462149:2463045 MW:30955

>emb|AL123456|MTBH37RV:c2463045-2462146, mmpS3 SEQ ID NO:88

30 ATGAGCGGGCCGAATCCCCCGGGACGGGAACCTGACGAACCCGAATCGGAACCCGTCAGCGA
CACGGGCGACGAACGGGCTTCCGGCAACCACTTGCCGCCCCTCGCCGGGGGCGGCGACAAAC
TGCCCAGTGACCAGACGGGCGAGACCGACGCATATTCTCGGGCATACTCTGCCCCGGAATCCG
AGCACGTCACCGGCGGCCCCGTATGTGCCAGCCGATCTCAGGCTCTATGACTACGACGACTATG
AGGAGTCGTCCGACCTGGACGACGAACTGGCCGCTCCGCGCTGGCCGTGGGTGGTGGTGTGTC
35 GCCGCCATAATTGCCGCCGTTGCGCTCGTGGTTTCGGTGTGCTGCTCACGCGACCACATA
CCAGCAAACCTCGCCACCGGCGACACTACGTCCTCTGCACCGCCCCGTGCAGGACGAAATCACGA
CCACCAAGCCGGCGCCGCCACCGCCGCCACCAGCCCCACCGCCCACCACCGAGATCCCGACA

AGCGAGTGTGGCTGAGATCGAACGCAATCCCCGCAGTACTCCAGTGCGGTTGCGGGCCCTGCA
ACGAGTCGAGCACCGGGCGCAATCGCAGCAATGGGCAACCGAGAAGGGTGATTCATGA

>Rv2166c - TB.seq 2429428:2429856 MW:15912

5 >emb|AL123456|MTBH37RV:c2429856-2429425, Rv2166c SEQ ID NO:86

ATGTTTCTCGGCACCTACACGCCAACTCGACGACAAGGGGCGGCTGACGCTGCCGGCCAAG
TTTCGCGACGCGTTGGCAGGGGGGTTGATGGTCACCAAGAGCCAAGATCACAGCCTGGCCGTT
TACCCGCGGGCGGCGTTTCGAGCAGCTGGCGCGCCGGGCCAGCAAGGCGCCACGAAGCAACC
CCGAGGCGAGAGCGTTCTACGTAATCTCGCCGCCGGTACCGACGAACAGCATCCCGACAGTC
10 AAGGCCGGATCACCTTGTGGCCGACCACCGCCGCTACGCAAGCCTTTCCAAGGACTGTGTGG
TGATCGGCGCGGTGCGACTATCTCGAGATCTGGGATGCGCAAGCCTGGCAGAACTACCAACAAAT
CCATGAAGAGAACTTCTCCGCGGCCAGCGATGAAGCACTCGGTGACATCTTCTGA

>Rv2197c - TB.seq 2461505:2462146 MW:22481

15 >emb|AL123456|MTBH37RV:c2462146-2461502, Rv2197c SEQ ID NO:87

ATGGTGAGCAGATATTCCGCATACCGGCGTGGGCCGGATGTAATCTCGCCGGACGTCATCGAT
CGCATCCTGGTTGGGGCATGTGCCGCGGTGTGGCTGGTGTTCACCGGCGTGTGGTGGCCGC
CGCTGTGCCCTGATGGACCTGGGTAGGGGCTTCCACGAGATGGCCGGAAACCCGCACACCAC
GTGGGTGCTGTACGCCGTAATTGTGGTCTCCGCACTGGTCATCGTGGGCGCGATACCGGTGCT
20 GTTGCGAGCTCGCCGCATGGCTGAGGCCGAGCCCGCGACGAGGCCGACGGGTGCATCCGTGC
GGGGCGGGCGATCGATCGGATCCGGGCATCCGGCGAAACGCGCTGTGGCCGAGTCGGCACCC
GTACAGCACGCGGATGCATTGAGGTGGCCGCCGAGTGGTCCAGTGAGGCGGTGGACCGGAT
CTGGTTGCGCGGGACAGTCGTGTTGACCACTGCGATTGGCATTGCGTTGATTGCCGTGGCGGC
GGCGACCTACCTCATGGCGGTGGTTCACGACGGGCCATCTTGATCAGCTACGGGTTGGCCGG
25 GGTGGTCACCGCGGGCATGCCGGTGTGAGTGGCTATACGCTCGGCAGCTGCGCCGGGTGG
TGGCGCCCCAGTCCAGTTAG

>Rv2198c - TB.seq 2462149:2463045 MW:30955

30 >emb|AL123456|MTBH37RV:c2463045-2462146, mmpS3 SEQ ID NO:88

ATGAGCGGGCCGAATCCCCGGGACGGGAACCTGACGAACCCGAATCGGAACCCGTCAGCGA
CACGGGCGACGAACGGGCTTCCGGCAACCACTTGCCGCCCGTCGCCGGGGGCGGCGACAAAC
TGCCCAGTGACCAGACGGGCGAGACCGACGCATATTCTCGGGCATACTCTGCCCCGGAATCCG
AGCACGTCACCGCGGGCCCGTATGTGCCAGCCGATCTCAGGCTCTATGACTACGACGACTATG
AGGAGTCGTCCGACCTGGACGACGAACCTGGCCGCTCCGCGCTGGCCGTGGGTGGTGGTGTG
35 GCCGCCATAATTGCCGCCGTTGCGCTCGTGGTTTCGGTGTGCTTGTGCTCAGCGGACACATA
CCAGCAAACCTCGCCACCGGCGGACACTACGTCCTCTGCACCGCCCGTGCAGGACGAAATCACGA
CCACCAAGCCGGCGCGGCCACCGCCGCCACCAGCCCCACCGCCACCACCGAGATCCCGACA

GCGACGGAGACACAGACGGTCACTGTGACGCCGCCACCACCGCCCCACCGGCGACAACCAC
GGCGCCGCCGCCGGCGACCACCACAACGGCGGCGGCACCGCCGCCACGACCACCACGCCG
ACCGGTCCGCGGCAAGTCACCTATTCGGTGACCGGTACCAAGGCGCCGGGTGACATTATCTCG
GTGACTTACGTGATGCCGCCGGGCGCCGACGGACACAGCACAATGTGTACATCCCGTGGTCC
5 ATGACGGTCACCCCGATCTCGCAATCCGACGTTGGCTCGGTGGAGGCCTCCAGCCTTTTCCGG
GTCAGCAAACCTCAACTGCTCGATCACCACGAGCGACGGAACGGTGCTCTCATCGAACTCCAACG
ATGGACCGCAAACGAGCTGCTGA

>Rv2199c - TB.seq 2463234:2463650 MW:14866

>emb|AL123456|MTBH37RV:c2463650-2463231, Rv2199c SEQ ID NO:89

10 ATGCATATCGAAGCCCCGACTGTTTGAGTTTGTGCGCCGCGTTCTTCGTGGTGACGGCGGTGCTGT
ACGGCGTGTTGACCTCGATGTTGCCACCGGTGGTGTGAGTGGGCTGGCACCCTGCGCTGG
CGCTTACCGGCGGCATGGCGTTGATCGTCGCCACCTTCTTCCGGTTTGTGGCCCGCCGGTTAG
ATTCCCGGCCCCGAGGACTACGAAGGCGCTGAAATCAGCGACGGCGCAGGAGAACTTGGATTCT
TCAGTCCGCATAGCTGGTGGCCGATCATGGTCGCGTTGTCCGGCTCGGTGGCAGCGGTGCGCA
15 TCGCGTTGTGGCTCCCGTGGCTGATCGCCGCCGGTGTGGCATTATCCTCGCCTCGGCGGCCG
GATTGGTCTTGAATATTACGTCGGTCCTGAGAAGCACTGA

>Rv2200c ctaC TB.seq 2463661:2464749 MW:40449

>emb|AL123456|MTBH37RV:c2464749-2463658, ctaC SEQ ID NO:90

20 GTGACACCTCGCGGGCCAGGTCGTTTGCAACGCTTGTGCGAGTGCAGGCCTCAGCGCGGCTCC
GGAGGGCCTGCCCGTGGTCTTCGACAGCTGGCGCTCGCAGCAATGCTGGGGGCATTGGCCGT
CACCGTCAGTGGATGCAGCTGGTCGGAAGCCCTGGGCATCGGTTGGCCGGAGGGCATTACCC
CGGAGGCACACCTCAATCGAGAACTGTGGATCGGGGCGGTGATCGCCTCCCTGGCGGTTGGG
GTAATCGTGTGGGTCTCATCTTCTGGTCCGCGGTATTTACCGGAAGAAGAACACCGACACTG
25 AGTTGCCCCGCCAGTTCGGCTACAACATGCCGCTAGAGCTGGTTCTCACCGTCATACCGTTCCT
CATCATCTCGGTGCTGTTTTATTTACCGTCGTGGTGCAGGAGAAGATGCTGCAGATAGCCAAG
GATCCCGAGGTGCTGATTGATATCACGTCTTTCCAGTGGAATTGGAAGTTTGGCTATCAAAGGGT
GAACTTCAAAGACGGCACACTGACCTATGATGGTGCCGATCCGGAGCGCAAGCGCGCCATGGT
TTCCAAGCCAGAGGGCAAGGACAAGTACGGCGAAGAGCTGGTCGGGCCGGTGCAGCGGGCTCA
30 ACACCGAGGACCGGACCTACCTGAATTTGACAAGGTGAGACGTTGGGCACCAGCACCGAAA
TTCCGGTGCTGGTGCTGCCGTCCGGCAAGCGTATCGAATTCAAATGGCCTCAGCCGATGTGAT
ACACGCATTCTGGGTGCCGGAGTTCTTGTTCAAGCGTGACGTGATGCCTAACCCGGTGGCAAAC
AACTCGGTCAACGTCTTCCAGATCGAAGAAATCACCAAGACCGGAGCATTGTTGGGCCACTGCG
CCGAGATGTGTGGCACGTATCACTCGATGATGAACTTCGAGGTCCGCGTCGTGACCCCCAACG
35 ATTTCAAGGCCTACCTGCAGCAACGCATCGACGGGAAGACAAACGCCGAGGCCCTGCGGGCGA
TCAACCAGCCGCCCTTGCGGTGACCACCCACCCGTTTGATACTCGCCGCGGTGAATTGGCCC
CGCAGCCCGTAGGTTAG

>Rv2427c proA g-glutamyl phosphate reductase TB.seq 2724231:2725475 MW:43746

>emb|AL123456|MTBH37RV:c2725475-2724228, proA SEQ ID NO:91

ATGACCGTGCCAGCACCGTCGCAGCTCGACTTGCGTCAAGAGGTGCACGACGCCGCACGCCG
5 CGCCCCGGGTGGCCGCCCGCCGGCTGGCATCGCTGCCGACGACTGTCAAAGACCGCGCGCTGC
ACGCGGCTGCCGACGAGCTACTGGCTCACCGCGACCAGATCCTGGCGGCCAACGCCGAAGAC
CTGAACCGGGCGCGCGAGGCGGACACCCCGCCGCCATGCTGGACCGGTTGTCTTGAACCC
GCAACGAGTCGACGGTATCGCCGCCGGGTGCGGCAAGTCGCGGGACTGCGCGATCCGGTCG
GTGAAGTGCTGCGTGGCTATACCCTGCCCAACGGGCTGCAGCTGCGCCAGCAGCGCGTCCCCC
10 TGGGCGTGGTCGGCATGATCTACGAGGGCCGCCCAATGTCACCGTGGATGCCCTCGGGCTGA
CACTCAAGTCGGGTAACGCTGCATTGCTGCGCGGCAGCTCGTCGGCCGCAAAGTCCAACGAGG
CCCTGGTGGCGGTGTTACGCACCGCGCTGGTCGGCCTGGAGCTGCCGGCCGACGCGGTCCAG
CTGCTGTCGGCTGCCGACCGCGCCACCGTCACTCACCTGATTCAGGCCCGCGGCCTGGTCGAT
GTGGTGATTCCACGCGGGGGAGCGGGCCTGATCGAGGCGGTCTACGCGATGCCAGGTGCC
15 CACCATCGAGACCGGCGTCGGGAAGTCCATGTCTACGTGCACCAAGCGGCCGACCTGGACGT
GGCCGAGCGTATCTTGCTGAACTCCAAGACGCGGGCGGCCAGCGTCTGCAACGCCGCCGAGA
CGCTGCTGGTCGACGCAGCGATCGCCGAAACGGCGTTGCCTCGATTGCTGGCCGCCCTGCAGC
ACGCCGGTGTACCGTACATCTCGACCCGACGAGGCCGACCTGCGCCGCGAATACCTGTGCG
TGGACATCGCGGTGGCGGTGGTCGACGGTGTGACGCTGCCATCGCCATATCAACGAATACG
20 GCACCGGGCACACAGAAGCGATTGTGACCACCAATCTTGATGCGGCCCAACGCTTTACCGAACA
GATCGATGCGGCCGCGGTGATGGTGAACGCATCAACGGCGTTACCGACGGCGAGCAATTCCG
CTTCGGCGCCGAGATCGGCATCTCCACCCAGAACTGCATGCCCGCGGACCGATGGGACTACC
GGAATTGACGTGCACCAAGTGGATCGCATGGGGAGCCGGCCACACCCGTCCGGCCTGA

25 >Rv2438c - similar to YHN4_YEAST P38795 TB.seq 2734793:2737006 MW:80492

>emb|AL123456|MTBH37RV:c2737006-2734790, Rv2438c SEQ ID NO:92

ATGGGACTGCTCGGCGGCCAATCAGGGCCCAGGGTCGGCAGCGGCCAGTCGGTAGCATCCC
CACGCCGGTCAATGCCGCCATCTGCCAGCAGCGCGGGGATTCCACGGTGTGAGCGTGGAT
ACTCGGCGGGTGATTCGGGCGTTCTGACGTGCTGGGCGACAATGAAAGGACGATGAACTTTT
30 ACTCCGCCTACCAGCACGGGTTCGTGCGGTTGCCGCCTGCACTCACCACACCACCATCGGTG
ACCCGGCGGCCAACGCCGCGTCCGTATTGGACATGGCCCGTGCGTGCCACGACGATGGCGCA
GCGTTGGCGGTCTTTCCTGAGCTGACGCTGTGCGGCTACTCCATCGAGGACGTACTACTGCAG
GACTCTCTGCTCGATGCCGTGAGGACGCGCTGCTCGACCTGGTGACCGAATCCGCCGACCTG
TTACCTGTACTGGTGGTCGGGGCTCCGCTGCGGCATCGACACCGCATCTACAACACCGCGGTC
35 GTCATTCACCGCGGCGCCGTGCTCGGCGTGGTGCCCAAGTCGTATCTACCCACCTATCGCGAG
TTCTACGAGCGGCGCCAGATGGCGCCCGGAGACGGGGAGCGGGGCACGATCCGCATCGGTGG
CGCCGACGTGGCCTTCGGCACGGACCTGTTGTTCCGCCGCTCAGATCTACCCGGCTTTGTGTT

GCATGTGGAGATCTGCGAGGACATGTTTGTGCCGATGCCGCCAGCGCCGAGGCGGCCCTGG
 CGGGCGCGACGGTGCTGGCGAATCTGTCCGGCAGCCCGATCACCATCGGCCGTGCCGAGGAC
 CGCCGGCTGCTTGCGCGCTCGGCGTCGGCGCGGTGTCTGGCTGCCTATGTCTATGCCGCCGC
 GGGGGAGGGGGAGTCAACGACGGACCTGGCCTGGGACGGTCAGACGATGATCTGGGAGAATG
 5 GCGCACTGCTCGCGGAGTCCGAACGTTTCCCCAAAGGAGTGCGCCGCAGTGTGCCGACGTTG
 ACACCGAGTTGCTTCGGTCGGAGCGGCTGCGGATGGGCACGTTGACGACAACCGGCGTCAC
 CACCGGGAGTTAACGGAATCGTTCGGCGCATCGACTTCGCACTCGACCCACCGGCAGGCGAC
 ATCGGACTGCTGCGCGAGGTGAGCGGTTCCCGTTCGTTCCGGCCGATCCGCAACGATTGCAA
 CAGGATTGCTACGAGGCCTACAACATCCAGGTGTCTGGACTCGAGCAACGGTTGCGGGCGCTG
 10 GACTATCCGAAGGTCGTTATCGGTGTGTCCGGGGGATTGGACTCGACGCACGCGCTGATCGTC
 GCGACCCATGCCATGGACCGCGAGGGCCGGCCGCGCAGCGACATTCTGGCGTTTGCGTTGCC
 CGGATTCGCCACCGGGGAGCACACTAAGAACAACGCGATCAAGCTGGCACGTGCGCTGGGGG
 TTACCTTCTCCGAAATCGATATCGGCGACACCGCTCGGTTGATGCTGCACACAATCGGCCATCC
 GTATTCGGTTGGCGAAAAAGTGACGACGTCACCTTCGAGAACGTCCAGGCCGGGTTGCGCAC
 15 CGACTATCTTTTCCGTATCGCCAACCAGCGCGGGGAATCGTACTGGGCACCGGGGACCTGTC
 GGAGCTGGCACTGGGTTGGTCGACATACGGTGTCGGCGACCAGATGTCGCACTACAACGTCAA
 CGCCGGTGTCGCCAAGACGCTGATCCAGCACCTGATCCGGTGGGTGATTCGGCGGGTGAGTT
 CGGTGAGAAGGTGGGTGAGGTATTGCAGTCGGTGCTCGACACCGAGATCACCCCGAACTCAT
 TCCGACCGCGCAGGAGGAGCTGCAGAGCAGCGAGGCCAAGGTGCGACCTTTCGCCCTACAGG
 20 ACTTTTCGCTTTTTCAGGTAAGTACGCTACGGATTCGCCCCGTGCAAGATTGCGTTTTTGGCCTGG
 CATGCGTGGAACGATGCGGAGCGGGGCAACTGGCCGCCCGGCTTCCCAAAGAGCGAACGCC
 GTCCTATTCAATTGGCCGAAATCCGGCATTGGCTGCAGATTTTCGTCCAGCGGTTTTATTGTTTA
 GCCAGTTCAAGCGTTTCGGCATTGCCAACGGCCCCAAGGTGTCCACGGGGGCGCGTTGTGCG
 CGCGTGGGGATTGGCGGGCCCCGTGCGATATGTCAGCGCGAATCTGGCTCGATCAGATCGACC
 25 GTGAGGTGCCCAAGGGCTAG

>Rv2439c proB glutamate 5-kinase TB.seq 2737118:2738245 MW:38789

>emb|AL123456|MTBH37RV:c2738245-2737115, proB SEQ ID NO:93

ATGAGAAGTCCGCATCGGGACGCAATCCGGACCGCGCGCGGCCTTGTCGTGAAGGTCGGGAC
 30 CACGGCGCTTACCACACCGTCCGGGATGTTGATGCCGGCCGGCTGGCCGGAAGTGGCCGAGG
 CGGTGAGCGGCGGATGAAGGCGGGTTCGACGTCGTCATCGTGTCTTCGGGCGCCATCGCC
 GCCGGCATCGAGCCGCTCGGGCTGTCCCGTCGTCCCAAAGATCTGGCGACCAAGCAGGCGGC
 GGCCAGCGTCGGGCAGGTGCGGCTGGTGAACCTGTGGAGCGCGGCGTTGCCCCGCTACGGCC
 GCACGGTGGGCCAGGTGCTGCTGACCGCGCACGACATTTGATGCGGGTGCAGCACACCAAC
 35 GCCAACGCACGCTGGATCGGCTGCGCGCGTTGCACGCGGTGGCGATTGTCAACGAGAACGA
 CACCGTGGCCACCAACGAGATCCGGTTCGGTGACAACGATCGGCTGTCTGCACTGGTGGCGCA
 CCTGGTCGGCGCCGACGCTTGGTGCTGCTGTCGGACATCGACGGCCTCTACGACTGCGACCC

GCGCAAAACCGCGGACGCGACGTTTATTCCGGAGGTGTCCGGGCCGGCGGATCTGGACGGTG
 TGGTCGCCGGCCGCGAGTAGCCACCTGGGTACTGGCGGCATGGCGTCCAAGGTGGCGGCGGCCG
 CTGTTGGCCGCCGACGCCGGGGTGCCGGTACTGCTGGCCCCCGCGGCCGACGCCGCGACCG
 CGCTCGCCGACGCGTCGGTGGGCACGGTGTTTTCGGGCCCGGCCGCGCGTCTGTGGGCCGG
 5 CGGTTCTGGGTGCGTTATGCCGCCGAAGCAACCGGCGCACTGACTCTCGACGCCGGTGCGGTG
 CGCGCTGTGGTGGGACAACGCCGGTCACTGCTGGCGGCGGGTATCACCGCGGTGTCCGGCCC
 GTTTTGCGGCGGCGATGTGGTGAAGTGCCTGCACCCGACGCGGCCATGGTAGCCCCGCGGGG
 TGGTTGCCTACGACGCGTCCGAGCTGGCCACCATGGTGGGCCGGTCCACCTCTGAGTACCCG
 GCGAGCTGCGCCGCCCGGTGGTGCACGCCGACGATCTGGTTCGCGGTGTCGGCGAAGCAAGCT
 10 AAGCAAGTTTAG

>Rv2440c obg Obg GTP-binding protein TB.seq 2738248:2739684 MW:50430

>emb|AL123456|MTBH37RV:c2739684-2738245, obg SEQ ID NO:94

GTGCCTCGGTTTGTGATCGGGTCGTATCCACACCAGAGCGGGTTCGGGCGGTAACGGCTGC
 15 GCTTCGGTCCATCGCGAGAAATCAAGCCGCTGGGCGGCCCGATGGCGGAAATGGCGGCCG
 GGGCGGCAGCATCTCTTCGTCTGATCCGCAAGTGCACACCCTGCTCGACTTCCATTTCCGC
 CCGCATCTCACCGCGGCTTCGGGCAAGCACGGGATGGGCAATAACCGCGACGGGGCCCGCCG
 CGCGGATTGGAAGTGAAGTTCCCGAAGGCACCGTGGTATTGGACGAGAACGGCCGGCTACT
 GGCCGACCTGGTCGGCGCGGGCACCCGCTTTGAAGCCGCCCGGAGGCCGTGGCGGTTTGG
 20 GCAACGCCCGCGCTGGCTTCCCGCGTGCCTAAGGCCCGCGGTTTCGCACTCCTCGGCGAAAAG
 GACAGTCCCAGACCTCACCTTGGAACTCAAGACCGTCGCCGACGTCGGCCTGGTGGGTTTC
 CGTCGGCCGGAAAATCCTCGCTGGTGTGGCGATTTGGCGGCCAAGCCGAAGATCGCCGACT
 ACCCGTTCACCAACCTGGTGCCCAACCTCGGTGTGGTCTCGGCTGGCGAGCACGCTTACCG
 TCGCCGACGTGCCGGGGTTGATCCCGGGCGCATCCCGGGGCGGTGGTCTGGGGCTGGACTTT
 25 CTGCGGCACATCGAGCGCTGCGTGTACTGGTGCATGTGGTGGATTGCGCTACCGCCGAGCCG
 GGCCGCGACCCCATCTCGGACATCGACGCGCTGGAAACGGAACCTCGCGTGCTACACGCCAC
 GCTGCAAGGGGACGCGGCTCTGGGCGATCTCGCCGACGGCCGCGTGGGTGGTCTCAACA
 AAATCGATGTGCCGGAGGCCCGCGAGCTCGCGGAGTTCGTCCGTGACGACATCGCCAGCGC
 GGCTGGCCGGTGTCTGCGTGTGACCGCAACCCGGGAAAACCTGCAGCCGTGATCTTTGGG
 30 CTGTCGCAGATGATCTCGGACTACAACGCTGCGCGGCCGGTGGCGGTGCCACGGCGGCCGGT
 GATTCGTCCGATTCCGGTGGACGACAGCGGTTTTACCGTCAACCCGACGGGCATGGTGGCTT
 TGTCGTGACGGTGCCCGGCCCGAGCGTTGGATTGACAGACCAACTTCGACAACGACGAGGC
 CGTCGGCTATCTCGCCGACCGGCTGGCGCGCCTGGGTGTGAGGAGGAATTGCTGAGGCTGG
 GTGCGCGGTGAGGATGCGCGGTGACCATCGCGGAGATGACGTTGATTGGGAGCCGCAACG
 35 CCTGCGGGTGAGCCGGTTCGCGATGTCCGGCCGGGGCACCGATCCGCGGCTGGACAGCAACAA
 GCGGGTGGGCGCGGCCGAGCGAAAGGCCGCTCGGAGTCCGCGTCCGGAACACGGGGATGGC
 TGA

>Rv2441c rpmA 50S ribosomal protein L27 TB.seq 2739773:2740030 MW:8969

>emb|AL123456|MTBH37RV:c2740030-2739770, rpmA SEQ ID NO:95

ATGGCACACAAGAAGGGGGCTTCCAGCTCGCGCAACGGTCGCGATTCCGCCGCCAGCGGCT
5 GGGGGTTAAGCGGTACGGCGGCCAGGTCGTCAAGGCCGGCGAGATCCTGGTCCGCCAGCGCG
GTACCAAATTCCATCCCGGCGTCAACGTCGGGCGTGGCGGCGATGACACCTTGTTCCGCAAGA
CGGCCGGGGCGGTCTGAGTTCGGCATCAAACGCGGACGTAAGACGGTGAGCATCGTCGGTTCG
ACCACTGCCTGA

>Rv2442c rplU 50S ribosomal protein L21 TB.seq 2740048:2740359 MW:11152

>emb|AL123456|MTBH37RV:c2740359-2740045, rplU SEQ ID NO:96

ATGATGGCGACCTACGCAATCGTCAAGACCGGCGGCAAGCAGTACAAAGTCGCTGTGCGGAGAT
GTGGTCAAGGTGCAAAAGCTGGAATCCGAGCAGGGGGAGAAGGTGTCCCTGCCGGTGGCTCT
GGTTGTGACGGCGCCACCGTCACCACCGATGCGAAGGCACTGGCCAAGGTGCGGGTGACCG
15 GTGAGGTGCTCGGGCACACCAAGGGCCCCAAGATCCGTATCCACAAGTTCAAGAACAAGACTG
GCTACCACAAACGGCAGGGACACCGTCAGCAGCTGACGGTCCTGAAGGTCAACGGCATCGCAT
AA

>Rv2448c valS valyl-tRNA synthase TB.seq 2747596:2750223 MW:97822

>emb|AL123456|MTBH37RV:c2750223-2747593, valS SEQ ID NO:97

ATGCTGCCCCAAGTCGTGGGATCCGGCCGCGATGGAGAGCGCCATCTATCAGAAGTGGCTGGAC
GCTGGCTACTTCACCGCGGACCCGACCAGCACCAAGCCGGCCTATTCGATCGTGCTGCCGCCG
CCGAACGTGACCGGCAGCCTGCACATGGGCCACGCGCTGGAACACACCATGATGGACGCCTTG
ACGCGGCGCAAGCGGATGCAGGGCTATGAGGTGCTCTGGCAGCCGGGCACCGACCATGCCGG
25 GATCGCCACCCAGAGCGTGGTCGAGCAGCAGCTGGCGGTGACGCGCAAGACTAAAGAAGACCT
CGGCCGCGAGCTGTTCTGGACAAGGTGTGGGATTGGAAGCGAGAGTCTGGCGGTGCCATCG
GCGGCCAGATGCGCCGACTCGGTGACGGGGTGGACTGGAGCCGCGACCGGTTACCATGGAC
GAAGGTCTGTGCGGGGCGGTGCGCACGATCTTCAAGCGGCTTTATGACGCCGGGCTGATCTAT
CGGGCCGAGCGGCTGGTCAACTGGTCGCCGGTGTGTCAGACCGCGATCTCCGACCTCGAGGT
30 CAACTACCGCGACGTCGAAGGCGAGCTGGTGTGTTTTAGGTACGGCTCGCTTGACGACTCGCA
ACCCACATCGTGGTCGCCACCAACCCGGTTCGAGACGATGCTGGGCGATACCGCGATCGCGT
CCATCCCGATGACGAGCGCTACCGTCACCTGGTCGGCACCAAGCCTGGCGCACCCATTCTGTCGA
CCGGGAGCTGGCCATTGTGCGCCGACGAGCACGTGGACCCTGAATTCGGCACCGGCGCGGTCA
AAGTCACACCCGCCACGACCCCAACGACTTCGAAATCGGGGTGCGCCACCAGCTGCCGATGC
35 CCTCGATCCTGGACACCAAGGGCCGGATCGTCGACACCGGAACGCGATTGACGGCATGGACC
GCTTCGAGGCACGGGTGCGGGTGCGCCAAGCGCTCGCGGCCAGGGCCGCGTGGTGAAGAA
AAGCGACCCTACCTGCACAGCGTCGGACACTCCGAACGCAGCGGCGAGCCGATCGAGCCGCG

GCTATCCCTGCAGTGGTGGGTCCGGGTGGAATCGCTGGCCAAAGCGGCCGGGGATGCGGTGC
 GCAACGGGGACACCGTGATTCACCCGGCCAGCATGGAACCCCGCTGGTTCTCCTGGGTGACG
 ACATGCACGACTGGTGCATCTCGCGACAGCTCTGGTGGGGGCATCGGATCCCGATCTGGTACG
 GACCCGACGGCGAACAGGTGTGCGTCGGCCCGACGAAACACCCCGCAGGGCTGGGAACAG
 5 GATCCTGACGTGCTGGATACCTGGTTTTCTGTCGGCGCTGTGGCCGTTTTCCACGCTGGGTGGC
 CGGACAAGACGGCGGAGCTGGAAAAGTTCTATCCGACAAGCGTTCTGGTTACCGGCTATGACAT
 CTTGTTCTTTTGGGTGGCCAGAATGATGATGTTTCGGCACCTTCGTCGGCGACGACGCCGCCATC
 ACCCTCGACGGCCGCCGGGGCCCGCAGGTGCCGTTACCGACGTGTTTCTGCATGGGCTGATC
 CGCGACGAGTCTGGCCGCAAGATGAGCAAGTCCAAGGGCAACGTCATCGACCCGCTGGATTGG
 10 GTGGAATGTTTCGGGGCCGATGCGCTGCGGTTACGCTGGCCCGCGGGGCCAGTCCCGGTGG
 TGAATTGGCGGTGAGCGAGGATGCCGTGCGGGCGTCGCGCAATTCGGGACCAAGCTGTTCAA
 CGCCACTCGGTACGCACTGCTCAATGGCGCCGCGCCAGCACCCCTGCCATCGCCGAACGAGCT
 GACCGACGCCGACCGCTGGATTCTCGGAAGGTTGGAAGAGGTTGGGGCCGAAGTTGATTCGGC
 CTTTCGACGGATACGAGTTCAGCCGCGCTTGTGAGTCCCTGTATCACTTCGCCTGGGACGAATTC
 15 TGCGACTGGTACCTCGAACTGGCCAAAACGCAGCTTGCCAGGGACTCACACACACCACCGCC
 GTGCTGGCCGCCGGGCTGGACACGCTGCTGCGCCTGCTGCACCCGGTGATTCCCTTCCTCACC
 GAGGCGCTATGGCTGGCGCTGACCGGCAGGGAATCGCTGGTCAGCGCCGACTGGCCGGAGCC
 TTCCGGGATTAGCGTGGACCTTGTTGCCGCGCAACGGATTAACGATATGCAGAAGTTGGTGACC
 GAAGTGCGGCGGTTCCGCAGCGATCAAGGTCTGGCCGACCGGCAGAAGTTCCGGCCCGAAT
 20 GCACGGTGTGCGGGACTCGGATCTGAGCAACCAGGTGGCCGCCGTGACCTCGCTGGCGTGGC
 TCACCGAGCCGGGGCCCGGATTTTGAGCCGTCGGTCTCGTTGGAGGTTGGCTCGGCCCCGAGA
 TGAACCGCACCGTCTGTCGAGCTCGACACCTCGGGCACCATCGACGTGGCCGCCGAGCGT
 CGCCGCTTGAAAAGGAGTTGGCCGGCGCCCAAAGGAGCTGGCGTCGACCGCCGCCAAGTT
 GGCCAACGCGGACTTTCTGGCCAAAGCGCCCGACGCCGTCATTGCCAAGATCCGGGACCGCCA
 25 GCGCGTGGCGCAGCAGGAAACCGAGCGCATCACCACCCGTTGGCTGCGCTGCAATGA

>Rv2482c plsB2 TB.seq 2786915:2789281 MW:88284 >emb|AL123456|MTBH37RV:c2789281-
 2786912, plsB2 SEQ ID NO:98

GTGACCAAACCGGCGGCCGATGCCAGCGCGGTGCTTACTGCCGAGGACACACTGGTGCTGGC
 30 TTCCACGGCGACGCCGGTCGAGATGGAGCTGATCATGGGCTGGCTGGGCCAGCAGCGTGAC
 GCCATCCGGA CTGGAAGTTGACATATTGAAGCTGCCACCGCGCAACGCTCCGCCGGCGGCGC
 TGACGGCACTGGTCGAGCAGCTCGAGCCCGGCTTCGCATCCAGCCCGCAATCTGGCGAGGAC
 CGTTCTATCGTGCCGGTTCGGGTGATCTGGCTGCCTCCCGCCGATCGCAGCCGGGCGGGCAAG
 GTGGCCGCACTGCTCCCGGTTCGGGATCCCTACCATCCAGCCAGCGTCAGCAGCGTCGCATC
 35 CTGCGTACCGATCCAGGCGCGCGGGTGGTGGCCGGCGAGTCGGCCAAGGTGTCCGAAC
 GCGCCAGCAGTGGCGGATACCACGGTGGCAGAGCACAAGCGCGATTTCGCCAGTTCTGTCAG
 CCGCCGAGCGCTGTTGGCGCTGGCGCGCGCCGAATATCGGATCCTTGACCGCAATACAAATC

TCCCCGGCTGGTGAAGCCGGAGATGTTGGCGTCCGCACGATTTCTGTGCCGGCCTGGACCGGAT
 TCCGGGCGCCACGGTCGAAGATGCCGGGAAGATGCTCGACGAACCTCCACCGGATGGAGCC
 AGGTGTCCGTAGACCTGGTTTCCGTCTCGGCAGGCTGGCTAGCCGCGGCTTCGATCCGGAAT
 TCGACTACGACGAGTATCAGGTGCGGGCGATGCGCGCCGCACTGGAGGCTCATCCGGCGGTC
 5 CTGCTGTTCTCGCACCGGTCCTACATCGACGGCGTGGTGGTACCGGTGGCCATGCAGGACAAC
 CGGTTACCGCCGGTGACATGTTGCGCGGCATCAACCTGTGTTTCGGTCTCATGGGACCCCTC
 ATGCGGCGCTCGGGGATGATCTTCATCCGGCGCAATATCGGCAACGACCCACTGTATAAGTACG
 TGCTCAAGGAGTACGTGGGCTACGTGGTTCGAGAAGCGGTTCAACCTGAGCTGGTCCATCGAAG
 GCACCCGGTCGCGCACCGGAAAGATGTTGCCGCCAAGCTCGGTTTGATGAGCTACGTGGCCG
 10 ATGCTTACCTGGACGGCCGAGTGACGACATCCTGCTGCAGGGGGTTTCGATTTGCTTCGATCA
 GCTGCACGAGATCACCGAATACGCCGCCTACGCGCGTGGCGCGGAGAAGACGCCCGAAGGTT
 TGCCTGGCTCTACAACCTTCATCAAGGCGCAGGGGGAACGCAACTTCGGCAAGATCTACGTTCC
 CTTCCCCGAAGCGGTCTCGATGCGCCAGTACCTCGGCGCACCGCACGGCGAGCTGACCCAGG
 ATCCGGCCGCGAAACGGCTTGCGTTGCAGAAGATGTGTTTCGAGGTGGCCTGGAGGATTTTGC
 15 AGGCGACGCCGGTGACCGCGACGGGTTTGGTGTCCGCACTGCTGCTCACCACCCGCGGCACC
 GCGTTGACGCTCGACCAGCTGCACCACACGTTGCAGGACTCACTGGACTATCTGGAACGCAAA
 CAATCGCCGGTTTCGACAAGCGCATTGCGACTGCGCTCGCGCGAAGGCGTCCGTGCGGCGGC
 GGACGCGTTGTCCAACGGCCACCCGGTCACTCGGGTCGACAGTGGCCGGGAGCCGGTATGGT
 ACATAGCGCCTGACGACGAGCACGCCGCGGCGTTCTACCGGAACTCGGTGATCCATGCGTTTTT
 20 GGAGACCTCGATCGTCGAGCTCGCGCTGGCCCATGCCAAGCACGCCGAAGGTGACCGCGTCG
 CCGCGTTCTGGGCCCAGGCGATGCGGTTGCGGGATCTGCTGAAGTTTCGACTTCTATTTTCGCGG
 ATTCCACGGCGTTTCGGGCCAACATCGCCCAAGAGATGGCCTGGCACCAAGACTGGGAGGATC
 ATCTTGGCGTCGGGGGCAATGAGATCGACGCGATGCTGTATGCCAAACGGCCGCTGATGTCGG
 ACGCGATGTTGCGGGTCTTCTTCGAAGCCTATGAGATCGTTGCCGACGTGTTGCGCGATGCTCC
 25 GCCTGACATCGGTCCTGAGGAGTTGACGGAGCTGGCGCTCGGCCTCGGCCGTGAGTTTGTGGC
 ACAGGGCCGGGTCCGCAGCAGCGAACC GGATCGACGCTGCTGTTCCGCACTGCACGCCAGG
 TCGCCGTCGATCAGGAGCTGATAGCGCCGGCGGCCGACCTCGCCGAACGTAGGGTCGCCTTC
 CGGCGGGAGTTACGAAACATTCTGCGGGATTCGACTATGTCGAGCAGATCGCGCGCAACCAG
 TTCGTGCGCTGCGAGTTCAAAGCGCGTCAAGGACGCGACCGAATCTAA

>Rv2509 - putative oxidoreductase TB.seq 2824676:2825479 MW:28014

>emb|AL123456|MTBH37RV:2824676-2825482, Rv2509 SEQ ID NO:99

ATGCCGATACCCGCGCCAGCCCCGACGCACGTGCCGTTGTCACCGGGGCTTCGAGAACATC
 GGCGCGGCGCTGGCCACCGAACTGGCCGCACGCGGGCACCCACCTGATCGTCACCGCACGACG
 35 CGAGGACGTGTTGACCGAGTTGGCTGCCCGGCTGGCCGACAAGTACCGCGTCACGGTCGACG
 TGCGACCGGCCGATCTGGCCGATCCGCAAGAACGATCGAACTGGCCGACGAGCTGGCTGCC
 CGGCCCATCTCGATCCTGTGCGCCAACGCGGGTACCGCGACATTGGGCCGATCGCATCGCTC

GATCTTGCCGGCGAAAAGACGCAGGTGCAGTTGAATGCCGTGGCGGTGCACGACCTTACGTTG
GCGGTGTTGCCGGGCATGATCGAGCGCAAGGCCGGCGGCATCTTGATTTCTGGTTCGGCGGCC
GGCAATTCACCGATTCCCTACAACGCCACCTATGCCGCGACCAAGGCCTTCGTGAACACCTTCA
GCGAATCTCTGCGCGGTGAGCTACGCGGCTCCGGCGTGCACGTACGGTGCTGGCCCCGGGC
5 CCGGTTTCGCACCGAGCTACCGGATGCCTCCGAAGCGTCACTGGTCGAGAAGCTGGTGCCGGAC
TTCCTGTGGATCTCGACGGAGCACACCGCCCCGGGTATCGCTGAATGCCTTGGAGCGCAACAAG
ATGCGCGTCGTTCCGGGTCTGACGTCAAAGGCGATGTCGGTGGCCAGCCAATACGCTCCGCGC
GCCATCGTGGCGCCAATCGTGGGTGCCTTTTACAAGAGGCTTGGGGGCAGCTAG

>Rv2524c fas fatty acid synthase TB.seq 2840124:2849330 MW:326226

>emb|AL123456|MTBH37RV:c2849330-2840121, fas SEQ ID NO:100

GTGACGATCCACGAGCACGACCGGGTGTCGCTGATCGCGGCGGGGACAGCCCGCATACAC
CCACGCTCTGGTCGATCGCCTCATGGCTGGTGAGCCCTACGCTGTTCGATTTCGGTGGCCAGGG
CAGCGCCTGGCTGAAACCCTCGAAGAGCTGGTGTCGGCCACCGGGATAGAAACCGAGTTGGC
15 GACGTTGGTCGGTGAGGCAGAGCTGTTGCTCGATCCGGTCACCGACGAGCTGATTGTGGTGCG
CCCGATCGGTTTCGAGCCGCTGCAATGGGTACGCGCACTGGCGGCCGAGGACCCGGTTCCGT
CCGACAAGCACCTGACGTCGGCCGCCGTGTGGTGCCCGGCGTGTGCTTACCCAGATCGCGG
CGACCCGGGCGCTGGCCCGTCAAGGCATGGACCTCGTGGCCACCCCGCCGGTCGCCATGGCG
GGGCATTTCGAAGGTGTGCTGGCGGTGGAAGCCCTCAAGGCTGGTGGGGCACGCGACGTCTGA
20 GCTGTTTGCCTTGGCCCAGTTGATCGGTGCCGCCGAACGCTGGTGGCCCGCCGGCGCGGAA
TTTCCGTCTGGGCGATCGCCCGCCGATGGTATCGGTACCAACGCCGACCCCGAGCGCATCG
GCCGGTTGCTCGACGAGTTCGCCCAGGACGTGCGCACGGTGCTGCCACCGGTGTTGTCCATCC
GCAACGGCCGCGCTGCCGTGTCATACCGGCACCCCCGAGCAGCTGTCGCGTTTCGAGCTTT
ATTGCCGCCAGATCTCCGAGAAGGAAGAAGCCGACCGCAAGAACAAGGTCCGCGGCGGCGAC
25 GTCTTCTCGCCGGTCTTCGAGCCGGTGACGGTGGAGGTGGGCTTTCACACCCCGCGGCTATCC
GACGGGATCGACATCGTCGCGGGCTGGGCCGAGAAGGCGGGCCTCGATGTCGCCTTGGCTCG
GGAGCTGGCCGATGCCATCTTGATCAGAAAGGTCGACTGGGTGACGAGATCACCCGTGTCCA
CGCGGCCGCGCGCCGCTGGATCCTCGACCTGGGGCCGGGCGACATCCTGACCCGACTGACCG
CACCGGTGATCCGCGGCCTGGGCATCGGCATCGTGCCGGCGGCTACCCGCGGTGGCCAGCGC
30 AACCTGTTACCGTCGGCGCCACCCCGAGGTTGCCCGGGCCTGGTCGAGCTACGCACCGACC
GTGGTTCGCCTCCCCGACGGCAGGGTCAAGCTCTCGACGAAGTTCACCCGGCTGACCGGCCGC
TCGCCGATCCTGCTCGCGGGCATGACCCCGACACCGTGGACGCCAAGATCGTCGCCGCGGC
GGCCAACGCCGGGCACTGGGCCGAGCTGGCCGGCGGGCGGCGAGGTACCGAAGAGATCTTC
GGTAACCGCATCGAACAATGGCCGGCCTGCTCGAGCCGGGCGGCACCTATCAGTTCAACGCG
35 CTGTTCTCGATCCCTACCTGTGGAAGCTTCAGGTGGGCGGCAAGCGGTTGGTGCAGAAGGCC
CGCCAGTCCGGCGCCGCGATCGACGGCGTGGTGATCAGCGCCGGCATCCCAGACCTCGACGA
GGCCGTCGAGCTGATCGACGAACCTGGGCGACATCGGCATCAGCCACGTGCTGTTCAAACCCGG

GACCATCGAGCAGATCCGCTCGGTGATTGCGATCGCCACCGAGGTGCCCACCAAGCCGGTGAT
 CATGCACGTCGAGGGCGGGCGCGCCGGCGGGCACCATTCTGGGAGGATCTCGACGACCTGC
 TGCTGGCTACCTACTCGGAGTTGCGCTCACGCGCCAACATCACGGTGTGCGTCGGCGGCGGCA
 TTGGCACCCCGAGAAGGGCTGCGGAATATTTGTCCGGGCGCTGGGCGCAGGCCTACGGCTTCC
 5 CATTGATGCCGATCGACGGCATCCTGGTCCGGCACC GCGGCGATGGCCACCAAGGAATCCACCA
 CGTCGCCATCGGTCAAGCGGATGCTCGTCGACACTCAGGGCACCGACCAATGGATCAGCGCCG
 GAAAAGCGCAGGGCGGCATGGCCTCCAGCCGCAGTCAGCTCGGTGCCGATATCCACGAGATC
 GACAACAGCGCATCCCGGTGCGGGCGGCTGCTCGACGAGGTGGCCGGTGACGCGGAGGCGG
 TCGCGGAGCGTCGCGACGAGATCATCGCGGCGATGGCCAAGACCGCCAAGCCCTACTTCGGC
 10 GACGTGCGCGACATGACCTACCTGCAGTGGCTGCGGCGCTACGTGGAAGTGGCCATCGGGGAA
 GGCAACTCGACCGCCGACACCGCCTCGGTGGGCAGCCCGTGGCTGGCCGACACCTGGCGGGA
 CCGCTTCGAGCAGATGCTGCAGCGTGCCGAAGCCCGGTTGCACCCACAGGATTTTCGGCCCGAT
 CCAGACGCTATTCACCGATGCTGGCCTGCTGGACAATCCGCAGCAGGCGATCGCCGCCCTGCT
 GCGCGCTACCCCGACGCCGAGACCGTGCAAGTTGCATCCCGCGGATGTGCCCTTTTTTCGTGAC
 15 GTTGTGCAAGACGCTGGGCAAGCCGGTCAACTTCGTGCCGGTGATCGACCAGGACGTGCGGC
 GCTGGTGGCGCAGCGACTCGCTGTGGCAGGCCACGACGCCCGCTACGACGCCGATGCGGTG
 TGCATCATTCCGGGCACCGCGTCGGTAGCCGGCATCACCGGATGGATGAACCGTCGGTGAG
 TTGCTGGACCGTTTTCGAGCAAGCCGCAATCGATGAAGTGCTCGGCGCCGGTGTCGAGCCGAAG
 GATGTCGCGTCGCGCCGGCTGGGCGCGCCGACGTGGCCGGACCGTTGGCTGTGTCCTCGA
 20 CGCACCCGATGTGCGCTGGGCGGTCGCACCGTGACCAACCCGGTGATCGGATCGCCGACC
 CGGCCGAATGGCAGGTGCACGATGGACCCGAAAACCCGCGCGCCACACACTCATCCACGGGC
 GCCCGGCTGCAGACGCACGGCGACGACGTGCGCTTGAGCGTGCCCGTCTCGGGCACCTGGGT
 CGACATCCGATTACGTTGCCGGCCAACACCGTCGATGGCGGCACCCCGGTGATCGCCACCGA
 GGACGCCACCAGCGCCATGCGCACGGTGCTGGCGATCGCCGCCGGTGTCGACAGCCCGGAGT
 25 TCTTGCTGCGGTGGCCAACGGGACGGCCACTTTGACGGTGGACTGGCACCCCGAGCGTGTTG
 CCGACCACACCGGCGTCACCGCCACGTTCCGGTGAGCCGCTGGCACCCAGCCTCACCAACGTG
 CCCGACGCGCTCGTCGGCCCTTGTGGCCAGCGGTTTTTCGCGGCCATCGGATCGGCGGTACCC
 GACACCGGTGAGCCGGTGGTGGAAGGCCTGCTGAGCCTGGTGATCTGGACCACGCCGCCCG
 CGTGGTCCGTGAGCTGCCCACGGTCCCGGCCCAATTGACCGTCACCGCAACGGCTGCCAACGC
 30 AACCGATACGGACATGGGCGCGTCGTGCCGGTCTCGGTGTCGTTACCGGCGCCGATGGCG
 CCGTGATCGCCACTCTCGAGGAGCGATTGCGGATCCTGGGTGCGACCGGTTCCGCCGAGCTCG
 CCGACCCGGCGCGAGCCGGTGGCGCGGTGTGCGCGAACGCCACCGACACCCCGCGCCGTGCG
 CCGCCGCGACGTACGATACCGCGCCGGTCGACATGCGCCCGTTGCGGGTGGTGTCCGGCG
 ACCACAACCCCATTCACACCGACCGGGCCGCGCGCTGCTTGCCGGCCTGGAGTCGCCGATC
 35 GTGCACGGCATGTGGCTGTGCGCCGCGGCGCAACACGCGGTGACCGCCACCGACGGGCAGG
 CCCGGCCACCGGCCCGGCTGGTGGCTGGACCGCGCGGTTTTTTGGGCATGGTGCGCCCCGGC
 GACGAGGTGGACTTCCGCGTCGAGCGCGTCGGAATCGACCAGGGCGCAGAGATTGTGGACGT

GGCCGCGCGCGTCGGGTTCGGATCTAGTGATGTCGGCCTCCGCGCGACTGGCCGCACCCAAGA
 CGGTCTACGCATTCCCCGGCCAGGGCATCCAACACAAGGGCATGGGCATGGAGGTGCGCGCC
 CGCTCCAAGGCGGCCCGCAAGGTGTGGGACACCGCGGACAAGTTCACCCGCGACACCCTGGG
 CTTCTCGGTACTGCACGTGGTCCGCGACAACCCGACCAGCATCATCGCCAGCGGTGTGCACTA
 5 CCACCACCCCGACGGGGTGCTCTACCTGACGCAGTTCACCCAGGTGCGGATGGCGACGGTGG
 CGGCCGCGCAGGTGCGCGAGATGCGTGAACAGGGAGCCTTCGTGGAAGGCGCCATCGCGTGC
 GGCCACTCGGTGCGCGAGTACACCGCGCTGGCCTGCGTGACCGGCATCTACCAACTGGAAGC
 CTTGCTGGAGATGGTGTTCACCGCGGGTGAAGATGCACGACATCGTTCCGCGCGACGAGCT
 CGGCCGCTCCAACCTATCGGCTGGCGGCCATCCGGCCGTCCCAGATCGACCTCGACGACGCCG
 10 ACGTGCCCGCGTTCGTGCGCCGGGATCGCGGAGAGCACCGGTGAATTCCTGGAGATCGTGAATT
 TCAACCTGCGTGGCTCGCAATACGCGATCGCGGGCACGGTACGCGGCCTCGAGGCGCTCGAG
 GCCGAGGTGGAGCGGCGCCGCGAGCTCACCGGCGGCCGACGGTCGTTCAATTTGGTGCCCGG
 CATCGATGTTCCGTTCCACTCGCGAGTGCTGCGGGTGGGGTGGCCGAATTCCGGCGCTCGCT
 GGACCGGGTCATGCCGCGCGACGCGGACCCCGACCTGATCATCGGGCGCTACATCCCAACCT
 15 GGTGCCGCGGTTGTTACCCCTGGACCGCGACTTCATCCAGGAAATCCGGGATTTGGTGCCCGC
 CGAGCCGCTCGACGAGATCCTCGCCGACTACGACACCTGGCTTCGCGAGCGTCCGCGCGAGAT
 GCGCGCACGGTGTTTCATCGAGCTGCTGGCATGGCAATTCGCCAGCCCGGTGCGCTGGATCGA
 GACGCAGGATCTGCTGTTTCATCGAGGAGGCCGCCGGCGGGTGGGTGTGGAGCGATTGTCG
 AGATCGGTGTGAAGAGCTCACCGACGGTGGCGGGTCTTGCCACCAACACCCTCAAACCTGCCCCG
 20 AATACGCCACAGCACAGTGGAAGTGCTCAACGCCGAGCGTGATGCCGCGGTGCTGTTGCCA
 CCGACACCGACCCGGAGCCGGAGCCGGAGGAAGACGAGCCGGTCGCGGAATCGCCCGCGCC
 GGACGTGCTCTCGGAAGCCGCCCGCGTCCGCGCGCGGCTTCGTGCGCGGGCCCGCGTCCCG
 ACGATCTGGTTTTTCGACGCCCGCGATGCCACGCTGGCGCTGATCGCGCTCTCGGCCAAGATGC
 GCATCGACCAGATCGAAGAACTCGACTCCATCGAGTCCATCACCGACGGTGCGTCGTGCGGGC
 25 GCAACCAGCTGCTGGTGGACCTGGGCTCCGAGCTGAACCTCGGTGCCATTGACGGCGCCGCC
 GAATCGGACCTGGCCGGTCTGCGCTCACAGGTGACCAACTGGCGCGCACCTACAAGCCTTAC
 GGCCCAAGTGCTTTCCGACGCCATCAACGACCAGCTTCGCACCGTCTCGGACCGTCGGGCAAG
 CGGCCCGGCGCCATCGCCGAGCGGGTGAAGAAGACCTGGGAGCTCGGTGAGGGCTGGGCCA
 AGCATGTACCGTTCGAGGTGCGCTGGGCACCCGCGAGGGCAGCAGCGTTGCGGGCGGGCGCC
 30 ATGGGCCACCTGCACGAGGGCGCGCTGGCCGATGCCGCTCCGTGACAAGGTCATCGACGC
 GGCGGTGCGATCGGTGGCCGCGCGCCAGGGCGTTTCGGTAGCGCTGCCGTGCGCCGGTAGTG
 GTGGCGGCGCCACCATCGACGCGGCCGCGCTCAGCGAGTTCACCGACCAAATCACCGGCCGT
 GAGGGCGTGCTGGCCTCCGCGGCCCGCCTGGTGCTGGGGCAGCTGGGACTGGACGACCCCGT
 CAACGCCCTTGCCGGCCGCCCGGATTCCGAGCTGATCGACTTGGTACCGCCGAACCTGGGAGC
 35 GGACTGGCCGCGGTTGGTGGCACCGGTGTTGACCCCAAGAAGGCCGTGCTATTCGACGACC
 GCTGGGCCAGCGCCCGCGAGGACCTGGTGAAGCTGTGGCTGACCGACGAGGGCGACATCGAC
 GCCGACTGGCCGCGCCTGGCGGAGCGCTTCGAGGGTGCCGGCCACGTCGTGGCGACCCAGG

CTACCTGGTGGCAAGGTAAGTCGCTGGCCGCGGGCCGGCAGATCCATGCATCGCTGTACGGCC
 GCATCGCCGCGCGCGCGAGAACCCCGAACCCGGCCGCTACGGCGGCGAAGTTGCCGTGGTG
 ACCGGCGCTTCAAGGGTTGATCGCCGCGTGGTGGTGGCTCGGCTGCTCGACGGCGGAGC
 CACCGTCATCGCGACCACCTCCAAGCTCGACGAGGAGCGGCTGGCGTTCTACCGCACGCTGTA
 5 TCGCGACCACGCCCCTTACGGCGCGGCGCTGTGGCTGGTTCGCGGCGAACATGGCGTCCTACT
 CCGACGTCGACGCCCTGGTCGAATGGATCGGCACCGAACAGACCGAAAGCCTTGGGCGCAGT
 CGATTACATCAAAGACGCGCAGACCCCGACGCTGCTGTTCCCGTTCGCGGCGCCACGCGTGG
 TCGGGGACCTGTCGGAGGCCGGTTCGCGCGCCGAGATGGAGATGAAAGTGCTGCTGTGGGCC
 GTGCAACGGCTGATCGGCGGCCTGTCGACGATCGGCGCCGAACGCGACATCGCGTCGCGGCT
 10 GCACGTGGTGTGCCCCGGCTCGCCCAACCGTGGCATGTTTCGGCGGCGACGGCGCCTACGGCG
 AAGCCAAGTCCGCGCTGGATGCCGTGGTGAGCCGCTGGCACGCCGAGTCGTCCTGGGCGGCA
 CGGGTCAGCCTGGCGCACGCGCTCATCGGCTGGACCCGCGGCACCGGGCTGATGGGCCACAA
 CGATGCCATCGTGGCCGCCGTGGAAGAGGCCGGGTCAACACCTACTCGACCGACGAGATGG
 CGGCGCTGCTGCTCGACCTGTGTGATGCGGAATCCAAGGTGGCTGCGGCGCGTTTCGCCGATCA
 15 AGGCCGACCTGACCGGGGGCCTGGCCGAGGCCAACCTCGACATGGCCGAGCTGGCGGCCAAG
 GCGCGCGAGCAGATGTGCGCAGCGGCGGCCGTGACGAGGACGCCGAGGCCCTGGCGCCA
 TCGCCGCGCTGCCGTGCCGCCCGGGGTTTACCCCCGCACCGCCGCGCAATGGGACGAC
 CTCGATGTGACCCGGCCGACCTGGTGGTGATCGTCGGCGGCGCCGAAATCGGCCCCGTACGG
 CTCGTACGCACCCGGTTTCGAGATGGAGGTGAAAACGAGCTGTGCGGCGGCGCGGTGCTGG
 20 AGCTGGCCTGGACCACTGGGTTGATCCGCTGGGAGGACGACCCGCAACCCGGTTGGTACGACA
 CCGAATCCGGCGAAATGGTCGACGAATCCGAGTTGGTGACGCGCTACCACGACGCCGTGGTGC
 AGCGCGTCGGCATTGCGGAATTCGTTGATGACGGCGCGATCGACCCCGACCACGCCTCGCCGC
 TGCTGGTGTGCGGTGTTCTGGAGAAGGACTTCGCGTTTCGTGGTGTCTCTCGGAGGCCGATGCGC
 GCGCCTTCGTGAGTTGATCCCGAGCACACGGTCATCCGGCCGGTGCCCGACTCCACCGACT
 25 GGCAGGTCATCCGCAAGGCCGGCACCGAGATCCGGGTGCCGCGAAAGACCAAGCTGTCCCGC
 GTCGTGCGCGGCCAGATCCCGACCGGGTTTCGACCCGACGGTGTGGGGCATCAGCGCAGACAT
 GGCCGGTTCCATCGACCGGTTGGCGGTATGGAACATGGTGGCGACCGTCGACGCGTTCTGTG
 GTCCGGTTTTAGCCCGGCCGAGGTGATGCGTTACGTGCACCCGAGTTTGGTGGCCAACACCCA
 GGGCACCGGCATGGGCGGCGGCACGTGATGCAGACGATGTACCACGGCAATCTGTTGGGCC
 30 GCAACAAGCCGAACGACATCTTCCAGGAAGTCTTGCCGAATATCATTGCCGCGCACGTGGTTCA
 GTCCTACGTCGGTAGCTACGGTGCGATGATCCACCCGGTAGCCGCGTGCGCCACCGCCGCGGT
 GTCGGTTCGAGGAAGGTGTCGACAAGATCCGGTTGGGCAAGGCTCAACTGGTGGTGGCCGGCG
 GCCTGGATGACCTGACGCTGGAGGGCATCATCGGATTCCGTGACATGGCCGCCACCGCCGACA
 CGTCCATGATGTGCGGCCGCGGCATCCACGACTCGAAGTTTTCCCGGCCCAACGACCGCCGCC
 35 GTCTGGGCTTCGTGGAAGCCCAAGGCGGCGGGACGATCCTGTTGGCCCGCGGGGACCTGGCG
 CTGCGGATGGGGCTGCCGGTGTGGCGGTGGTGGCGTTTCGCGCAGTCGTTTCGGCGACGGCGT
 GCACACCTCGATCCCGGCCCGGGCCTGGGCGCGCTGGGGGCGGGCCGCGGCGGCAAGGAT

TCACCGCTGGCGCGGGCGCTGGCCAAGCTGGGCGTGGCCGCCGACGACGTGGCGGTCATCTC
 CAAGCACGACACCTCGACGCTGGCCAACGATCCCAACGAGACCGAGTTGCATGAACGGCTCGC
 CGACGCCCTGGGCCGTTCCGAGGGCGCCCCGCTGTTGCTGGTGTGCGAGAAGAGCCTGACCG
 GCCACGCCAAGGGCGGCGCGGGCGGTCTTCCAGATGATGGGGCTCTGCCAGATATTGCGGGAT
 5 GGGGTGATCCCACCCAACCGCAGCCTCGACTGCGTCGACGACGAGCTGGCCGGCTCCGCGCA
 TTTGCTGTGGGTGCGTGACACGTTGCGGCTCGGCGGCAAGTTCCCACTCAAGGCCGGCATGCT
 GACCAGCCTCGGGTTCGGCCATGTGTGCGGGCCTGGTGCCTTGGTGCATCCGCAGGCGTTCAT
 CGCCTCGCTGGATCCCGCACAGCGCGCGGACTACCAGCGGCGTGCCGACGCCCGCCTGCTGG
 CCGGTCAGCGCCGGCTGGCCTCGGCGATTGCCGGTGGTGCGCCGATGTACCAGCGGCCCGGT
 10 GACCGTCGCTTCGACCACCACGCGCCCGAGCGGCCGCGAGGAGGCGTCGATGCTGCTGAATCC
 GGCGGCCCGGCTGGGTGACGGCGAGGCGTATATCGGCTGA

>Rv2555c alaS alanyl-tRNA synthase TB.seq 2873772:2876483 MW:97326

>emb|AL123456|MTBH37RV:c2876483-2873769, alaS SEQ ID NO:101

15 GTGCAGACACACGAGATCAGGAAGCGTTCTCGATCATTTGCTGAAGGCGGGCCACACCGAG
 GTGCCCAGCGCCTCGGTGATCCTCGACGACCCCAACCTGTTGTTGCTCAACGCCGGGATGGTC
 CAGTTGCTGCCTTTCTTCTTGGGACAGCGCACGCCGCGTACCCGACGGCCACCAGCATCCAG
 AAGTGCATCCGTACCCCCGATATCGACGAGGTGGGCATAACCACCCGGCACAACACGTTTTTTC
 AGATGGCCGGCAATTTGAGCTTCGGCGACTATTTCAAACGCGGGGGCCATTGAACTGGCCTGGG
 20 CACTGCTGACCAACAGCCTCGCCGCCGGCGGCTACGGCCTGGACCCGGAAGAATCTGGACG
 ACAGTCTATTTGACGACGACGAAGCTGTCCGGCTATGGCAGGAGGTTGCCGGGCTGCCGGCG
 GAGCGAATCCAGCGCCGCGGCATGGCCGACAACACTGGTTCGATGGGCATTCCCGGACCGTG
 CGGGCCGTCATCGGAGATCTATTACGACCGCGGACCCGAATTCGGTCCCGCAGGCGGTCCCAT
 CGTCAGCGAAGACCGCTACCTCGAGGTCTGGAACCTGGTGTTCATGCAGAACGAGCGCGGAGA
 25 GGGAACCACCAAGGAGGACTACCAGATCCTCGGGCCGCTGCCCCGCAAGAACATCGACACCG
 GCATGGGCGTCGAGCGGATCGCGCTGGTGCTGCAAGACGTGCACAACGTCTACGAGACCGAC
 CTGCTCAGGCCGGTCATCGATAACCGTGGCCAGGGTCGCCGCGCGTGCCTACGACGTCGGCAA
 CCACGAAGACGACGTGCGGTACCGCATCATCGCAGACCACAGCCGCACCGCCGCGATCCTGAT
 CGGTGACGGCGTCAGCCCCGGCAACGACGGTTCGCGGTTATGTGCTGCGCCGGCTGCTGCGTC
 30 GGGTGATCCGCTCCGCCAAGCTGCTGGGCATCGACGCTGCGATCGTTGGCGACCTGATGGCCA
 CCGTGCGCAACGCGATGGGCCCCGTCATATCCCGAACTCGTCGCCGACTTCGAGCGGATCAGCC
 GGATCGCGGTGCGCGAGGAGACGGCGTTCAACCGCACGCTGGCGTCGGGTTCCAGGCTGTTT
 GAGGAGGTGGCTAGCTCCACCAAGAAATCCGGAGCCACCGTGCTGTCCGGATCGGACGCTTTC
 ACGTTGCATGACACCTACGGGTTCGGATCGAGCTCACGCTGGAGATGGCGGCCGAAACCGGT
 35 CTGCAGGTAGACGAAATCGGGTTCGGTGAGCTGATGGCCGAGCAGCGCCGCGTGCCAAGGC
 CGACGCCCGCGCGCGCAACACGCGCATGCTGACCTGAGCGCCTACCGCGAGCTGGTTGACG
 CCGGCGCCACCGAGTTCACCGGATTCGACGAGTTGCGTTCACAGGCGCGGATTCTGGGCATCT

TCGTCGACGGTAAGCGGGTTCGGTGGTGGCGCACGGTGTAGCCGGCGGAGCCGGGGAAGG
 GCAGCGTGTGAACTTGTCTTAGATCGCACCCCGCTCTACGCCGAATCGGGTGGGCAGATCGC
 CGATGAGGGCACCATCAGCGGAACCGGTTCCAGCGAAGCTGCCCCGGCCGCGGTTACCGACG
 TGCAGAAGATCGCCAAAACGCTTTGGGTGCACCGAGTCAACGTGGAATCCGGGGAATTCGTGC
 5 AGGGTGACACCGTAATCGCGGCGGTGGATCCCGGGTGGCGCCGGGGTGCCACGCAGGGCCA
 CTCGGGCACCCACATGGTGCATGCCGCGCTGCGACAAGTGCTGGGGCCCAACGCGGTTCAGG
 CGGGATCGCTGAACCGGCCGGGATATTTGCGCTTCGACTTTAACTGGCAGGGTCCGTTGACCG
 ACGACCAGCGCACCCAGGTGGAAGAGGTCACCAACGAGGCCGTGCAAGCGGACTTCGAGGTG
 CGCACGTTACCCGAACAGCTCGACAAGGCCAAGGCGATGGGTGCCATCGCGCTGTTCCGGCGAG
 10 AGCTACCCCGACGAAGTGCGGGTGGTGGAGATGGGTGGACCGTTCTCGCTGGAGCTATGTGGC
 GGCACCCATGTGAGCAACACGGCGCAGATCGGTCCCGTGACGATCCTGGGCGAGTCGTGATC
 GGCTCCGGGGTGCGCCGGGTGGAGGCCTACGTGGGGTTGGATTGTTTCGTACCTGGCCAA
 GGAGCGTGCGTTGATGGCCGGGTTGGCCTCGTCACTGAAGGTGCCGTCCGAAGAGGTACCGG
 CCCGGGTGGCCAATCTAGTGGAGCGCCTGCGGGCCCGCGAGAAGGAACTCGAACGTGTCCGG
 15 ATGGCCAGCGCCCCGGGCAGCCGCCACCAATGCCGCCGCCGGGGCTCAGCGGATCGGTAACGT
 CCGTTTGGTGGCGCAGCGAATGTCCGGCGGGATGACCGCGGCAGACCTGCGGTGCTTGATCG
 GCGACATCCGCGGCAAGCTGGGTAGCGAGCCGGCGGTGGTGGCGCTGATTGCCGAGGGCGAA
 AGCCAACTGTGCCGTATGCGGTGCGGGCCAATCCCGCTGCCCAGGACCTCGGAATCCGTGCC
 AACGACCTGGTCAAACAACCTTGGGTGGCGGTGCAAGGCCGCGGTGGCGGTAAGGCGGACCT
 20 GGCGCAGGGCTCGGGAAGAATCCGACCGGTATCGACGCCGCGCTCGACGCGGTCCGCTCCG
 AGATCGCCGTGATAGCGCGGGTCGGTTGA

>Rv2580c hisS histidyl-tRNA synthase TB.seq 2904822:2906090 MW:45118

>emb|AL123456|MTBH37RV:c2906090-2904819, hisS SEQ ID NO:102

25 GTGACGGAATTCTCGTCATTTTCGGCCCCAAGGGGGTACCGGACTACGTCCCGCCCGACTCG
 GCGCAGTTCGTGCGGTGCGCGACGGGTGCTCGCGGCGGCCCCGTCAAGCCGGCTATAGCCA
 CATCGAGCTGCCATCTTCGAGGACACCGCCCTGTTGCCCCGGGGCGTGGGTGAATCCACCGA
 CGTGGTGTCCAAGGAGATGTATACGTTCCCGACCGTGCGGACCGCTCGGTGACGCTGCGGCC
 CGAGGGCACCGCCGGGGTGGTGCGTGCGGTGATCGAACACGGGCTGGATCGCGGCGCGCTG
 30 CCGGTGAAGTTGTGTTATGCGGGCCCGTTTTTCCGCTACGAGCGTCCGACGGCCGCGGTAT
 CGCCAGTTACAGCAAGTCGGGGTGGAGGCGATCGGCGTCGACGACCCGGCGTTGGACGCCGA
 GGTGATCGCCATTGCCGACGCCGGGTTCCGCTCGTTGGGTCTCGACGGGTTCCGGCTGGAAAT
 CACCTCCCTGGGAGACGAGAGTTGCCGTCCGCAGTACCGGGAAGTGTGCAGGAGTTCTTGTTT
 GGACTCGATCTCGACGAGGACACCCGCAGGCGCGCAGGGATCAATCCGCTGCGGGTGCTCGA
 35 CGACAAGCGACCCGAATTGCGTGCGATGACGGCGTGGCGCCGGTGTTGCTGGATCATCTGTC
 TGATGTGCCAAGCAGCATTTCGACACCGTGCTCGCCCATCTGGACGCGCTTGGAGTGCCCTAT
 GTCATCAACCCGCGCATGGTGCGCGGCCTGGACTACTACCAAGACCGCCTTCGAGTTCGTC

CATGACGGGCTTGGTGC GCAATCGGGGATCGGCGGCGGGGGGCGCTACGACGGCCTGATGCA
 CCAGCTTGGCGGGCAGGACTTGTCTGGGCATCGGGTTCTGGGCTGGGCGTGGACCGGACCGTG
 TGGCGCTGCGGGCCGAGGGCAAGACGGCGGGGGACAGCGCCCGGTGCGACGTGTTCTGGCGT
 GCCGCTTGGCGAGGCGGCCAAGCTCAGGCTGGCGGTGCTGGCTGGACGACTGCGCGCGGCC
 5 GGGGTGCGGGTTGACCTTGCCTATGGTGATCGCGGGCTCAAAGGCGCGATGCGCGCGGCCG
 TCGTTCCGGCGCCCGTGTTGCGTTGGTAGCGGGCGACCGCGACATCGAGGCCGGGACGGTCG
 CAGTGAAGGACTTGACGACGGGTGAGCAAGTTTCGGTCTCGATGGATTCTGGTTGTGGCCGAAG
 TAATTTCTCGGGCTGGCTGGGTAG

10 >Rv2614c thrS threonyl-tRNA synthase TB.seq 2941190:2943265 MW:77123

>emb|AL123456|MTBH37RV:c2943265-2941187, thrS SEQ ID NO:103

ATGAGCGCCCCCGCACAAACCGCCCCGGGAGTTCGATGGCGGCGACCCGTGCGAAGCCCGAAT
 TCGGGTTCTGCGGGACCAACCGCGGCCACCGCCGTCGGCGAAGCGGGTTTACCGCGGCGCG
 GTACGCCCGATGCGATCGTCGTGCGCGACGCCGACGGCAACCTGCGCGACCTGAGCTGG
 15 GTGCCCCGACGTGACACCGATATCACGCCGGTGGCCGCCAACACCGACGACGGTCGCAGCGT
 GATCCGCCATTGACCGCGCACGTGTTGGCCCAAGCCGTCCAAGAGCTGTTTCCGCAGGCCAA
 GCTCGGCATCGGACCACCCATCACCGACGGCTTCTACTACGACTTCGACGTGCCCCGAGCCGTT
 CACGCCCCGAGGACTTGGCGGCGCTGGAAAAGCGGATGCGCCAGATCGTCAAGGAAGGCCAGC
 TGTTGACCGGCGGGTCTACGAATCCACCGAACAGGCCCGCGCCGAGCTGGCCAACGAGCCC
 20 TACAAGCTGGAACCTGTCGACGACAAATCGGGTGACGCCGAGATCATGGAGGTGCGCGGTGAC
 GAGCTCACCGCCTACGACAACCTCAACCCCCGACCCGCGAGCGCGTCTGGGGCGACCTGTG
 CCGCGGACCGCACATCCCGACCACCAAACACATCCCGGCGTTCAAGCTCACCCGCAGCTCGGC
 CGCCTACTGGCGGGGCGATCAGAAAAACGCCAGCCTGCAACGGATCTACGGCACCGCGTGCG
 AATCCCAGGAGGCGCTCGACAGGCACCTGGAGTTCATCGAAGAGGCGCAGCGCCGCGACCAC
 25 CGCAAGCTGGGTGTCGAGCTGGACCTGTTTCAGCTTCCCCGACGAAATCGGTTCCGGCCTAGCG
 GTTTTCCACCCCAAGGGCGGCATCGTGCGTCGCGAACTGGAGGACTACTCGCGGCGCAAGCAC
 ACCGAGGCGGGCTACCAGTTCGTCAACAGCCCCGCACATCACCAAGGCCAGTTGTTCCACACC
 TCGGGACATCTGGACTGGTACGCCGACGGCATGTTCCCCCGATGCACATCGACGCGGAGTAC
 AACGCCGACGGCTCGCTGCGCAAACCCGGCCAGGACTACTACCTCAAGCCGATGAACTGCCCG
 30 ATGCACTGCCTGATCTTCCGCGCGCGCGGGCGATCCTATCGGGAACCTGCCGTTGCGGCTCTTC
 GAGTTCGGCACGGTGTATCGCTACGAGAAGTCCGGTGTGGTGACGGGTTGACCCGGGTGCGT
 GGGCTGACCATGGACGACGCGCACATCTTCTGCACCCGCGACCAGATGCGCGACGAGCTGCG
 GTCGCTGCTGCGGTTTGTGCTCGACCTGCTCGCCGACTACGGCCTCACCGACTTCTACCTCGAA
 CTGTCCACCAAGGACCCGGAGAAGTTCGTGCGGCGCGAGGAGGTCTGGGAGGAAGCCACCAC
 35 CGTGCTGGCCGAGGTGGGCGCCGAATCCGGGCTGGAGCTGGTGCCCGATCCAGGCGGCGCG
 GCGTTCTACGGGCCCAAGATTTTCAGTGACAGGTCAAAGACGCGCTGGGCCGACCTGGCAGATG
 TCGACCATCCAGCTGGACTTCAACTTTCCGGAACGTTTCGGCCTGGAGTACACCGCCGCGGACG

GAACCCGCCACCGCCCGGTGATGATCCACCGCGCGCTATTTGGGTCGATCGAGCGGTTCTTCG
GCATTCTCACCGAGCACTACGCGGGGGCGTTCCCGGCCTGGTTGGCGCCCGTGACAGGTGGTC
GGCATCCCGGTGCGCGATGAGCACGTGCGCTATCTGGAAGAGGTTGCCACGCAACTGAAGTCG
CACGGGGTGCGGGCCGAGGTGGACGCCAGCGACGATCGGATGGCCAAGAAGATCGTGACCA
5 CACCAACCACAAGGTGCCGTTTCATGGTGTGGCGGGTGATCGTGACGTGCGCCGCCGGCGCGGT
GAGTTTCCGGTTCGGTGACCGCACCCAAATCAACGGTGTGGCCCGTGACGATGCGGTGGCGGC
CATTGTCGCCTGGATCGCTGACCGCGAAAATGCGGTTCTACAGCGGAAGTGGTGAAAGTGGC
CGGTCGTGAGTGA

10 >Rv2697c dut deoxyuridine triphosphatase TB.seq 3013683:3014144 MW:15772

>emb|AL123456|MTBH37RV:c3014144-3013680, dut SEQ ID NO:104

GTGTCGACCACTCTGGCGATCGTCCGCCTCGACCCCGGGCTCCCGCTGCCAGCCGCGCTCAC
GACGGCGACGCCGGCGTTGATCTCTACAGCGCCGAAGACGTGAGCTGGCACCTGGGCGCCG
CGCCCTGGTACGGACGGGTGTTGCGGTGCGCGTCCCGTTCCGGCATGGTCGGGCTGGTCCATC
15 CGCGCTCCGGGTGGCCACGCGGGTGGGGCTTTGATCGTCAACAGTCCGGGCACCATCGAC
GCGGGTTATCGTGGGAGATCAAGGTGGCCCTGATCAACTTGACCCAGCCGCGCCCATCGTG
GTACATCGCGGTGACCGAATCGCCCAGTTGCTAGTGCAACGGGTTGAGTTGGTCGAGCTGGTC
GAGGTCTCGTTCGACGAGGCGGGCTGGCCTCGACATCCCGCGGCGACGGTGGCCACGG
TTCCTCCGGCGGACATGCGAGTTTGTGA

20 >Rv2782c pepR protease/peptidase, M16 family (insulinase) TB.seq 3089045:3090358 MW:47074
>emb|AL123456|MTBH37RV:c3090358-3089042, pepR SEQ ID NO:105

ATGCCGCGACGGTCACCAGCTGACCCCGCGGCGGCGCTGGCGCCGCGGCGCACCAACCTGC
CGGGCGGGCTGCGAGTGGTCACCGAATTCCTGCCGCGGTGCACTCCGCGTCGGTCGGGGTG
25 TGGGTCGGCGTCGGATCGCGCGACGAAGGCGCCACGGTGGCCGGGGCGGCGCACTTCCTTGA
GCATTTGCTGTTCAAGTCGACGCCACCCGCTCTGCCGTGGACATTGCGCAGGCGATGGACGC
GGTGGGCGGGGAAGTGAACGCATTACCGCCAAGGAGCACACCTGCTACTACGCCACGTGCT
CGGCAGCGACTTGCCGTTGGCGTCGACCTGGTCGCCGATGTGGTGCTCAACGGCCGCTGTGC
CGCCGACGATGTCGAGGTGGAACGTGACGTGCTCCTCGAGGAGATCGCGATGCGCGACGACG
30 ACCCCGAGGACGCCTTGCGGGACATGTTCTGGCGGCGTTGTTCCGGCGACCAACCGGTCGGTC
GCCCGGTGATCGGCAGCGCGCAATCCGTGTGGTGATGACGCGGGCTCAACTGCAATCGTTTC
ACCTGCGGCGCTATACCCCGGAGCGGATGGTCGTGCGGCGCCGCGCAATGTGGATCACGAC
GGGCTGGTTGCGTTGGTCCGCGAGCACTTCGGGTCCCGGTTGGTCCGGGGGAGACGGCCAGT
TGCGCCGCGCAAGGTTACCGGCCGGTCAACGGCAGCCCCCGGTTGACACTGGTTAGCCGCG
35 ACGCCGAACAGACGCATGTGTCGCTGGGCATCCGCACACCCGGGCGCGGCTGGGAGCATCGT
TGGGCACTGTGGTGCTGCACACCGCGCTGGGCGGTGGCTTGAGTTCCCGGCTGTTCCAGGAG
GTCCGCGAGACCCGCGGGCTGGCCTACTCGGTCTACTCCGCGCTGGATCTCTTCGCCGACAGC

GGCGCGCTTTCGGTGTACGCGGCCTGCCTGCCCCAACGCTTCGCCGACGTGATGCGGGTGAC
CGCCGATGTGCTGGAAAGCGTGGCACGCGACGGCATCACCGAGGCGGAATGCGGCATCGCCA
AGGGATCGCTGCGGGGTGGGCTGGTGTAGGGCTGGAGGATTCCAGCTCCCGGATGAGCCGG
CTCGGCCGACGAGTTGAACTACGGCAAGCACCGCAGCATCGAACACACCTTGCGGCAAATC
5 GAGCAGGTCACCGTGGAGGAGGTCAACGCGGTGGCCCGCCACCTGCTGAGCAGGCGCTACGG
TGCTGCCGTTCTTGCCCCACACGGATCGAAACGATCACTGCCGCAACAACCTTCGAGCGATGGTA
GGGTAG

>Rv2783c gpsi pppGpp synthase and polyribonucleotide phosphorylase TB.seq

3090339:3092594 MW:79736 >emb|AL123456|MTBH37RV:c3092594-3090336, gpsi

SEQ ID NO:106

ATGTCTGCCGCTGAAATTGACGAAGGCGTGTTGAGACGACCGCCACCATCGACAACGGGAGC
TTTGGCACCCGGACCATCCGCTTCGAGACCGGCCGATTGGCCTTGCAGGCCGCCGGCGCGGT
GGTCGCCTACCTCGACGACGACAACATGCTGCTGTCGGCGACCAACGCCAGCAAGAACCCCAA
15 AGAACACTTCGACTTCTTCCCCCTCACGGTCGACGTGAGGAGCGCATGTATGCGGCCGGCCG
CATCCCCGGTTCGTTCTTCCGTCGCGAGGGGCCGACCCTCCACCGACGCGATCCTGACCTGCCG
GCTCATCGACCGCCCGCTGCGCCCGTCGTTTGTGACGGGCTGCGCAACGAGATCCAAATCGT
GGTGACGATTCTCAGCCTGGATCCGGGCGATCTCTACGACGTATTGGCGATCAACGCGGCGTC
GGCGTCCACCCAGCTGGGCGGTCTGCCGTTCTCCGGGCCCATCGGCGGTGTGCGGGTGGCGC
20 TCATCGACGGCACCTGGGTGCGCTTCCCCACCGTCGACCAGATCGAGCGCGCCGTGTTGACA
TGGTCGTGGCCGGCCGGATCGTCGAGGGTGATGTTGCCATCATGATGGTGAAGCCGAGGCCA
CCGAAAACGTGTCGAGCTCGTCGAAGGTGGTGCCCAAGCGCCGACGGAAAGCGTGGTGGCC
GCGGGCCTGGAGGCGGCCAAGCCGTTTATCGCCGCGCTGTGACCGCGCAGCAGGAGCTTGC
CGATGCCGCTGGAAGTCGGGCAAACCGACCGTCGACTTCCCGGTGTTCCCTGACTACGGCGA
25 AGACGTGTACTACTCGGTGTCCTCGGTGGCCACCGACGAGTTGGCCGCCGCGTTGACCATCGG
CGGTAAAGCCGAGCGCGACCGAGCGCATCGACGAAATCAAGACCCAGGTTGTGCAGCGGCTCGC
CGACACCTACGAGGGTCGCGAAAAGGAGGTGGCGCCGCGGTTGCGTGCCCTGACCAAAAAGCT
GGTTCGGCAGCGCATCCTCACCGACCATTTCCGTATCGACGGCCGCGGCATCACCGACATTGG
CGCATTGTGCGCCGAGGTGGCCGTGTTCCGCGCGCGCACGGCAGCGCGCTGTTGAAACGCG
30 GCGAAACCCAGATCCTGGGTGTGACCACACTCGACATGATCAAGATGGCCCAGCAGATCGACT
CGTTGGGGCCGGAGACATCGAAGCGGTACATGCACCACTACAACCTCCCGCCGTTCTCCACCG
GCGAGACCGGTGCGGTGCGTTGCCCCAAGCGGCGTGAGATCGGGCACGGCGCACTGGCCGA
GCGGGCCCTGGTGCCGTGTTGCCGAGCGTCGAGGAATTCCCGTATGCCATTCGCCAGGTGTC
GGAGGCTCTGGGCTCCAACGGGTGACCTCGATGGGGTGGTGTGCGCGTCGACGCTGGCGC
35 TGCTCAACGCCGGGGTGCCGCTCAAGGCGCCGGTGGCCGGCATCGCGATGGGCCTGGTCTCC
GACGACATTCAAGTAGAAGGGGCGGTGACGGCGTTGTGGAGCGTCGCTTCGTCAACCTCACC
GACATCCTCGGCGCCGAAGACGCGTTCGGTGACATGGACTTCAAGGTGCGCCGGGACCAAGGAC

TTCGTCACCGCGCTGCAGCTGGACACCAAGCTCGACGGGATCCCTTCGCAGGTGCTTGCCGGA
GCACTCGAGCAGGCCAAGGACGCCCCGCTCACGATCTTGGAGGTGATGGCTGAGGCCATCGAT
AGACCCGACGAAATGAGTCCCTACGCCCCGCGGGTGACCACCATCAAGGTTCCGGTGGACAAG
ATCGGGGAGGTCATCGGACCCAAGGGCAAGGTCATCAACGCCATCACCGAGGAGACCGGCGC
5 GCAGATCTCCATCGAAGACGACGGCACCGTGTTTCGTCGGCGCCACCGACGGGCCATCGGCACA
GGCCGCGATCGACAAGATCAACGCCATCGCCAACCCGCAGCTGCCGACGGTGGGCGAACGGT
TCCTCGGAACCGTGGTCAAGACCACCGATTTTCGGTGCCTTTGTATCGTTGCTGCCTGGCCGCGA
CGGTCTGGTGCACATTTCCAACTCGGCAAGGGCAAGCGCATCGCGAAGGTGAGGACGTTGT
CAATGTCGGTGACAAGCTGCGGGTGGAGATCGCCGACATCGACAAACGGGGCAAGATCTCCCT
10 GATCCTGGTCGCCGACGAGGACAGCACCGCCGCGCTACCGATGCCGCGACGGTCACCAGCT
GA

>Rv2793c truB tRNA pseudouridine 55 synthase TB.seq 3102364:3103257 MW:31821

>emb|AL123456|MTBH37RV:c3103257-3102361, truB SEQ ID NO:107

15 ATGAGCGCAACCGGCCCCCGGAATCGTGGTTATCGACAAGCCCGCGGGAATGACCAGCCATGAC
GTGGTGGGGCGGTGCCGCGCATCTTCGCCACCCGGCGGGTCGGCCACGCGGGCACCCCTGG
ACCCGATGGCCACCGGGGTGTTGGTATCGGCATCGAACGCGCCACCAAGATCCTCGGTCTGC
TGACGGCGGCCCCCAAGTCGTATGCCGCCACCATCCGCTTGGGTCAGACCACTTCCACCGAGG
ACGCCGAAGGTCAAGTGCTGCAGTCGGTTCCGGCTAAGCACCTGACCATCGAGGCGATCGACG
20 CCGCGATGGAGCGGCTGCGCGGTGAGATCCGGCAGGTGCCGTGTCGGTCAGCGCGATCAAG
GTCGGTGGCCGACGCGCCTATCGGTTGGCCCGCCAGGGGCGCTCCGTGCAATTGGAAGCCCG
GCCGATCCGCATCGACCGGTTTCGAGCTGCTGGCCGCACGCCGGCGCGACCAAGCTCATCGATAT
CGATGTGGAGATCGACTGCTCCTCGGGAACCTACATCCGCGCGTTGGCACGCGACCTCGGCGA
CGCGCTTGGGGTGGGAGGCCATGTGACGGCGTTGCGGCGCACCCGCGTCGGCCGCTTCGAGC
25 TGGACCAGGCGAGATCGCTCGACGATCTCGCGGAGCGCCCCGCGCTGAGCCTGAGCCTCGAT
GAGGCCTGCCTGCTGATGTTTGC CGCGCCGCGACCTGACCGCCGCGGAGGCCAGCGCGGCCCG
CAACGGCCGGTCCCTGCCGGCGGTTCGGTATCGACGGCGTGTACGCGGCCTGTGACGCCGACG
GCCGGGTTATCGCGCTGCTGCGTGACGAGGGTTCGCGGACCAGGTCGGTGGCGGTGCTCCGC
CCGGCGACGATGCACCCCGGGTAG

30 >Rv2797c - TB.seq 3105619:3107304 MW:58761 >emb|AL123456|MTBH37RV:c3107304-3105616,
Rv2797c SEQ ID NO:108

35 GTGCCACTGACCGTGGCCGATATCGATCGGTGGAACGCGCAAGCGGTCCGGGAGGTGTTTCAC
GCGGCCAGTGCCCGAGCGGAGGTGACGTTTCGAGGCGTCGCGTCAGTTGGCCGCGCTGTGAT
TTTTGCGAACTCGGGTGGCAAGACCGCTGAGGCGGCGGCACACCACAACGCGGGCATTGCC
GAGACCTCGACGCCCCACGGCAACGAGGCGTTGGCGGTTGCCCGGGCGGCGGACAGGGCCGC
CGACGGGATTGTGAAGGTTTCAGTCCGAGCTGGCCGCACTACGCCATGCCGCGCGGGCCGCG

AGCTGACGATCGATGCGCTGATCAACCGGGTGGTGCCGATCCCCGGGCTGCGATCCACCGAG
 GCGCAGTGGGCGCGGACGCTGGCCAAGCAAACGGAGCTGCAGGCGGAGCTGGATGCGATTAT
 GGCCGAGGCCAATGCCGTCGACGAGGAGCTGGCCTCAGCGGTCAATATGGCCGACGGTGACG
 CGCCCATCCCCGGCCGATTCCGGCCCCGGGTCCGTCCCGAGGGGCTGACCCCGACCCAGCTC
 5 GCCAGCGATGCCAACGAGGAGCGGCTGCGCGAGGAGCGCGCCCGCCTGCAGGCCCCACCTCG
 AGCGGTTACAGGCGGAGTATGACCAACTGAGTGTGCGGGCCGCCGTGACTACCACAACGGCA
 TCCTCGACGGTGACGCGGTGGGCCGACTGGCAGCGCTTACCGACGAGCTGAGCGCCGCCAGG
 GGCCGGCTGGGTGAGCTCGATGCCGTCGACGAGGCGTTGAGCCGAGCACCCGAGACCTACCT
 GACCCAGCTGCAGATTCCCGAGGACCCAAATCAGCAGGTGCTGGCGGCCGTGGCCGTCCGTAA
 10 TCCCGACACCGCCGCCAATGTGTCCGGTGACGGTTCGGCGCTCGGGTCCACCACCCGGGGCG
 CCCTGCCCCGGCATGGTGACCGAAGCCCGCGACCTGCGGTCCGAGGTAATCCGGCAACTCAATG
 CTGCCGGCAAGCCCGCATCGGTTGCCACCATCGCCTGGATGGGCTACCACCCGCCCGGAACC
 CACTCGACACCGGCAGTGCGGGCGATCTGTGGCAGACCATGACCGATGGGCAGGCACACGCG
 GCGCGGGCCGATCTGTGCGGTTATTTGCAGCAGGTGCGCGCCAATAACCCCAAGTGGCCACCTG
 15 ACCGTGTTGGGGCACTCGTATGGGTGCTGACGGCGTCGCTGGCGTTGCAGGACCTCGATGCC
 CAGAGCGCCCATCCGGTCAACGACGTCGTGTTTTACGGCTCACCCGGCTTGAGCTGTACAGC
 CCGGCGCAGCTCGGGCTCGATCACGGGCACGCTTATGTCATGCAGGCCCCCAGACCTCATC
 ACCAATCTGGTGGCGCCGTTGGCGCCGCTGCACGGATGGGGCCTGGACCCCTATCTGACCCCG
 GGGTTCACGGAGCTGTGTCACAGGCGGGTTTTGATCCGGGCGGGATCTGGCGTGACGGAGT
 20 GTATGCCACGCGGACTACCCGCGGTCTTCCTCGATGCCGCGGCCAGCCGCAGCTGCGGA
 TGTCCGGCTATAACCTGGCGGCGATCGCCGCGGGGCTGCCCGACAACAGGTGGGCCCGCCG
 CTGCTTCCGCCAATTCTGGGTGGCGGCATGCCGGCAGCGCCCGGCCAGCACTGAGAGGGGG
 ACGTTGA

25 >Rv2864c ponA2 TB.seq 3175454:3177262 MW:63015 >emb|AL123456|MTBH37RV:c3177262-
 3175451, Rv2864c SEQ ID NO:109
 ATGGTAACTAAAACAACATTAGCCTCAGCCACCTCAGGTTTGCTGCTGCTTGCGGTGCTCGCCAT
 GTCGGGCTGCACCCCGCGTCCCCAAGGGCCCGGTCCGGCGGCCGAAAAGTTCTTCGCCGCGC
 TGGCCATCGGTGACACCGCCTCGCCCGCCAGCTCAGCGACAACCCCAACGAGGCGCGCGAA
 30 GCGCTGAACGCGGCCTGGGCGGGGCTGCAGGCGGCCACCTGGATGCGCAGGTTCTCAGCGC
 CAAGTACGCCGAGGACACCGGTACGGTCGCTTATCGCTTCAGCTGGCATCTGCCCAAGGACCG
 AATCTGGACCTATGACGGCCAGCTGAAGATGGCCCGCGACGAAGGGCGTTGGCACGTTTCGCTG
 GACCACCAGCGGGTTGCATCCCAAGCTAGGCGAACATCAAACGTTTCGCGCTACGAGCCGACCC
 GCCGCGGCGCGCCTCGGTGAACGAAGTCGGCGGCACCGATGTGCTGGTGCCGGGCTATCTGT
 35 ATCACTACTCGCTGGACGCCGCGCAGGCCGGCGCGAGCTCTTCGGCACGGCACACGCGGTG
 GTGGGCGCGCTGCACCCCTTCGACGACACGCTCAATGATCCGCAGCTGCTGGCCGAACAGGCC
 AGCTCGTCGACCCAGCCGTTGGACCTGGTCACGTTGCACGCGACGACAGCAACCGGGTGGC

CGCGGCGATCGGGCAGCTGCCTGGCGTGGTGATCACACCGCAGGCCGAGCTGCTCCCGACCG
 ACAAGCACTTCGCGCCGGCGGTCTCAACGATGTCAAGAAGGCCGTCGTCGATGAACTCGACG
 GCAAGGCGGGTTGGCGGGTGGTGAGCGTCAACCAAATGGCGTCGACGTCTCGGTGCTGCAC
 GAGGTGCCCCATCACCTGCGTCGTGGTTTCGATCACGTTGGATCGGGTCGTGCAAAACGCC
 5 GCGCAACACGCGGTGAACACCCGGGCGGCAAGGCGATGATCGTCGTGATCAAGCCGTCGAC
 CGGCGAGATCCTGGCGATCGCGCAGAACGCCGGGGCCGATGCGGACGGTCCGGTCGCGACCA
 CCGGTCTATATCCACCCGGGTGACATTCAAGATGATACCGCCGGTGCGGCCGTCGAGCGTG
 ACCTGGCTACCCCTGAGACGCTGCTGGGTTGCCCCGGGAGATCGACATCGGGCATCGCACCA
 TTCCCAACTACGGTGGCTTTGATCTGGGCGTGGTGCCGATGTCACGCGCGTTTGCCAGTTCCTG
 10 CAACACCACCTTCGCCGAGCTGAGCAGCAGGCTGCCTCCCCGCGGTCTGACTCAGGCGGCCC
 GGCGGTACGGGATCGGGCTTGACTACCAGGTGGACGGCATCACACGGTGACCGGTTCCGGTG
 CCGCCGACGGTGGACCTGGCCGAACGCACCGAGGACGGTTTCGGCCAGGGCAAGGTGCTGGC
 CAGCCCGTTTCGGCATGGCCTTGGTGGCGGCGACGGTAGCCGCCGGGAAGACCCCGGTTCCAC
 AGCTGATCGCCGGCCGGCCGACGGCCGTCGAAGGCGATGCCACACCGATCAGCCAGAAGATG
 15 ATCGACGCGCTGCGGCCCATGATGCGGTTGGTGGTGACCAATGGCACCGCCAAGGAGATCGCT
 GGCTGTGGCGAGGTGTTTCGGTAAGACCGGCCGAAGCCGAATTCCCGGGCGGATCGCATTCTG
 GTTCGCCGGGTACCGTGGCGATCTGGCATTTCGTCGCTGATCGTCGGGGGCGGTAGCTCGGA
 ATACGCGGTGCGGATGACCAAGGTGATGTTCAATCGCTGCCGCCGGGGTACCTGGCGTAG

>Rv2868c gcpE TB.seq 3179368:3180528 MW:40451 >emb|AL123456|MTBH37RV:c3180528-
 3179365, gcpE SEQ ID NO:110
 GTGACTGTAGGCTTGGGCATGCCGCAGCCCCCGGCACCCACGCTCGCTCCCCGGCGCGCCAC
 CCGTCAGCTGATGGTCGGCAACGTCGGCGTGGGCAGTGACCATCCGGTCTCGGTGCAATCGAT
 GTGCACCACCAAAACCCACGACGTCAACTCGACATTGCAACAAATCGCCGAGCTGACCGCGGC
 25 CGGATGCGACATCGTGCGGGTGGCCTGCCCGCGCCAGGAGGACGCCGACGCGCTGGCCGAG
 ATCGCCCGGCACAGCCAGATCCCGGTAGTCGCGGACATACATTTCCAGCCGCGCTACATATTCG
 CCGCCATCGACGCTGGATGTGCCGCGGTGCGGGTCAACCCGGGCAACATCAAGGAGTTTGACG
 GCCGGGTGGGTGAGGTGCCAAGGCGGCGGGTGCGGCCGGGATCCCGATCCGAATCGGTGT
 CAACGCCGGTTCGCTGGACAAACGGTTCATGGAGAAGTATGGCAAAGCCACGCCCGAGGCGCT
 30 GGTTGAGTCGGCGCTGTGGGAGGCTTCGCTTTTCGAGGAGCATGGCTTCGGTGACATCAAGAT
 CAGCGTCAAGCACAACGACCCGGTGGTGATGGTCGCCGCTACGAGCTGCTTGCTGCACGGTG
 CGACTACCCACTGCACCTCGGTGTCACCGAGGCGCGCCCTGCTTTCCAGGGCACCATCAAGTC
 CGCGGTTGCCTTCGGCGCGTTGCTGTGCGGGGCATAGGCGACACCATCCGGGTGTCGTTGTC
 GGCCCCGCCGGTCGAGGAAGTCAAGGTGGGCAATCAGGTTCTCGAGTCGTTGAACCTGCGGCC
 35 GCGTTCGCTCGAGATCGTGTCTTGCCCGTCGTGCGGTGCGCGCAAGTCGACGTCTACACCCT
 GGCCAACGAGGTAACCGCCGGCCTGGATGGTCTCGATGTGCCGTTGCGGGTGGCGGTGATGG
 GGTGTGTCGTCAATGGTCCGGGTGAAGCACGTGAGGCCGACCTGGGCGTGGCGTCCGGCAAC

GGCAAAGGTCAGATCTTTGTACGGGGCGAAGTGATCAAGACCGTGCCCCGAAGCACAGATCGTC
GAGACGCTGATCGAGGAGGCGATGCGGCTGGCCGCCGAAATGGGCGAGCAAGATCCGGGCGC
GACACCGAGCGGTTTCGCTATTGTGACCGTAAGCTGA

5 >Rv2869c - TB.seq 3180548:3181759 MW:42835 >emb|AL123456|MTBH37RV:c3181759-3180545,
Rv2869c SEQ ID NO:111

ATGATGTTTGTACCGGCATTGTGCTGTTTCGCGCTCGCGATCCTGATTTCCGGTGGCCCTGCACG
AATGTGGTCACATGTGGGTCGCGCGCCGCACCGGGATGAAGGTACGTCGCTATTTTCGTCGGCT
TTGGCCCCACGTTGTGGTCGACCCGGCGCGGCGAGACCGAATACGGTGTCAAAGCCGTTCCGC
10 TGGGCGGCTTCTGTGACATCGCCGGCATGACCCCGGTGAGGAACTCGACCCCGACGAACGTG
ACCGTGCGATGTACAAGCAGGCCACCTGGAAGCGGGTCGCAGTGTTATTCGCCGGGCCCCGAA
TGAACCTCGCTATCTGCCTGGTGCTGATCTATGCCATCGCGCTGGTCTGGGGGCTGCCTAACCT
GCATCCGCCAACCAGGGCCGTAATCGGCGAAACTGGCTGCGTTGCACAGGAAGTGAGCCAGG
GCAAGCTCGAGCAGTGACCCGGGCCCCGGTCCGGCGGCGCTGGCCGGAATTCGCTCCGGTGAC
15 GTCGTGGTCAAGGTCGGTGACACCCCGGTGTCCAGTTTCGACGAGATGGCCGCCGCGGTGCG
CAAGTCACACGGCAGCGTCCCAGTCGTTGTCGAGCGTGACGGCACCGCGATTGTTACCTACGT
GGACATCGAATCCACCCAACGCTGGATCCCTAACGGGCAGGGCGGTGAGCTCCAGCCGGCAAC
GGTCCGTGCGATTGGGGTGGGCGCCGCCCGGGTCCGGCCTGTGCGCTACGGCGTGTTCTCCG
CCATGCCGGCCACATTCGCGGTACCGGCGACCTGACCGTGGAGGTGGGCAAGGCGCTGGCC
20 GCCCTCCCGACCAAGGTAGGTGCGCTGGTGCGGGCGATCGGCGGCGGGCAGCGTGACCCGC
AGACGCCGATAAGTGTGGTGGGCGCCAGCATCATCGGCGGCGACACCGTCGACCATGGGCTG
TGGGTGGCGTTCTGGTTCTTCTGGCCCAGCTGAACCTCATCCTGGCTGCGATCAACCTGCTGC
CGTTGCTGCCGTTTCGATGGCGGCCATATTGCCGTCGCGGTGTTTCGAGAGGATCCGCAACATGG
TCCGGTCGGCTCGTGGCAAGGTGGCGGCCGCACCGGTGAATTACCTCAAACCTTTGCCGGCGA
25 CCTATGTGGTCTTGGTTCTTGTGTCGGGTACATGCTCTTGACCGTCACCGCCGACCTGGTCAA
CCCGATTAGGCTTTTCCAGTAG

>Rv2870c - TB.seq 3181770:3183077 MW:45324 >emb|AL123456|MTBH37RV:c3183077-3181767,
Rv2870c SEQ ID NO:112

30 GTGGCTACCGGTGGACGCGTCGTGATCCGGCGGCGCGGTGACAACGAGGTGGTGGCGCACAA
TGATGAGGTGACCAACTCGACCGACGGGCGCGCTGACGGCCGGTTGCGGGTGGTGGTGTCTGG
GCAGTACCGGCTCGATCGGCACCCAGGCGCTTCAGGTCATCGCCGACAATCCGGACCGTTTCG
AGGTAGTCGGGCTGGCCGCTGGCGGCGCCCATCTGGACACGTTGCTGCGACAACGTGCGCAG
ACCGGGGTGACCAATATTGCCGTCGCTGACGAGCACGCGGCGCAGCGGGTGGCGACATCCC
35 CTACCACGGATCCGACGCCGCCACCCGGCTGGTCGAGCAGACCGAGGCCGACGTCGTCCTCA
ATGCGCTGGTCGGCGCGTTGGGCTGCGACCGACGTTGGCCGCGCTCAAGACGGGTGCCCGG
CTGGCGCTGGCCAACAAGGAATCGCTGGTCGCCGGTGGTTCGCTGGTGTGCGGGCGGCGCG

GCCCGGTCAGATCGTGCCGGTCGACTCCGAACACTCCGCGCTGGCCCAGTGCCTGCGCGGCG
 GCACTCCCGACGAGGTCGCCAAGCTGGTGCTGACGGCCTCGGGAGGGCCGTTTCGGGGCTGG
 TCCGCGGCCGACCTCGAGCATGTCACCCCCGAGCAGGCTGGCGCGCATCCTACGTGGTTCGATG
 GGCCCGATGAACACGCTGAATTCGGCGTCGCTGGTCAACAAGGGAAGTTGAGGTCATCGAAACC
 5 CACCTGCTGTTTCGGCATCCCCTACGACCGCATCGATGTCGTGGTGCACCCCCAGTCGATCATCC
 ATTCGATGGTCACCTTCATCGACGGTTCGACGATCGCCCAGGCCAGTCCCCCGGACATGAAGCT
 ACCGATTTCTAGCGCTGGGCTGGCCGCGTCGGGTACGCGGCGCCGCTGCTGCCTGTGATTT
 CCATACCGCGTCGAGCTGGGAGTTTCGAGCCGTTGGACACCGACGTCTTCCCCGCGGTTCGAGTT
 GGCCCGGCAGGCCGGCGTAGCCGGTGGCTGCATGACCGCGGTTTACAATGCGGGCGAACGAAG
 10 AAGCAGCAGCGGCGTTCCTTGCTGGCCGGATCGGCTTCCCGGCCATCGTCGGCATCATCGCCG
 ACGTGTTGCACGCTGCCGACCAATGGGCCGTCGAACCCGCTACCGTGGATGACGTAATCGACG
 CGCAGCGCTGGGCCCGCGAGCGAGCGCAGCGCGCGGTATCTGGTATGGCTTCGGTGGCGATC
 GCAAGCACGGCGAAGCCGGGCGCAGCGGTTCGACACGCATCGACGTTAGAAAGGTCCTGA

15 >Rv2922c smc member of Smc1/Cut3/Cut14 family TB.seq 3234189:3238055 MW:139610
 >emb|AL123456|MTBH37RV:c3238055-3234186, smc SEQ ID NO:113
 GTGGGTGCAGGGAGTCGGTTTCCGCTGGTGGACCCGCTGCCGAGCGTTGGAGCTCGGCCTGA
 CCGGTTACGCGGCCAACACGCCGACGGACGCGTGCTGGTGGTCGCCAGGGTCCGCGCGCT
 GCGTGCCAGAAGCTGCTGCAGCTGCTGCAGGGCGACACGACACCGGGCCGCGTCGCCAAAGT
 20 CGTCGCCGACTGGTCGCAGTCGACGGAGCAGATCACCGGGTTCAGCGAGCGGTAATCTGGCC
 CCTCGTGTAACCTCAAGAGTCTGACGTTGAAGGGCTTCAAGTCCTTCGCCGCGCCGACGACTTTA
 CGCTTCGAGCCGGGCATTACGGCCGTCGTTGGGCCAACGGCTCCGGCAAATCCAATGTGGTC
 GATGCCCTGGCGTGGGTGATGGGGGAGCAGGGGGCAAAGACGCTGCGCGGCGGCAAGATGG
 AAGACGTCATCTTCGCCGGCACCTCGTCGCGTGCGCCGCTGGGCCGCGCCGAAGTCACCGTTA
 25 GCATCGACAACCTCCGACAACGCACTGCCTATCGAATACACCGAGGTGTCGATCACCCGAAGAAT
 GTTTCGCGACGGTGCCAGCGAATACGAAATCAACGGCAGCAGTTGCCGTTTGATGGATGTGCA
 GGAGTTGCTGAGCGACTCCGGCATCGGCCGTGAGATGCATGTGATTGTTGGGCAAGGGAAGCT
 CGAGGAGATCTTGAGTCGCGGCCTGAGGATCGGCGGGCGTTTCATCGAGGAAGCCGCGGTG
 TGCTCAAGCATCGCAAGCGCAAGGAAAAAGCTCTGCGCAAACTCGACACGATGGCGGCGAACC
 30 TGGCCCGGCTCACCGATCTGACCACCGAGCTCCGGCGTCAACTCAAACCGCTGGGCCGGCAG
 GCCGAGGCGGCCAGCGTGCCGCGGCCATCCAAGCCGATCTGCGCGACGCCCGGCTGCGCCT
 GGCGGCCGACGACTTGGTAAGCCGCGAGCGCAACGGGAAGCGGTCTTTCAGGCCGAGGCTG
 CGATGCGCCGCGAGCATGACGAGGCCGCCGCCGGCTGGCGGTGGCATCCGAGGAGCTGGC
 CGCGCATGAGTCCGCGGTGCGCGAACTCTCGACGCGGGCCGAGTCGATCCAGCACACTTGTT
 35 CGGGCTGTCTGCGCTGGCCGAACGGGTGGACGCTACGGTGCGCATCGCCAGCGAACGCGCCC
 ATCATCTCGATATCGAGCCGGTAGCGGTGAGCGACACCGACCCCAGAAAGCCCGAGGAGCTAG
 AAGCCGAGGCCAGCAGGTGGCCGTGCGCGAGCAACAACCTGTTAGCGGAGCTGGACGCGGCG

CGTGCCCGACTCGATGCTGCCCCTGCAGAGCTGGCCGACCGGGAGCGCCGCGCCGCGGAGG
 CCGACCGGGCACACCTGGCGGCGGTCCGGGAGGAGGCGGACCGCCGTGAGGGACTGGCGCG
 GCTGGCTGGCCAGGTGGAGACCATGCGGGCGCGTGTCTGAATCGATCGATGAGAGCGTGCCAC
 GGTGTCCGAGCGGATCGAGGATGCCGCAATGCGCGCCCAGCAGACCCGAGCCGAGTTCTGAA
 5 ACCGTGCAGGGCCGCATCGGTGAACTGGATCAAGGCGAGGTTCGGCCTGGATGAGCACCACGA
 GCGTACTGTGGCCGCGTTGCGGTTGGCCGACGAACGCGTCGCCGAGCTGCAATCCGCCGAAC
 GCGCCGCCGAACGCCAGGTGGCATCGCTACGGGCTCGCATCGATGCGCTCGCAGTGGGGCTA
 CAGCGCAAGGACGGCGCGGCGTGGCTGGCGCACAAATCGCAGTGGCGCAGGGCTTTTCGGTTC
 GATCGCCCAATTGGTGAAGGTACGTTCCGGCTATGAAGCGGCACTGGCCGCGGCGCTCGGGC
 10 CGGCGGCCGACGCACTTTCGGTGGACGGCCTGACTGCCGCGGGTAGTGCCGTCAGCGCACTC
 AAACAAGCCGACGGCGGTTCGCGCGGTCTCTCGTGCTGAGTGAAGTGGCCGGCCCCGCAAGCCCC
 CCAATCCGCCCTCGGGGGAGATGCTGCCTAGCGGCGCCAGTGGGCCCTAGACCTGGTCGAGT
 CTCCACCGCAGTTGGTTGGCGCGATGATCGCCATGCTTTCGGGTGTCGCGGTGGTCAACGACC
 TGAAGTGAAGCAATGGGCCTGGTCGAGATTCGTCCGGAGCTACGCGCGGTACCGTTGACGGTG
 15 ATCTGGTGGGCGCCGGCTGGGTGACGGCGGATCGGACCGCAAGCTGTCCACCTTGAGGTC
 ACCTCCGAGATCGACAAGGCCAGGAGTGAGCTGGCCGCTGCCGAGGCGCTGGCGGCGCAATT
 GAATGCGGCCCTGGCCGGTGCCTGACCGAGCAGTCCGCCCGCCAGGACGCGGCCGAGCAA
 GCCTTGGCCGCGCTTAACGAATCCGACACGGCCATCTCGGCGATGTACGAGCAGCTGGGCCGC
 CTCGGGCAGGAGGCCCGCGCGGCGGAAGAAGAGTGGAACCGGTTGCTGCAGCAGCGTACGGA
 20 ACAGGAAGCCGTGCGCACACAGACTCTCGACGACGTCATACAACTTGAGACCCAGCTGCGTAA
 GGCCCAGGAGACCCAACGGGTGCAGGTGGCCCAACCGATCGACCGCCAGGCGATCAGTGCCG
 CTGCCGATCGCGCCCGCGGTGTCTGAAGTGAAGCCCGGCTGGCGGTGCGCACCGCCGAGGAA
 CGCGCCAACGCGGTTTCGCGGGCGGGCCGATTGCTGCGCCGTGCGGCTGCGGCGGAACGTG
 AGGCGCGGGTGCGGGCTCAGCAAGCACGCGCCGCAAGACTGCATGCGGCCGCGGTGGCCGC
 25 AGCGGTGCGCGACTGCGGACGGCTGCTGGCCGGGCGGTTGCACCGGGCGGTGGACGGGGCG
 TCGCAACTGCGCGACGCGTCGGCCGCGCAACGTCAGCAGCGGTTAGCGGCGATGGCCGCGGT
 GCGCGACGAGGTGAACACGCTGAGCGCCCGAGTGGGGGAAGTACCGATTGCTGCACCGCG
 ACGAGCTGGCTAACGCGCAGGCGGCGCTGCGTATCGAGCAGCTTGAGCAGATGGTGCTAGAG
 CAGTTCGGAATGGCGCCGGCGGACTTGATCACCGAATACGGTCCACATGTGGCGCTACCACCG
 30 ACCGAGCTCGAGATGGCTGAGTTCGAGCAAGCCCGCAACGCGGCGAGCAGGTGATTGCGCC
 CGCCCCATGCCGTTTCGACCGGTTACCCAGGAGCGCCGGGCCAAACGCGCCGAGCGTGCGC
 TTGCCGAGTTGGGCAGGGTCAACCCGCTGGCGCTCGAAGAGTTTGCTGCCTTGAGGAGCGCT
 ACAATTTCTGTCCACCCAACTCGAGGATGTCAAGGCTGCCCGCAAGGATCTGCTGGGCGTCGT
 CGCCGATGTTGACGCCCGCATCTGCAGGTGTTCAATGACGCGTTTCGTAGACGTGGAACGCGA
 35 ATTCGCGGCGTGTTACCGCATTGTTCCCCGGTGGTGAAGGACGGCTGCGGCTGACCGAGCC
 CGACGACATGCTCACCACCGGCATCGAGGTGAAGCCCGCCCGCGGGCAAGAAGATTACCC
 GACTGTCTTTGCTCTCCGGTGGCGAGAAGGCGCTGACCGCGGTGGCGATGCTGGTCGCGATCT

TTCGTGCCCCGTCCATCGCCGTTCTACATCATGGACGAGGTGGAGGCCGCCCTCGACGACGTGA
 ACCTGCGCCGACTGCTCAGCCTGTTTGAACAGCTGCGAGAGCAGTCGCAGATCATCATCAC
 CCACCAGAAGCCGACGATGGAGGTGCGGACGCACTGTACGGCGTAACCATGCAGAACGACG
 GCATCACCGCGGTCTCTCGCAGCGCATGCGCGGTGAGCAGGTGGATCAGCTGGTTACCAATT
 CCTCGTAG

>Rv2925c rnc RNase III TB.seq 3239829:3240548 MW:25400

>emb|AL123456|MTBH37RV:c3240548-3239826, rnc SEQ ID NO:114

ATGATCCGGTCACGACAACCCCTGCTCGACGCACTCGGTGTGGACCTCCCGGACGAGCTGCTC
 TCACTGGCGTTGACCCACCGCAGCTACGCCTACGAGAACGGCGGGCTGCCGACCAACGAGCGT
 TTGGAGTTTCTCGGCGATGCCGTGCTAGGGCTGACCATCACCGACGCGCTGTTCCATCGTCATC
 CTGATCGGTGCGAGGGGGATCTGGCCAACTGCGGGCCAGCGTAGTCAACACCCAGGCCCTG
 GCCGACGTGCGACGCCGCCTCTGTGCGGAAGGCCTCGGTGTTACGTGCTATTGGGTCGCGGC
 GAGGCGAACACCGGCGGGGCCGACAAGTCCAGCATTCTGGCCGACGGTATGGAATCGCTGCT
 GGGCGCGATCTACCTGCAACACGGTATGGAGAAGGCCCGTGAGGTGATCCTGCGGCTGTTTGG
 CCCGTTGCTGGACGCCGCGCCGACCCTGGGTGCGGGATTGGATTGGAAGACCAGCTTGCAGG
 AGCTGACTGCAGCGCGAGGGCTGGGTGCGCCGTCATACCTGGTCACCTCCACCGGCCCGGAC
 CACGATAAGGAATTCACCGCGGTGGTTGTCGTGATGGACAGCGAATACGGTTCAGGAGTGGGC
 CGGTCCAAAAAAGAAGCCGAGCAAAAAGCCGCGGCGGCCGCTTGAAAGCCCTGGAAGTGCTC
 GACAACGCCATGCCGGGCAAACCTCCGCCTAA

>Rv2934 ppsD TB.seq 3262245:3267725 MW:193317

>emb|AL123456|MTBH37RV:3262245-3267728, ppsD SEQ ID NO:115

ATGACAAGTCTGGCGGAGCGCGCGGCGCAACTGTCGCCGAACGCGCGAGCGGCCCTGGCGCG
 CGAGCTCGTCCGTGCGGGTACGACCTTCCCGACCGACATCTGCGAGCCGGTGGCGGTGGTGG
 GCATCGGCTGTCGCTTTCCGGGGAATGTGACTGGGCCAGAGAGCTTTTGGCAGCTACTGGCCG
 ACGGTGTGGACACAATCGAGCAGGTGCCGCCTGATCGGTGGGATGCGGACGCGTTCTACGATC
 CCGATCCTTCGGCGTCGGGTGCGATGACGACGAAATGGGGTGGTTTCGTTTCCGATGTCGACG
 CGTTCGACGCCGACTTTTTCGGAATCACTCCTCGGGAAGCCGTGGCGATGGACCCGACGATC
 GGATGCTGCTCGAGGTTGCCTGGGAAGCGTTGGAGCACGCGGGTATTCCGCCGATTCTTGA
 GCGGCACTCGAACCGGCGTGATGATGGGTCTGTCGTGCTGGGACTACACGATCGTCAATATCG
 AGCGCAGAGCCGACATCGACGCGTACCTGAGCACCGGAACCCCGCACTGTGCCGCGGTGGGG
 CGGATCGCGTATCTGTTGGGATTGCGTGGTCCGGCCGTCGCCGTAGATACCGCTTGTTGTCGT
 CGCTGGTGGCAATTCATTGGCGTGTGAGAGCCTTCGCCTGCGTGAAACCGACGTGGCATTGG
 CGGGCGGGGTGCAGCTCACCTTGTACCGTTACCGCCATCGCGCTGTCCAAGTGGTCGGCGC
 TGTACCGACCGGCCGATGCAACAGCTTCGACGCCAACGCGGATGGATTGTCGCGGGCGAG
 GGCTGCGGCGTGGTGGTGTCAAGCGGTTGGCCGACGCGGTGCGCGACCAGGACCGGGTGT

TCGGGTGGTCCGCGGTTTCGGCAACTAACTCCGATGGTCCGTCCAACGGCATGACCGCACCGAA
 CGCGCTGGCGCAGCGTGACGTGATCACATCCGCCCTCAAGCTTGCGGATGTTACCCCTGACAG
 CGTGAACATATGTCGAAACACACGGCACCGGAACGGTGTTGGGGGACCCCATCGAGTTCGAGTC
 GCTGGCGGCCACTTATGGCCTGGGTAAAGGCCAGGGCGAGAGCCCGTGCGCATTGGGGTCGG
 5 TCAAGACCAACATCGGCCACCTGGAGGCGGCCGCCGGTGTGGCTGGATTCATCAAGGCGGTGC
 TGGCGGTGCAACGTGGGCACATTCCCCGCAACTTGCACTTCACCCGGTGGAACCCGGCCATCG
 ACGCGTCGGCGACGCGGCTGTTTCGTGCCGACCGAAAGCGCCCCGTGGCCGGCGGCTGCCGGT
 CCACGCAGGGCTGCGGTGTCATCGTTTCGGCCTCAGCGGGACCAACGCGCACGTGGTGGTCTGA
 GCAGGCACCCGACACCGCAGTAGCCGCAGCCGGCGGCATGCCGTATGTTTCGGCGCTGAACG
 10 TCTCCGGCAAGACGGCCGCGCGGGTGGCGTCGGCGGCGGCGGTGCTGGCCGACTGGATGTC
 GGGGCCGGGCGCGGCGGCACCACTGGCCGACGTGGCACACACGTTGAACCGGCACCGGGCC
 CGGCACGCCAAGTTCGCCACCGTCATCGCGCGTGACCGCGCCGAGGCGATCGCGGGGTTGCG
 AGCGCTGGCGGCCCGGACAACCACGCGTTGGGGTGGTGGATTGCGACCAGCATGCCGGTGGGC
 CTGGCCGGGTTTTTGTGTATTTCGGGTCAGGGCTCGCAGTGGGCGTCGATGGGCCAGCAGTTGC
 15 TGGCCAACGAACCGGCGTTTCGCCAAGGCGGTAGCCGAGCTGGATCCGATATTCGTTGACCAGG
 TTGGCTTTTCGCTGCAGCAAACGCTTATCGACGGCGACGAGGTGGTGGGCATCGACCGCATCC
 AGCCGGTGCTGGTCGGGATGCAGTTGGCGCTGACCGAGTTATGGCGGTCCTATGGGGTGATTC
 CAGATGCCGTGATCGGGCACTCGATGGGTGAGGTGTCCGGCGGAGTGGTGGCCGGCGCGTTG
 ACGCCCGAGCAGGGCTTGCGGGTCATCACCAACCGGTCGCGGTTGATGGCGCGGCTGTCCGG
 20 GCAGGGAGCGATGGCGCTGCTCGAGCTGGATGCCGACGCCGCCGAGGCGCTGATTGCCGGCT
 ATCCGCAGGTGACGCTGGCGGTGCATGCGTCACCGCGCCAGACGGTGATCGCCGGGCGCGCCC
 GAGCAGGTGGACACGGTGATCGCGGCGGTAGCGACGCAAAACCGGTTGGCGCGCCGCGTCGA
 AGTCGACGTGGCCTCCCATCACCCGATCATCGATCCATACTGCCCGAGTTGCGAAGCGCGTTA
 GCGGATTTGACTCCGCAGCCGCCGAGCATCCCGATCATTTCCACTACGTACGAAAGCGCGCAG
 25 CCGGTGGCGGATGCCGACTATTGGTTCGGCCAACCTGCGCAACCCGGTGCGATTCCACCAGGCC
 GTCACCGCCGCCGGTGTGACCAACAACACCTTCATCGAAATCAGCCCTCACCCCGTGCTCACG
 CACGCACTACCGACACCCTGGATCCGGACGGCAGCCATACAGTCATGTCGACGATGAACCGC
 GAACTGGACCAGACGCTGTATTTCCACGCCCAACTCGCCGCGGTGGTGTGGCTGCGTCCGAG
 CACACCACCGGTCGCCTTGTCGACCTGCCCCCACACCGTGGCACCATCAGCGATTCTGGGTC
 30 ACGGATCGTTTCGGCGATGTCCGAGCTGGCCGCGACCCACCCGCTCCTGGGCGCGCACATCGA
 GATGCCGCGCAACGGAGACCATGTCTGGCAGACCGATGTCCGGACCGAGGTCTGTCCCTGGTT
 GGCAGACCACAAGGTGTTTCGGTCAACCCATCATGCCGGCCGCGGGGTTTCGCCGAGATCGCCTT
 GGCGGCGGCCAGCGAAGCCCTCGGCACAGCCGCCGACGCCGTGCGACCCAACATCGTGATCA
 ACCAGTTCGAGGTGGAGCAGATGCTGCCCTCGACGGCCACACGCCGCTAACGACGCGAGTTAA
 35 TTCGCGGCGGGGACAGCCAGATTCGGGTTCGAGATCTATTCCCGCACGCGTGGCGGAGAGTTCT
 GCCGACACGCCACGGCCAAGGTTGAACAATCGCCGCGCGAATGTGCGCACGCGCACCCGGAA
 GCCCAAGGTCCCGCCACCGGGACAACAGTGTGCGCGGCCGATTTTTATGCCCTGCTCCGCCAA

ACCGGCCAACACCATGGTCCGGCGTTTCGCGGCCTTAAGCCGGATCGTGCGCCTGGCCGATGGT
 TCCGCGGAAACCGAGATCAGCATTCCCGACGAGGCGCCGCGCCATCCCGGGTATCGGCTGCA
 CCCCCTGGTATTGGATGCGGCATTGCAAAGCGTGGGTGCCGCGATACCCGACGGCGAGATCGC
 GGGGTCCGCGGAAGCCAGCTATCTGCCAGTGTCTTCGAGACCATCCGGGTGTACCGCGACAT
 5 CCGTCGGCACGTCAGGTGTCTGTGCCACCTGACAAACCTCGACGGCGGCACCGGAAAGATGG
 GCAGGATCGTCCTAATCAACGACGCCGGCCACATAGCGGCCGAAGTGGACGGCATCTATCTGC
 GTCGTGTGAACGCCGTGCGGTACCCCTGCCACTAGAGCAGAAGATCTTCGATGCCGAATGGA
 CCGAAAGCCCGATCGCAGCCGTGCCGGCTCCGGAGCCAGCTGCCGAGACGACGCGGGGAAGT
 TGGCTGGTACTCGCCGATGCAACGGTGGATGCGCCAGGCAAGGCCAGGCCAAGTCGATGGC
 10 CGACGACTTCGTGCAGCAGTGGCGCTCACCGATGCGGCGGGTGCACACCGCCGATATCCACGA
 CGAATCGGCGGTGCTGGCCGCATTTGCAGAAACGGCAGGCGATCCCGAGCACCCGCCGGTTG
 GCGTGGTGGTGTTCGTGCGCGGTGCCTCGAGTCGACTGGACGACGAGCTGGCGGCGGCGCGC
 GACACGGTGTGGTCGATCACACGGTGGTTCGTGCGGTCTGCGGCACGTGGCACGGCCGATCA
 CCGCGGCTATGGCTGGTCACCGGGGGCGGACTTTCCGTTGCCGACGACGAGCCGGGAACACC
 15 CGCGGCGGCTTCCTTGAAAGGGCTGGTGCGGGTGCTCGCCTTCGAGCACCCGGACATGCGCA
 CCACCCTGGTCGATCTGGACATCACACAAGACCCGCTGACCGCGCTGAGCGCGGAAGTTCGCGA
 ATGCCGGGAGTGGTTCGCGCCATGATGACGTGATCGCGTGGCGCGGCGAGCGCAGGTTCTGC
 GAACGGCTGTGCGCGGCCACGATCGATGTATCCAAAGGGCATCCGGTGGTGCGCCAGGGAGC
 GTCGTACGTCTGTCACCGGCGGCCTCGGCGGTCTCGGCCTGGTCGTCTGCTGCTTGGCTGGTGG
 20 ACCGCGGCGCCGCGCCGGGTGGTGTGGTGGCCGACGCGATCCCACTGACGAGCAGTGCAAC
 GTCCTGGCCGAAGTGCAGACCCGCGCCGAGATCGTGGTTGTCCGTGGCGACGTGGCATCGCC
 GGGGGTGGCAGAAAAGCTGATTGAGACGGCCCGACAGTCTGGGGGCCAATTGCGCGGCGTCG
 TGCACGCCGCGCGGTCATCGAAGACAGCCTGGTGTCTCTATGAGCAGGGACAACCTAGAAC
 GGGTGTGGGCACCCAAGGCCACCGGTGCGCTGCGCATGCACGAAGCCACCGCTGACTGCGAG
 25 CTCGACTGGTGGCTCGGATTCTCTTCCGCCGCTTCGCTATTGGGTCTCCCGGGCAAGCGGCCT
 ACGCGTGCGCCAGCGCGTGGCTGGACGCGCTGGTCGGATGGCGCAGGGCATCCGGCCTGCC
 GGCCGCGGTGATCAACTGGGGTCCGTGGTCCGAGGTAGGCGTCGCCAGGCCCTGGTGGGCA
 GTGTTCTCGACACGATCAGTGTGCGAGAAGGCATCGAGGCTCTCGACTCATTGCTTGCCGCCGA
 CCGGATCCGCACTGGAGTGGCTCGGCTGCGTGCCGATCGGGCCCTGGTCGCATTCCCGGAGA
 30 TCCGCAGCATCAGCTACTTCACCCAGGTGGTTCGAGGAGCTGGACTCGGCGGGTGACCTCGGCG
 ACTGGGGCGGGCCCGACGCGCTTGCCGACCTCGACCCGGGCGAGGCGCGGCGCGCGGTGAC
 CGAGCGGATGTGTGCGCGCATCGCTGCGGTGATGGGCTACACTGACCAGTCGACTGTGCAACC
 CGCCGTGCCCTTGGACAAGCCCCTGACCGAGCTGGGGCTGGATTCTCTGATGGCGGTACGAAT
 ACGCAACGGCGCGCGGGCGGATTTCCGCGTGGAACCGCCGGTAGCGCTGATACTGCAAGGCG
 35 CGTCCTTGATGACCTGACGGCGGACTTAATGCGCCAACTCGGGCTCAATGATCCCGATCCGG
 CGCTCAACAACGCTGACACTATTCGCGACCGGGCGCGCCAGCGCGCGGCAGCGCGACACGGA
 GCCGCGATGCGGCGCCGACCTAAACCTGAAGTACAGGGAGGATAA

>Rv2946c pks1 TB.seq 3291503:3296350 MW:166642

>emb|AL123456|MTBH37RV:c3296350-3291500, pks1 SEQ ID NO:116

5 GTGATTTCCGCGAGATCGGCTGAGGCGTTGACGGCGCAGGCGGGTCGACTTATGCCCCACGTG
CAGGCCAACCCAGGGCTGGATCCGATCGATGTGGGGTGCTCGTTGGCCAGTCGCTCGGTGTTT
GAGCACCGAGCGGTGGTGGTCGGCGCAAGCCGTGAGCAACTGATTGCCGGGCTGGCTGGGCT
CGCGGCGGGCGAGCCGGGTGCCGGCGTGGCGGTGGTCAGCCAGGGTCGGTGGGCAAGACG
GTGGTCGTGTTTCCTGGGCAGGGCGCGCAGCGCATCGGGATGGGCCGCGAGTTGTACGGCGA
10 GTTGCCCGTGTTTGCGCAGGCATTTCGATGCGGTGGCCGACGAGTTGGACCGGCATCTGCGGTT
GCCGCTGCGCGACGTTATTTGGGGTGCCGATGCGGATTTGCTTGACAGCACCGAATTTGCTCAG
CCCGCGTTGTTGCGGGTGGAGGTGGCATCGTTGCGGGTGTGCGGGATTGGGGTGTGCTTCCG
GACTTCGTGTCATGGGTCACTCCGTTGGAGAGCTGGCGGCGGCGCACGCGGCCGGTGTGTTGAC
GTTGGCGGACGCGGCGATGCTGGTGGTGGCGCGGGGCCGGTTGATGCAGGCGCTGCCGGCA
15 GCGGTGCGATGGTGGCGGTGGCTGCCAGTGAGGACGAGGTGGAGCCGCTGCTGGGTGAGG
GTGTGGGGATCGCTGCGATCAACGCGCCCGAATCGGTGGTGTCTCCGGTGCGCAGGCCCGCG
GCAAATGCGATTGCGGATCGGTTGCGCGCGCAGGGTGGCGGGTGCACCAAGTTGGCGGTCTC
GCATGCGTTTTATTGCGCGTTGATGGAGCCGATGCTCGAGGAGTTGCGCGGTGTGCGGGCCCG
GGTGCAGGCACGCGAGCCCCAGCTTGGGCTGGTGTGCAACGTGACGGGCGAGTTGGCCGGCC
20 CTGATTTCCGGTCCGCGCAGTACTGGGTGGACCAGTTGCTCGGCCGGTGCCTTCGCGGACA
GTGCGCGTCATTTGCAGACCCTTGGGGCGACCCACTTCATCGAGGCCGGCCCGGGAAGTGGTT
TGACTGGCTCGATCGAGCAGTCCTTGGCCCCGGCTGAGGCGATGGTGGTGTGATGCTGGGCA
AAGACCGGCCCGAGCTGGCCTCGGCGCTCGGTGCTGCCGGTCAGGTGTTACCAACCGGTGTG
CCGGTGCAGTGGTGGCGGTGTTGCGCGGCTCGGGTGGACGGCGGGTGCAGCTGCCACGTA
TGCGTTTCAGCGACGGCGGTTTTGGGAGACGCCGGGCGCGGATGGGCCCGCGATGCGGCCG
25 GGTGGGTCTGGGCGCGACCGAGCATGCCTTGTGGGTGCGGTGGTGCAGCGGCCCGATTCT
GACGAGGTGGTGTGACCGGCCGGTTGTGCTTGGCGATCAGCCGTGGCTGGCCGACCACGT
GGTGAACGGGGTGGTGTGTTCCCGGGGCGGGTTTTGTGGAGTTGGTGATCCGCGCCGGTG
ATGAGGTGGGTGCGCGCTCATCGAAGAGTTGGTGTGCGCCGACCGTTGGTGATGCACCCGG
GTGTCGGGGTTTCAGGTGCAGGTGGTGTGCGGGGCTGCCGATGAATCCGGGCACCGTGCGGTG
30 TCGGTGTATTCGCGGTGATCAATCCAGGGTTGGTTGCTGAACGCCGAAGGCATGCTGGGG
GTGGCTGCCGCTGAGACGCCGATGGATTTGTCCGTGTGGCCGCCCGAGGGCGCGGAGAGTGT
GGATATCTCGGACGGCTATGCGCAGTTGGCCGAGCGCGGTTATGCCTACGGCCCCGCGTTTCA
GGGTCTGGTGGCGATCTGGCGGCGGGGGTCCGAGCTGTTGCCGAAGTTGTAGCCCCCGGCG
AGGCCGGCGTGGCCGTGACCGAATGGGGATGCATCCGGCGGTGTTGGACGCGGTGCTGCAT
35 GCCCTCGGGCTGGCCGTGAGAAGACCCAGGCGAGACCGAGACGAGACTGCCGTTTTGCTG
CGGTGGGGTGTGCTGCATGCCGGCGGCGCTGGACGGGTGCGGGGCCCGCTTCGCGTCCGCG
GGCGCGGATGCGATTTCCGTGGACGTCTGCGACGCCACTGGGCTGCCGGTGTGACGGTGCG

CTCGCTGGTTACTCGCCCGATAACCGCAGAACAGCTGCGCGCCGCGGTGACCGCGGCCGGCG
 GTGCGTCCGATCAGGGGCCGCTGGAAGTGGTGTGGTCGCCGATCTCGGTGGTCAGCGGCCGGC
 GCTAACGGGTCCGCCCCACCTGCCCGGTGTCTTGGGCGGACTTTTGCGCCGGCAGTGATGGT
 GACGCCAGTGTCTGGTGTGGGAAGTCTGAGTCTGCCGGTGGCCAAGCATCCTCGGTGGTGGG
 5 CTCGGTGTATGCGGCCACCCACACCGCCCTGGAGGTGTTGCAGTCCTGGCTCGGCGCGGATCG
 GGCGGCCACGTTGGTGGTGTGACCCATGGTGGCGTGGGGCTGGCTGGCGAGGACATCAGCG
 ACCTGGCCGCCCGCGCGGTGTGGGGCATGGCGCGTTCGCGCGAGGCCGAAAATCCCGGCCG
 GATCGTGTGATCGACACCGATGCGGCGGTGGATGCCTCGGTGCTAGCCGGCGTCGGGGAAC
 CCCAGCTGCTGGTGC GCGCGGCACTGTGCACGCCCCCGGTGTCCCCGGCCCCGGCGTTG
 10 CTAGCGTTACCGGCGGCAGAGTCGGCGTGGCGATTGGCCGCCGGTGGTGGCGGGACCCTGGA
 GGATTTGGTGTATCCAGCCCTGCCCGGAGGTACAGGCACCGCTACAGGCGGGGCAGGTGCGCG
 TGGCGGTGGCGGCCGTCGGGGTCAACTTCCGCGATGTGGTGGCCGCCCTAGGGATGTATCCC
 GGCCAGGCCCCACCGCTGGGTGCCGAAGGCGCCGGGGTGGTGCTTGAGACCGGTCCCGAAGT
 GACCGATCTTGCCGTCGGTGACGCCGTGATGGGATTCTGGGCGGGGCCGGTCCGCTGGCGG
 15 TGGTGGATCAGCAACTGGTTACCCGGGTGCCGCAAGGCTGGTCGTTTGCTCAGGCAGCCGCTG
 TGCCGGTGGTGTCTTGACGGCCTGGTACGGGTGGCCGATTAGCCGAGATCAAGGCGGGCG
 AATCGGTGCTGATCCATGCCGGTACCGGCGGTGTGGGCATGGCGGCTGTGCAGCTGGCTCGC
 CAGTGGGGCGTGGAGGTTTTCTGTACCGCCAGCCGTGGCAAGTGGGACACGCTGCGCGCCAT
 GGGGTTTTGACGACGACCATATCGGCGATTCCCGCACATGCGAGTTCGAGGAGAAGTTCCTGGC
 20 GGTACCGAGGGCCGCGGGGTTGATGTGGTGTCTCGACTCGCTGGCCGGTGAGTTCGTGGATG
 CGTCGCTGCGCTTACTGGTCCGCGGTGGGCGTTTCTCGAGATGGGCAAGACGGATATCCGCG
 ATGCGCAGGAGATCGCCGCTAATTATCCCGGCGTGCAGTATCGGGCGTTCGACCTGTGCGAGG
 CCGGCCCGGCACGCATGCAGGAGATGTTGGCCGAGGTGCGGGAGCTGTTGACACCCGGGAG
 CTGCACCGGCTACCGGTACCCACGTGGGATGTGCGCTGCGCCCCGGCGGCCTTCCGGTTCATG
 25 AGCCAGGCCCCGCATATCGGCAAGGTTGTCTTAACCATGCCCTCGGCGTTGGCCGACCGGCTT
 GCCGACGGCACGGTGGTGTATACCGGTGCCACCGGGGCGGTTGGTGGGGTGTGGCCCCGCA
 CCTGGTTGGCGCTATGGGGTGCCTCATCTGGTGTGGCCAGTCGGCGGGGCGATCGCGCGG
 AGGGAGCGGCCGAATTGGCCGCCGACTTGACGGAGGCCGCGCCAAGGTGCAGGTGGTGGC
 CTGTGACGTGGCCGATCGCGCTGCGGTAGCGGGGTTGTTTGCCAGCTGTGCGGGGAGTACCC
 30 GCCGGTGC GCGGGGTGATTCATGCCGCCGGCGTGTCTGATGACGCAGTGATCACCTCGTTGAC
 ACCGGACCGCATCGATACGGTGTGCGGGCCAAGGTGGACGCGGCGTGGAACCTGCACCAGG
 CCACCAGTGACCTGGATTTGTCGATGTTTGCGCTGTGCTCATCGATCGCGGCCACGGTCGGCTC
 GCCGGGGCAGGGCAACTACTCGGCGGCAAACGCGTTTCTGGACGGGTGGCCGCTCACCGGC
 AGGCCGCAGGGTTGGCCGGGATATCACTGGCGTGGGGTTTGTGGGAACAGCCTGGCGGCATG
 35 ACCGCGCATTTGAGCAGCCGAGATCTGGCCCGCATGAGCCGCAGCGGGCTGGCTCCGATGAG
 CCCTGCCGAAGCGGTGGAATTGTTTGACGCTGCGCTGGCCATCGATCACCTCTGGCGGTGGC
 CACGCTCTTGACCGGGCTGCACTAGACGCCCCGGGCCAGGCCGGTGCGTTGCCGGCGCTGT

TCAGCGGGCTCGCGCGCCGCCACGCCGACGCCAAATCGACGACACCGGTGACGCCACCTCG
TCGAAGTCGGCGCTGGCTCAACGCCTACACGGGCTGGCCGCGGACGAACAACCTCGAGCTGCTA
GTGGGGCTGGTGTGTCTGCAGGCAGCGGCAGTGTGGGTAGGCCCTCCGCCGAGGACGTCTGA
CCCCGACACCGAATTCGGCGACCTCGGTTTCGACTCATTAAACGGCTGTGGAGTTACGCAACCGC
5 CTCAAACCGCCACCGGACTGACGCTGCCACCTACCGTGATTTTCGATCATCCCACTCCCACTG
CGGTCGCCGAGTATGTCGCCAGCAAATGTCTGGCAGCCGCCAACGGAATCCGGTGATCCGA
CGTCGCAGGTTGTGAACCCGCCGCCGCGGAAGTATCGGTCCATGCCTAG

>Rv3014c ligA DNA ligase TB.seq 3372545:3374617 MW:75258

>emb|AL123456|MTBH37RV:c3374617-3372542, ligA SEQ ID NO:117

10 GTGAGCTCCCCAGACGCCGATCAGACCGCTCCCGAGGTGTTGCGGCAGTGGCAGGCACTGGC
CGAGGAGGTGCGTGAGCACCAGTTCGTTATTACGTGCGGGACGCGCCGATCATCAGCGACGC
GGAATTCGACGAGCTGCTGCGCCGTCTGGAAGCCCTCGAGGAGCAGCATCCCGAGCTGCGCA
15 CGCCCGATTGCGCGACCCAGCTGGTCGGCGGTGCCGGCTTCGCCACGGATTCGAGCCCGTC
GACCATCTCGAACGAATGCTCAGCCTCGACAACGCGTTCACCGCCGACGAACTCGCCGCCTGG
GCCGGCCGCATCCATGCCGAGGTGGGAGACGCCGCACATTACCTGTGTGAGCTCAAGATCGAC
GGCGTCGCGCTGTCTTTGGTCTACCGCGAGGGACGGCTGACCCGGGCCTCCACCCGCGGGCGA
CGGGCGCACCCGGCGAGGACGTACCCCTGAACGCCCGGACCATCGCCGACGTTCCCGAACGGC
20 TCACCCCGGCGACGACTACCCGGTGCCCGAGGTCTCGAGGTCCGCGGCGAGGTCTTCTTCC
GGCTGGACGACTTCCAGGCGCTCAACGCCAGCCTCGTCGAGGAGGGCAAGGCGCCGTTCCGC
AACCCCGCAACAGCGCGGGCGGGATCGCTGCGCCAGAAAGACCCGGCGGTACCGCGCGCCG
CCGGCTGCGGATGATCTGCCACGGGCTGGGCCACGTGGAGGGCTTTCGCCCGGCCACCCTGC
ATCAGGCATACCTGGCGTTGCGGGCATGGGGACTGCCGGTTTCCGAACACACCACCCTGGCAA
CCGACCTGGCCGGTGTGCGCGAGCGCATCGACTACTGGGGCGAGCACCGCCACGAGGTGGAC
25 CACGAAATCGACGGCGTGGTGGTCAAAGTCGACGAGGTGGCGTTGCAGCGCAGGCTGGGTTT
CACGTGCGGGGCGCCGCGCTGGGCCATCGCCTACAAGTACCCGCCCGAGGAAGCGCAGACCA
AGCTGCTCGACATCCGGGTGAACGTGCGCCGACCGGGCGGATCACGCCGTTTGCCTTCATGA
CGCCGGTGAAGGTGGCCGGTTCGACGGTGGGACAGGCCACCCTGCACAACGCCTCGGAGATC
AAGCGCAAGGGCGTGCTGATCGCGACACCGTGGTGATCCGCAAGGCCGGCGACGTGATCCC
30 CGAGGTGCTGGGACCCGTCGTCGAACTGCGCGATGGCTCCGAACGCGAATTCATCATGCCAC
CACCTGCCCGAGTGCGGTTTCGCCGTTGGCGCCGAGAAAGGAAGGCGACGCCGACATCCGTT
GCCCAACGCCCGCGGCTGCCCGGGGCAACTGCGGGAGCGGGTTTTCCACGTGCGCAGCCGC
AACGGCCTAGACATCGAGGTGCTCGGTTACGAGGCGGGTGTGGCGCTCTTGACGGCGAAGGT
GATCGCCGACGAGGGCGAGCTGTTGCGCTGACCGAGCGGGACTTGCTGCGCACCGACCTGT
35 TCCGAACCAAGGCAGGCGAACTGTCGGCCAACGGCAAACGGCTGCTGGTCAACCTCGACAAGG
CCAAGGCGGCACCGCTGTGGCGGGTGTGGTGGCGCTGTCCATCCGCCATGTGGGGCCGACG
GCGGCCCGCGCCCTGGCCACCGAGTTCGGCAGCCTTGACGCCATCGCCGCGGCGTCCACCGA

CCAGCTGGCCGCGTCGAGGGGGTGGGGCCGACCATTGCCGCCGCGGTACCCGAGTGGTTCG
CCGTCGACTGGCACCGCGAGATCGTCGACAAGTGGCGGGCCGCGGGGTGCGAATGGTCGAC
GAGCGTGACGAGAGTGTGCCACGCACGCTGGCCGGGCTGACCATCGTGGTCACCGGCTCGCT
GACCGGTTTTCTCCCGCGACGACGCCAAGGAGGCGATCGTGGCCCGCGGCGGCAAGGCCGCCG
5 GCTCGGTGTGGAAGAAGACCAACTATGTCTGTCGCCGGAGACTCGCCGGGATCCAAATACGACA
AGGCGGTGGAGTTGGGGGTGCCGATTCTGGACGAGGATGGGTTCCGGAGACTGCTGGCCGAC
GGACCCGCGTCACGAACGTAA

>Rv3025c - NifS-like protein TB.seq 3383885:3385063 MW:40948

>emb|AL123456|MTBH37RV:c3385063-3383882, Rv3025c SEQ ID NO:118

ATGGCCTACCTGGATCACGCTGCCACCACCCCGATGCACCCCGCCGCCATCGAGGCGATGGCG
GCCGTGCAGCGCACCATCGGCAATGCGTCGTCGCTGCACACCAGCGGGCGCTCGGCGCGCCG
GCGGATCGAGGAGGCCCGTGAGCTGATCGCGGACAAGCTAGGCGCTCGTCCGTCCGAGGTGA
TCTTCACCGCGGGCGGCACCGAAAGCGACAACCTGGCTGTCAAAGGTATCTATTGGGCACGCC
15 GCGATGCGGAGCCGCACCGCCGTCGCATCGTCACCACCGAGGTGGAACACCACGCCGTA
GACTCGGTGAACTGGCTCGTGAACACGAAGGCGCCCATGTGACCTGGCTGCCGACCGCCGC
CGACGGCTCGGTGTCGGCAACTGCGCTGCGCGAGGCACTGCAGAGCCACGACGACGTGCGCG
TGGTATCGGTGATGTGGGCCAACACGAGGTGCGAACTATTCTACCGATCGCCGAAATGTCAGT
TGTCGCCATGGAATTCGGCGTGCCGATGCACAGTGATGCCATTACGGCGGTGGGACAGCTCCC
20 GCTTGACTTCGGGGCCAGCGGGCTGTCGGCGATGAGCGTGGCCGGGCACAAATTCGGTGGCC
CGCCAGGAGTGGGTGCGTTGCTGCTGCGCCGCGACGTACCTGCGTGCCCCTTATGCACGGC
GGTGGGCAGGAGCGCGATATTCGTTCCGGCACACCCGATGTCGCCAGTGCAATTGGAATGGCG
ACGGCCGCGCAGATCGCGGTGGACGGAACGAGGAAAACAGCGCGCGGTTACGGCTGCTGCG
GGATCGTCTGGTCGAGGGTGTGCTGGCTGAGATTGACGATGTTTGCCTTAACGGCGCCGATGA
25 CCCGATGCGGCTAGCGGGTAACGCGCACTTCACTTTCCGTGGCTGCGAAGGCGATGCGCTGTT
GATGTTGTTGGACGCTAACGGAATCGAGTGCTCAACCGGATCGGCCTGCACGGCAGGTGTAGC
GCAGCCCTCGCATGTGTTGATTGCAATGGGCGTCGACGCGGCCAGCGCCCGCGGATCATTGCG
TCTCTCGCTGGGGCACACCAAGTGTGAGGCTGATGTGATGCCGCGTTGGAGGTGCTTCCCGG
GGCGGTGGCACGTGCACGGCGGGCCGCCCTAGCCGCCGCGGGAGCATCCCGATGA

>Rv3080c pknK serine-threonine protein kinase TB.seq 3442656:3445985 MW:119420

>emb|AL123456|MTBH37RV:c3445985-3442653, pknK SEQ ID NO:119

ATGACCGACGTTGATCCGCACGCGACGCGGGACCTGGTCCCGAATATTCCCGCGGAACTG
CTTGAGGCTGGATTCGACAATGTCGAGGAGATCGGGCGCGGCGGATTGCGCGTCGTCTACCGC
35 TCGTCCAGCCCTCGCTGGACCGCGCCGTCGCCGTCAAGGTATTGAGCACCGACCTGGATCGG
GACAATCTCGAGCGCTTCCTGCGCGAGCAGCGGGCCATGGGCCGCCCTTCCGGGCACCCGCA
CATCGTGACCGTCTTGACAGGTGGGCGTGTGGCGGGTGGGCGGCCCTTCATCGTGATGCCCTA

CCACGCCAAGAATTTCGTTGGAGACGCTGATTGCGCCGGCACGGGCGCTGGACTGGCGCGAGA
 CGCTGTCGATCGGCGTCAAGCTCGCGGGAGCGCTGGAAGCCGCGCATCGCGTCGGCACCCCTG
 CACCGTGACGTGAAGCCGGGGAATATCCTGCTGACCGACTACGGGGAACCGCAGCTGACCGAT
 TTCGGAATCGCCAGAATCGCCGGGGTTCGAGACGGCGACCGGGGTGATTGCCGGTTCCTCCG
 5 GCTTTCACCGCGCCGGAAGTTCTCGAAGGAGCATCGCCGACGCCCGCCTCTGACGTGTACTCC
 CTGGGCGCGACGTTGTTCTGTGCGCTGACCGGCCATGCCGCCTACGAGCGCCGCAGCGGTGA
 GCGGGTGATCGCCAGTTCTGCGGATCACCTCGCAGCCGATCCCCGACCTGCGGAAGCAGG
 GACTGCCCCGCGACGTGGCCGCCGCCATCGAACGGGCGATGGCCCGCCATCCGGCGGATCGT
 CCCGCGACCGCGGCAGACGTTGGCGAGGAGCTTCGCGACGTTACGCGCCGCAACGGCGTCAG
 10 CGTCGACGAGATGCCCTCCCCGTCGAGCTGGGCGTGGAACGCCGACGCTCGCCCGAGGCGC
 ACGCGGCGCATCGGCATACCGGCGGGCGGCACCCCGACGGTCCCGACGCCTCCGACACCCGCG
 ACCAAGTACCGGCCGTGCGTGCCACCGGCTCGCTGGTCACCCGCAGCCGGCTCACCGACAT
 CCTGCGCGCCGGCGGACGGCGCCGGCTGATCCTCATCCACGCGCCCTCGGGATTTCGGCAAAA
 GCACCCTGGCGGCGCAATGGCGGGAAGAGCTCTCGCGCGACGGCGCCGCGGTGCGCTGGCT
 15 GACAATCGACAACGACGACAACAACGAGGTGTGGTTCTTGTGCGACCTGCTCGAGTCGATCCG
 GCGGGTCCGGCCACGCTGGCCGAGTCGTTGGGGCACGTGCTCGAAGAGCATGGGGATGACG
 CCGGCCGCTACGTGTTGACTTCGCTGATCGACGAAATCCACGAAAACGACGACCGGATCGCGG
 TGGTGATCGACGACTGGCATCGGGTGTCCGACAGCCGCACCCAAGCTGCCCTGGGTTTCCTGC
 TGGACAACGGATGTCACCACCTGCAGCTCATCGTGACCAGCTGGTCTCGCGCCGGTTTGCCGG
 20 TGGGCAGTTGCGGATCGGCGACGAAGTAGCCGAGATCGATTGGCTGCTTTGCGCTTCGATA
 CCGACGAGGCCCGCCGCGCTGCTGAACGATGCTGGTGGTCTGCGATTGCCGCGCGCAGACGTG
 CAGGCGCTGACTACCTCTACCGACGGGTGGGCCGCGGCGCTGCGGCTGGCCGCGCTGTCGCT
 GCGCGGGCGGGGGCGACGCGACCCAACCTCTGCGCGGACTTTCCGGCGCCAGTGACGTGATCC
 ACGAATTCCTGAGCGAAAACGTGCTGGACACCCTGGAACCCGAACTGCGCGAATTCCTACTGGT
 25 GGCATCGGTACCGAACGCACGTGCGGCGGGCTGGCCTCGGCGCTGGCCGGGATCACCAATG
 GGCGGGCGATGCTGGAAGAGGCCGAGCACCGCGGCTTGTTCTGCAACGGACCGAAGACGAC
 CCGAATTGTTTTGCTTCCACCAAATGTTGCGCGACTTTCTCCACCGTCGCTCGAACGTGGCG
 GGTGCGACCGGGTGGCGGAAGTGCACCGCAGGGCATCGGCCTGGTTCGCGGAGAACGGCTAC
 CTGCACGAAGCCGTGACCATGCACTGGCCGCGGGCGATCCCGCGCGCGCCGTGATCTTGT
 30 CGAGCAGGATGAAACGAACCTGCCGGAGCAGTCAAAGATGACCACACTTCTGGCAATCGTGCA
 GAAACTGCCGACGTGATGGTGGTTTCACGGGCCCCGGCTCCAACTCGCCATCGCGTGGGCGAA
 CATTCTGCTGCAACGGCGCGCGCCGGCCACCGGTGCCCTGAATCGTTTCGAAACGGCCCTTGG
 CCGGGCCGAGCTTCCCGAGGCGACGCAGGCGGATCTGCGGGCCGAGGCAGACGTGTTGCGG
 GCGGTGCGCGAGGTGTTGCGAGACCGGGTCGAGCGCGTGATGACCTTCTCGCCGAGGCAAT
 35 GTCGAGACCGGACACCCTGCCCCCGCGAGTCCCCGGGACCGCCGGCAACACCGCGGCGTTGG
 CCGCGATCTGCCGCTTCGAGTTGCGCGAGGTATATCCACTGCTGGACTGGGCGCGCCCTACC
 AGGAAATGATGGGACCGTTTCGGCACCGTTTATGCGCAGTGCTTGCGCGGCATGGCGGCCAGGA

ATCGGCTCGACATTGTCGCTGCGCTACAGAACTTCCGAACGGCGTTCGAGGTCGGCACGGCAG
TGGGGGCCCCACTCGCACGCGGCGCGGCTTGCGGGTTCGCTGCTCGCCGAATTGCTCTACGAG
ACCGGCGATCTGGCCGGGGCTGGTCGTCTCATGGACGAGAGCTATCTGCTGGGTTCCGAGGG
GGGTGCAGTGGACTACCTGGCCGCCAGGTACGTGATCGGCGCGCGGGTCAAGGCGGCCCAGG
5 GGGATCATGAGGGTGCGGCTGATCGCCTGTCCACCGGAGGCGATACTGCCGTCCAGCTGGGG
CTGCCGCGCCTGGCTGCCCCAATCAACAACGAGCGGATCCGGCTGGGCATCGCGCTACCTGC
GGCGGTGGCCGCCGATTTGCTGGCACCCCGCACCATCCCCCGCGACAATGGAATCGCCACCAT
GACAGCCGAACCTCGACGAGGACTCCGCGGTGCGCCTGTTGTCCGCCGGCGACTCCGCCGATC
GTGACCAAGCCTGCCAACGGGCGCGGTGCTCTCGCCGCCGCCATCGACGGTACGCGCAGACCG
10 CTGGCGGCGCTGCAGGCGCAAATACTTCATATCGAAACGCTTGCCGCCACCGGACGGGAATCC
GATGCGCGAAACGAACCTGGCGCCGGTAGCCACGAAGTGCGCCGAACCTCGGGCTGTCACGTCT
GCTGGTCGATGCGGGACTGGCCTAA

>Rv3106 fprA adrenodoxin and NADPH ferredoxin reductase TB.seq 3474004:3475371

MW:49342 >emb|AL123456|MTBH37RV:3474004-3475374, fprA SEQ ID NO:120

ATGCGTCCCTATTACATCGCCATCGTGGGCTCCGGGCGCGTTCCTCGCCGCGGCATCC
TTGCTGAAGGCCGCGGACACGACCGAGGACCTCGACATGGCCGTGACATGCTGGAGATGTTG
CCGACTCCCTGGGGGCTGGTGCGCTCCGGGGTTCGCGCCGGATCACCCCAAGATCAAGTCGAT
CAGCAAGCAATTGAAAAGACGGCCGAGGACCCCCGCTTCCGCTTCTTCGGCAATGTGGTCGT
20 CGGCGAACACGTCCAGCCCGGCGAGCTCTCCGAGCGCTACGACGCCGTGATCTACGCCGTGCG
GCGCGCAGTCCGATCGCATGTTGAACATCCCCGGTGAGGACCTGCCGGGCGAGTATCGCCGCC
GTCGATTTGTCGGCTGGTACAACGCACATCCACACTTCGAGCAGGTATCACCCGATCTGTCCG
GCGCCCGGGCCGTAGTTATCGGCAATGGAACGTGCGCGCTAGACGTGGCACGGATTCTGCTCA
CCGATCCCGACGTGTTGGCACGCACCGATATCGCCGATCACGCTTTGGAATCGCTACGCCAC
25 GCGGTATCCAGGAGGTGGTGATCGTCCGGCGCGGAGGTCCGCTGCAGGCCGCGTTACCCACG
TTGGAGTTGCGCGAGCTGGCCGACCTCGACGGGGTTGACGTGGTGATCGATCCGGCGGAGCT
GGACGGCATTACCGACGAGGACGCGGCCGCGGTGGGCAAGGTCTGCAAGCAGAACATCAAGG
TGCTGCGTGGCTATGCGGACCGCGAACCCCGCCGGGACACCGCCGCATGGTGTTCCGGTTCT
TGACCTCTCCGATCGAGATCAAGGGCAAGCGCAAAGTGAGCGGATCGTGCTGGGCCGCAACG
30 AGCTGGTCTCCGACGGCAGCGGGCGAGTGCGCGCCAAGGACACCGGCGAGCGCGAGGAGCT
GCCAGCTCAGCTGGTCGTGCGGTCCGTCCGCTACCGCGGGGTGCCACGCCCGGGCTGCCGT
TCGACGACCAGAGCGGGACCATCCCCAACGTGCGCGGCCGAATCAACGGCAGCCCCAACGAAT
ACGTCGTCGGGTGGATCAAGCGCGGGCCGACCGGGGTGATCGGGACCAACAAGAAGGACGCC
CAAGACACCGTCGACACCTTGATCAAGAACTTTGGCAACGCCAAGGAGGGCGCCGAGTGCAAG
35 AGCTTTCCGGAAGATCATGCCGACCAGGTGGCCGACTGGCTAGCAGCACGCCAGCCGAAGCTG
GTCACGTGCGCCCACTGGCAGGTGATCGACGCTTTGAGCGGGCGCCGGCGAGCCGCACGG
GCGTCCCCGGGTCAAGTTGGCCAGCCTGGCCGAGCTGTTGCGGATTGGGCTCGGCTGA

>Rv3235 - TB.seq 3611296:3611934 MW:22659 >emb|AL123456|MTBH37RV:3611296-3611937,
Rv3235 SEQ ID NO:121

ATGATGGCCAGCAACCAAACCGCTGCGCAACACTCGTCTGCCACTCTCCAGCAGGCTCCTCGTT
5 CGATCGATGATGCTGGAGGGTGCCCCCTTGACCATCAGTCCTATCGCGAACTCACCGGGCGACA
CCTTCGCCGTACACCCGTCGTGAGTACGAGCCGCCGCCGCGAAACATCCCGCCGTGCGGG
CAATCATCGCACGCAGCCCCGGCGGCCGCACCCCCGCAGCTAGCTCGCCGACAACCAATCAGG
CCGAGCGGCCGGGCACCGGCAGCGGTACCTCCACGGCCAAGTCACCGCGGCTGCGTCAAGC
GGGGACCTTCGCCGATGCCGCGCTACGCCGAGTGCTGGAGGTCATCGACCGCCGCCGCCCGG
10 TGGGCCAGCTGCGCCCCCTGCTGGCACCCGGCCTCGTCACTCCGTGCTCGCGGTGAGCCGC
ACGGCGGCCGGACACCAACAAGGCGCGGCCATGCTGCGCCGCATCCGGCTGACACCGGCCGG
ACCCGACACCGCGGACACCGCCGCCGAGGTCTTCGGCACCTACAGTCGCGGGGACCGGATCC
ATGCGATCGCCTGCCGGGTGGAACAACGGCCCCGCCGTAACGAAACCCGATGGCTGATGGTC
GCCCTGCACATCGGGTGA

>Rv3255c manA mannose-6-phosphate isomerase TB.seq 3635040:3636263 MW:43340

>emb|AL123456|MTBH37RV:c3636263-3635037, manA SEQ ID NO:122

GTGGAAGTGTACGTGGCGCGTTACGCACCTACGCTTGGGGATCGCGCACCGCTATCGCCGAA
TTCACCGGGCGTCCGGTGCCGGCCGCTCACCCCGAGGCCGAAGTATGGTTCGGTGACACCC
20 GGGTGATCCGGCTTGGCTGCAGACGCCGCATGGCCAAACCTCGTTGCTCGAAGCGTTGGTCGC
GGATCCGGAGGGGCGAGCTCGGCTCCGCGTCGCGCGCGCGATTCCGGCGATGTGTTGCCGTTCT
TGGTCAAGGTGTTGGCGGCCGACGAGCCACTATCGTTGCAGGCCCATCCGAGCGCCGAGCAG
GCGGTTGAGGGCTACCTGCGGGAAGAGCGAATGGGCATTCCGGTGCTCACCCTCCGCAAC
TACCGCGACACCAAGTCACAAGCCAGAGTTATTGGTGGCGCTGCAGCCGTTCCGAGGCGCTGGCC
25 GGATTCCGGGAGGCGGCTCGCACACCGAGCTGCTGCGGGCGCTGGCCGATCCGACCTCGA
CCCGTTTCATCGACTTGCTGAGCGAGGGGTCCGATGCCGATGGTTTGCGTGCGCTGTTACAC
CTGGATTACCGCACCCAGCCGACATCGACGTGCTGGTGCTGCCGTGCTGGACGGCGCTAT
CCAGTACGTCAGCTCCGGCGCAACGGAATTTGGCGCCGAAGCCAAGACAGTGCTGGAAGTCCG
CGAACGTTATCCCGGCGACGCCGGTGTGCTGGCGGCGTTGTTGCTCAACCGCATCAGCTTGGC
30 TCCTGGGGAGGCGATCTTCCTGCCGGCCGGCAACCTGCACGCCTATGTGCGTGGTTTCGGTGT
GGAAGTGATGGCCAAGTCCGACAACGTGTTACGCGGTGGACTTACCCCTAAGCACGTGATGT
GCCCCAGTTGTTGCGGGTGCTGGACTTCGCCCCACGCCGAAGGCTCGGCTGCGGCCCCCGA
TCCGGCGCGAGGGGCTGGGGCTGGTCTTTGAGACGCCACCGATGAGTTCCGCGGCCACGCTA
CTGGTGCTCGACGGCGATCAGCTCGGCCACGAGGTGACGCGTCGTCCGGCCATGACGGTCC
35 ACAGATCTTGTTATGCACCGAGGGTTCGGCGACGGTGACGGGAAGTGCGGGTCGCTCACGCT
ACAGCGCGGCACGGCCGCTGGGTGGCGGCCGACGACGGCCCGATCCGGCTGACCGCCGGC
CAACCCGCCAAGCTGTTCAAGGGCGACCGTCGGGTGTGA

>Rv3264c rmlA2 glucose-1-phosphate thymidyltransferase TB.seq 3644897:3645973 MW:37840

>emb|AL123456|MTBH37RV:c3645973-3644894, rmlA2 SEQ ID NO:123

TTGGCAACTCACCAAGTCGATGCGGTGGTCTTGGTTCGGTGGCAAGGGTACCCGACTGCGGCCG
5 TTGACGCTGTCGGCGCCCAAGCCAATGCTGCCTACCGCCGGACTGCCGTTCTCACCCTCTG
CTGTCGCGGATCGCCGCAGCGGGCATCGAGCACGTGATCCTGGGTACGTCTTACAAACCCGCA
GTCTTCGAAGCGGAGTTCGGCGACGGGTCCGCACTGGGCCTACAGATCGAATACGTGACCGAG
GAGCATCCCTTGGGGACTGGCGGCGGCATCGCCAACGTTGCCGGCAAGCTGCGCAACGACAC
CGCGATGGTGTTTAACGGCGATGTGCTCTCGGGCGCGGATCTGGCCCAACTGCTGGACTTCCA
10 CCGAAGCAATCGAGCCGATGTCACGCTGCAACTGGTTCGGGTGGGCGACCCGCGGGCATTTCG
GCTGCGTACCCACCGACGAGGAGGACCGCGTAGTCGCCTTTCTGGAGAAGACGGAGGATCCG
CCGACCGACCGATCAATGCCGGTCTGTATGTCTTGAACGCAACGTCATCGACCGGATTCCGC
AGGGCCGGGAGGTTTCGGTGGAACGCGAGGTGTTCCCGGCCTTGCTCGCCGACGGCGACTGC
AAGATCTACGGCTATGTCGATGCCAGCTATTGGCGGGACATGGGCACACCGGAAGACTTCGTTC
15 GCGGATCGGCGGATCTGGTGCGCGGCATCGCCCCGTCTCCGGCCTTGCGTGGTCACCGCGGT
GAGCAGTTGGTGACGACGGTGCGGCGGTATCTCCCGGTGCGTTGCTGATTGGCGGCACCGTC
GTGGGGCGTGGTGCCGAAATCGGCCCCGGCACCGATTGGACGGCGCGGTTCATCTTCGATGG
TGTCCGGGTGGAGGCCGGGTGCGTGATCGAGCGTTGATCATCGGCTTCGGTGCTCGCATCGG
ACCGCGGGCGTTGATCCGCGACGGTGATCGGTGACGGGGCCGACATCGGCGCGCGCTGCG
20 AGTTGTTAAGTGGTGCCCGGGTATGGCCCGGTGTCTTTCTTCCCGACGGCGGGATCCGTTACTC
GTCCGACGTTTGA

>Rv3368c - TB.seq 3780334:3780975 MW:23734 >emb|AL123456|MTBH37RV:c3780975-3780331,
Rv3368c SEQ ID NO:124

ATGACCCTCAACCTGTCCGTCGACGAGGTCTGACCACTACCCGCTCGGTGCGCAAGCGTCTC
25 GATTTTCGACAAGCCGGTGCCACGCGACGTGCTGATGGAATGCCTCGAGCTGGCGCTGCAGGCG
CCCACCGGTTCCAATTCCCAAGGCTGGCAGTGGGTGTTTCGTCGAGGACGCCGCCAAGAAAAAG
GCGATCGCCGACGTCTACCTGGCCAACGCCCGGGGCTACCTCAGCGGGCCGGCGCCCGAGTA
CCCCGACGGCGACACCCGCGGCGAGCGGATGGGGCGGGTCCGCGATTCCGCGACCTATCTCG
30 CCGAACACATGCACCGGGCGCCGGTGCTGCTGATCCCCTGCCTGAAAGGCCGGGAAGACGAG
TCGGCGGTGGGTGGCGTGCTGTTTTGGGCCTCACTGTTCCCGGCGGTGTGGAGCTTCTGCCTG
GCGCTGCGCTCCCGCGGGCTGGGTTTCGTGCTGGACGACGCTGCACCTGCTCGACAACGGCGA
GCACAAGGTGGCCGACGTGCTCGGCATTCCCTACGACGAATACAGCCAAGGCGGGCTGCTTCC
GATCGCCTACACACAAGGCATCGACTTCCGGCCGGCCAAGCGGTGCCGGCCGAGAGCGTGA
35 CGCACTGGAACGGCTGGTAA

>Rv3382c lytB1 TB.seq 3796447:3797433 MW:34667 >emb|AL123456|MTBH37RV:c3797433-3796444, lytB SEQ ID NO:125

ATGGCTGAGGTGTTTCGTGGGACCGGTCGCACAGGGATACGCTTCGGGTGAAGTCACGGTGCTG
TTGGCGTCGCCGCGGTCTGTTTTGCGCCGGTGTAGAGCGTGCTATCGAGACGGTCAAGCGAGTG
5 CTTGACGTGGCCGAAGGCCCGGTGTATGTGCGCAAGCAAATCGTGCACAACACTGTTGTGGTT
GCCGAGTTGCGGGACCGGGGAGCAGTGTTTCGTGAGGATCTCGACGAGATTCCCGATCCGCC
GCCGCCGGGGGCGGTCTGTGGTGTCTCCGCGCATGGGGTTTCCCCGGCGGTGCGCGCGGGC
GCTGATGAGCGGGGACTGCAGGTCGTGACGCGACCTGCCCACTGGTGGCGAAAGTCCACGC
TGAAGCCGCACGGTTTGCCGCGCGCGGTGACACGGTGGTCTTCATCGGGCAGCCGGACATG
10 AGGAGACCGAAGGCACGCTTGCGTCGCTCCGCGGTCAACATTATTGGTGCAGACACCCGCTG
ATGTGGCAGCGTTGAACCTGCCCGAGGGTACCCAGCTATCGTATCTGACCCAGACAACCCTGG
CACTTGATGAAACTGCCGATGTCATTGATGCGCTGCGCGCGAGGTTTCCGACGTTGGGCCAACCC
CCCCTCTGAAGACATCTGCTATGCCACCACGAACAGACAGCGTGCGCTGCAATCGATGGTCGGT
GAATGTGACGTTGTGTTGGTGAATTGGCTCGTGCAATTCGTGCAATTCGCGGCGTCTGGTCGAGT
15 TGGCGCAGCGAAGTGGGACGCCGGCCTACTTGATTGACGGGCCTGATGACATTGAGCCCGAAT
GGCTGTCGTGCGTCTCGACGATCGGTGTACCCGCGGGAGCCTCCGCGCCGCCACGACTGGTG
GGGCAGGTGATTGATGCACTTCGCGGATACGCCTCGATCACCGTGGTGGAAACGCTCGATAGCG
ACCGAGACGGTGCGATTGCGCCTTCCCAAACAGGTTTCGCGCGCAATGA

>Rv3418c groES 10 kD chaperone TB.seq 3836985:3837284 MW:10773
>emb|AL123456|MTBH37RV:c3837284-3836982, groES SEQ ID NO:126

GTGGCGAAGGTGAACATCAAGCCACTCGAGGACAAGATTCTCGTGACAGGCCAACGAGGCCGAG
ACCACGACCGCGTCCGGTCTGGTCATTCTGACACCGCCAAGGAGAAGCCGCAGGAGGGCAC
CGTCGTTGCCGTCGGCCCTGGCCGGTGGGACGAGGACGGCGAGAAGCGGATCCCGCTGGACG
25 TTGCGGAGGGTGACACCGTCATCTACAGCAAGTACGGCGGCACCGAGATCAAGTACAACGGCG
AGGAATACCTGATCCTGTGCGCACGCGACGTGCTGGCCGTCGTTTCCAAGTAG

>Rv3423c alr TB.seq 3840193:3841416 MW:43357
>emb|AL123456|MTBH37RV:c3841416-3840190, alr SEQ ID NO:127

GTGAAACGGTTCTGGGAGAATGTGCGAAAGCCAAACGACACGACAGATGGGCGGGGCACGACT
TCGTTGGCCATGACACCGATATCCCAGACACCTGGCCTCCTCGCCGAGGCCATGGTGGATCTG
GGCGCTATTGAACACAACGTGCGGGTGCTGCGTGAGCACGCCGGCCACGCGCAGCTGATGGC
GGTGGTCAAGGCCGACGGCTACGGTCACGGTGCTACGCGCGTCGCCCCAAACCGCCCTGGGAG
CCGGTGCGGGCCGAACCTCGGCGTCGCCACCGTCGACGAGGCGCTAGCGCTGCGCGCTGATGGC
35 ATTACCGCACCGGTGCTGGCCTGGCTGCATCCGCCCGGCATCGACTTCGGGCCCCGCGCTGCTG
GCCGACGTGCAGGTGCGGGTGTCTCGCTGCGCCAACCTCGACGAACTGTTGCACGCGGTGCG
CCGGACCGGCCGGACGGCGACGGTGACCGTCAAGGTGGATACCGGGCTGAACCGCAATGGCG

TGGGACCGGCACAATTCCCGGCCATGCTGACCGCGTTACGCCAAGCCATGGCCGAGGACGCC
 GTCCGGCTGCGGGGGCTGATGTGCGCATATGGTTTACGCCGACAAGCCTGACGATTCCATCAAC
 GATGTTTCAGGCCCAACGGTTTACCGCCTTTCTGGCGCAGGCCCGCGAACAAGGGGTGCGGTTG
 GAGGTGGCGCATCTATCGAACTCATCAGCAACTATGGCGCGCCCCGACCTGACGTTGACCTG
 5 GTGCGGCCCGGGCATCGCGGTGTATGGGCTAAGCCCGGTACCCGCCCTCGGTGACATGGGGCT
 GGTGCCGGCGATGACCGTGAAATGTGCTGTTGCGCTGGTGAAATCGATTCTGCGGGGGAGGG
 CGTGTCGTATGGGCACACATGGATCGCGCCACGCGACACCAATCTGGCGCTGCTGCCGATCGG
 TTACGCAGACGGCGTGTTCCGGTCGCTGGGCGGGCGGCTGGAGGTGCTGATCAACGGCAGAC
 GATGCCCCGGTGTTGGGGCGGATCTGCATGGACCAGTTCATGGTCGACCTGGGCCCCGGGCCG
 10 CTTGATGTGGCCGAAGGCGACGAGGCGATTTTGTTCGGGCGGGCATCCGGGGTGAGCCAC
 GGCTCAGGACTGGGCCGATCTTGTGCGCACCATCCACTACGAAGTGGTCACCAGCCCGCGAGG
 ACGTATCACCAGGACCTATCGCGAGGCTGAAAACCGTTGA

>Rv3490 otsA [alpha],-trehalose-phosphate synthase TB.seq 3908232:3909731 MW:55864

>emb|AL123456|MTBH37RV:3908232-3909734, otsA SEQ ID NO:128

ATGGCTCCCTCGGGAGGCCAGGAGGCGCAGATTTGCGATTGCGAGACCTTCGGGGACTCTGAC
 TTCGTGGTGGTAGCCAATCGACTGCCCGTCGATCTGGAGCGTCTTCCCGACGGCAGCACAACC
 TGGAACGCAGCCCCGGAGGCTTGTCACCGCCTTGAGCCGGTGCTGCGGCGTCGGCGCGG
 GGCCTGGGTGCGCTGGCCCCGGCGTTAACGACGACGGGGCCGAACCCGACCTCCACGTGCTGG
 20 ACGGCCCCATCATCAAGACGAGCTGGAACCTTCATCCGGTACGGCTGAGCACCACGGACATAG
 CTCAGTACTACGAGGGATTCTCCAACGCCACACTGTGGCCGCTGTACCACGACGTATCGTCAA
 GCCGCTCTACCACCGCGAATGGTGGGATCGCTACGTGACGTCAACCAGCGCTTTGCCGAGGC
 CGCGTCGCGCGCCGCCGCCACGGCGCAACCGTGTGGGTACAGGACTACCAGCTGCAGCTGG
 TACCGAAGATGCTGCGCATGCTGCGGCCCGATCTGACCATCGGTTTCTTTTGCACATCCCGTT
 25 CCCGCCGGTAGAGCTGTTTATGCAGATGCCGTGGCGCACCGAGATCATCCAGGGCCTACTGGG
 CGCCGACCTGGTGGGCTTCCATCTTCCGGGCGGTGCCCAGAATTCCTGATCCTGTCCCGGCG
 TCTGGTCGGCACCGACACTTCCCGCGGAACCGTCGGTGTGCGGTGCGGTTCCGGTGCGGCGG
 TGCTCGGGTCCCGCACCATACGAGTTGGCGCCTTCTCTATCTCGGTTGACTCCGGCGCGCTCG
 ACCACGCTGCCCGCGACCGCAACATCAGGCGCCGGGCCCGCGAGATTGCGACCGAACTGGGA
 30 AATCCGCGCAAGATCCTGCTCGGTGTTGACCGGCTCGACTACACCAAGGGCATCGACGTACGG
 CTGAAGGCCTTTTCCGAGCTGCTGGCCGAGGGCCGCGTCAAACGCGACGACACCGTCGTGGTC
 CAGCTGGCTACCCCGAGCCGCGAGCGGGTGGAGAGCTACCAGACGCTGCGCAACGACATCGA
 ACGCCAGGTGGGCCACATTAACGGCGAGTACGGTGAGGTTGGCCATCCGGTAGTGATTACCT
 GCATCGACCGGCTCCGCGCGACGAGCTTATCGCTTTCTTCGTGGCCAGCGACGTATGCTGGT
 35 CACCCCACTACGCGACGGGATGAACCTGGTGGCCAAGGAGTACGTGCTTGCCGACGCGATCT
 TGGCGGTGCCCTGGTGCTCAGCGAATTCACCGGGGCCGCGAGCCGAACCTCCGGCACGCATACCT
 GGTCACCCGCGACGACCTGGAAGGCGTCAAGGACGGGATAGAGGAAGCGCTCAACCAGACGG

AGGAGGCGGGCCGGCGGCGAATGCGGTCGCTGCGACGCCAAGTGCTCGCCCACGACGTGGA
CCGCTGGGCACAGTCGTTTCTCGACGCTCTCGCCGGGGCACACCCGAGGGGGCCAAGGCTAA

>Rv3598c lysS lysyl-tRNA synthase TB.seq 4041423:4042937 MW:55678

>emb|AL123456|MTBH37RV:c4042937-4041420, lysS SEQ ID NO:129

GTGAGTGCCGCTGACACAGCAGAAGACCTTCCTGAGCAGTTCCGGATTCGCCGGGACAAGCGC
GCTCGCTTGCTGGCCCAGGGGCGCGATCCCTATCCCGTCGCGGTGCCGCGCACTCACACGTTG
GCCGAGGTTGCGCGCCGCCACCCTGACTTGCCGATCGATACCGCGACCGAAGACATCGTCGGC
GTCGCGGGCCGAGTGATCTTTGCGCGCAACTCGGGAAAGCTATGCTTTGCGACACTTCAGGAC
GGCGATGGTACCCAGCTGCAAGTGATGATCAGCCTCGACAAGGTGCGCCAGGCTGCTCTCGAC
GCATGGAAAGCCGATGTGACCTGGGCGACATCGTCTACGTGCATGGCGCGGTGATCAGTTG
CGCCGCGGCGAGCTGTCCGTCTGCGGATTGCTGGCGGATCGCCGCCAAGTCGCTGCGGCC
GCTTCCCGTCGCGCACAAAGAGATGAGTGAAGAGTCGCGGGTTCGTCAGCGCTATGTTGACCT
CATAGTTCGACCGGAAGCGCGCGCGGTGGCTCGACTACGGATCGCCGTCTCCGCGCGATCC
GGACGGCGCTTCAACGTCGTGGGTTCTGGAAGTCGAGACGCCCGTCTTGACAGCGTTAGCCG
GTGGTGCGGCGGCCCGTCCGTTCCGCACTCATTCCAATGCCCTAGACATCGATCTGTACCTGCG
GATCGCGCCGGAAGTGTTCCTCAAGCGCTGCATCGTGGGTGGTTTCGACAAGGTCTTCGAACTT
AATCGAGTGTTCCGAAACGAAGGAGCCGATTCCACGCATTCTCCGGAATTCTCCATGCTGGAGA
CCTACCAGACCTACGGAACCTATGACGATTGCGCAGTCGTACCCGGGAGCTTATTCAAGAGGT
GGCCGATGAGGCGATCGGAACCAGACAACCTGCCGTTGCCCGACGGCAGTGTCTATGACATCGA
CGGAGAATGGGCGACTATACAAATGTACCCGTGCTGTCTGTGGCGCTCGGTGAAGAGATCAC
ACCGCAGACGACGGTCGATCGCTTACGTGGGATCGCCGATAGCCTTGGCCTGGAGAAAGACCC
AGCGATTCATGACAACCGTGGCTTCGGCCACGGCAAACCTCATCGAGGAACTCTGGGAGCGCAC
AGTGGGCAAGAGCTTGAGCGCACCCACATTTGTCAAGGATTTTCCGGTTCAGACAACGCCTTTG
ACCCGTCAGCACCGCAGTATCCCCGGCGTAACCGAGAAGTGGGACCTCTATCTGCGCGGAATC
GAACTTGCCACCGGCTACTCGGAATTAAGCGACCCGGTAGTCCAGCGGGAGAGATTCGCCGAC
CAGGCCCGTGCCGCGGCCGCTGGCGATGACGAAGCGATGGTGCTTGACGAGGATTTTCTGGCC
GCTCTGGAGTACGGCATGCCACCGTGCACCGGAACCGGAATGGGTATCGATCGGTTGTTGATG
TCTTTGACTGGGTTGTCAATTAGGGAGACAGTTTTGTTCCCGATTGTTGACCACACTCCAACCTG
A

>Rv3600c - similar to Bacillus subtilis protein YacB TB.seq 4043041:4043856 MW:29274

>emb|AL123456|MTBH37RV:c4043856-4043038, Rv3600c SEQ ID NO:130

GTGCTGCTGGCGATTGACGTCCGCAACACCCACACCGTTGTGGGCCTGCTGTCCGGAATGAAA
GAGCACGCAAAGGTCGTGCAGCAGTGGCGGATACGCACCGAATCCGAAGTCACCGCCGACGAA
CTGGCACTGACGATCGACGGGCTGATCGGCGAGGATTCCGAGCGGCTACCGGTACCGCCGCGC
CTTGTCACGGTCCCGTCCGTGCTGCACGAGGTGCGGATAATGCTCGACCAGTACTGGCCGTC

GGTGCCGCACGTGCTGATCGAGCCCCGGAGTACGCACCGGGATCCCTTTGCTCGTCGACAACCC
GAAGGAAGTGGGCGCAGACCGCATCGTGAAGTGTGGCCGCCTATGACCGGTTCCGGAAGGC
CGCCATCGTCGTTGACTTTGGATCCTCGATCTGTGTTGATGTTGTATCGGCCAAGGGTGAATTTT
TTGGCGGCGCCATCGCGCCCCGGGTGCAGGTGTCTTCCGATGCCGCGGCGGCCCCGCTCGGCG
5 GCATTGCGCCGCGTTGAACTTGCCCCGCCACGTTCCGGTGGTTGGCAAGAACACCGTCGAATGC
ATGCAAGCCGGTGCGGTGTTCCGGCTTCGCCGGGCTGGTAGACGGGTTGGTAGGCCGCATCCG
CGAGGACGTGTCCGGTTTCTCCGTGACACGATGTGCGCATCGTGGCTACCGGGCATAACCGC
GCCCCTGCTGCTGCCGGAATTGCACACCGTCGACCATTACGACCAGCACCTGACCTTGAGGG
TCTGCGGCTGGTGTTGAGCGTAACCTCGAAGTCCAGCGCGGCCGGCTCAAGACGGCGCGCT
10 GA

>Rv3606c folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase TB.seq
4048181:4048744 MW:20732 >emb|AL123456|MTBH37RV:c4048744-4048178, folK
SEQ ID NO:131

15 ATGACGCGGGTAGTGCTCTCGGTTGGCTCCAACCTGGGTGACCGCCTGGCACGATTGCGGTG
GTCGCGGACGGTCTCGGCGATGCGTTGATTGCGGCTTCCCCGATATATGAGGCCGACCCCTGG
GGTGGGGTGGAGCAGGGGCAGTTCCTCAATGCGGTGCTGATCGCCGACGATCCTACCTGCGAA
CCGCGGGAGTGGCTGCGGCGGGCGCAGGAGTTCGAGCGCGCTGCGGGCAGGGTGCGTGGCC
AGCGCTGGGGTCCACGAAATCTCGACGTGACCTGATCGCCTGCTACCAGACCTCGGCCACCG
20 AGGCTCTGGTGAAGTGACCGCGCGGGAGAACCACCTCACGCTGCCGCACCCACTGGCGCAT
CTGCGGGCCTTTGTGTTGATCCCGTGGATTGCCGTGACCCAACGGCGCAGCTGACGGTTGCC
GGGTGCCCGCGGCCCGTACGCGACTGCTGGCCGAGCTGGAGCCCGCCGACCGCGACAGTGT
GCGGTTGTTTAGGCCGTGTTGATCTGAATAGCAGACACCCCGTCAGTCGGGCACCGGAAAG
CTGA

25 >Rv3607c folX may be involved in folate biosynthesis TB.seq 4048744:4049142 MW:14553
>emb|AL123456|MTBH37RV:c4049142-4048741, folX SEQ ID NO:132
ATGGCTGACCGAATCGAACTGCGCGGCCTGACCGTGCATGGTCGGCACGGGGTCTACGACCAC
GAGCGAGTGGCCGGGCAGCGGTTTGTATCGATGTACCGTGTGGATAGACCTGGCCGAGGC
30 CGCCAACAGCGACGACTTGCCGACACCTATGACTACGTGCGGCTGGCTTCGCGGGCGGCCG
AGATCGTCGCCGACCCCCGCGGAAGCTGATCGAAACGGTCGGGGCCGAGATCGCTGATCAC
GTGATGGACGACCAGCGAGTGCATGCCGTTGAGGTGGCGGTACACAAGCCGCAGGCGCCATT
CCGCAGACGTTGACGATGTGGCGGTGGTATCCGACGCTCACGGCGCGGCGGCCGCGGTTG
GGTAGTCCCGCGGGCGGCGCGGTATGA

35 >Rv3608c folP dihydropteroate synthase TB.seq 4049138:4049977 MW:28812
>emb|AL123456|MTBH37RV:c4049977-4049135, folP SEQ ID NO:133

GTGAGTCCGGCGCCCGTGCAGGTGATGGGGGTTCTAAACGTACGAGCGACTCTTTCTCGGAC
 GGCGGGTGTATCTCGATCTCGACGATGCGGTGAAGCACGGTCTGGCGATGGCAGCCGCAGGT
 GCGGGCATCGTCGACGTGCGGTGGTGAAGTCGAGCCGGCCCGGTGCCACTCGGGTTGACCCGGC
 GGTGGAGACGTCTCGTGTACATACCCGTCGTCAAAGAGCTTGCAGCACAAGGCATCACCGTCAG
 5 CATCGATACCATGCGCGCGGATGTGCGCTCGGGCGGCGTTGCAGAACGGTGGCCAGATGGTCAA
 CGACGTGTGCGGTGGGCGGGCCGATCCGGCGATGGGGCCGCTGTTGGCCGAGGCCGATGTG
 CCGTGGGTGTTGATGCACTGGCGGGCGGTATCGGCCGATACCCCGCATGTGCCTGTGCGCTAC
 GGCAACGTGGTGGCCGAGGTCCGTGCCGACCTGCTGGCCAGCGTCGCCGACGCGGTGGCCGC
 AGGCGTCGACCCGGCAAGGCTGGTGTGCTCGATCCCGGGCTTGGATTGCGCAAGACGGCGCAAC
 10 ATAATTGGGCGATCTTGCATGCCCTTCCGGAAGTGGTCGCGACCGGAATCCAGTGCTGGTGG
 GTGCTTCGCGCAAGCGCTTCCTCGGTGCGTTGTTGGCCGGGCCCCGACGGCGTGATGCGGCCA
 ACCGATGGGCGTGACACCGCGACGGCGGTGATTTCCGCGCTGGCCGCACTGCACGGGGCCTG
 GGGTGTGCGGGTGCATGATGTGCGGGCCTCGGTGATGCCATCAAGGTGGTGAAGCGTGGAT
 GGGAGCGGAAAGGATAGAACGCGATGGCTGA

>Rv3609c folE GTP cyclohydrolase I TB.seq 4049977:4050582 MW:22395

>emb|AL123456|MTBH37RV:c4050582-4049974, folE SEQ ID NO:134

ATGTCGCAGCTGGATTGCGCGAGCGCATCTGCTCGTATCCGTGTGTTCCGACAGCAACGTGCC
 GAGGCCGCGGTGCGCGAATTGCTGTACGCGATCGGCGAGGATCCGGATAGGGACGGCTTGGT
 20 AGCCACCCCGTCCCGGGTTGCCCGTGCATACCGCGAAATGTTCCGCGGGCTCTACACCGACCC
 CGACTCGGTGTTGAACACCATGTTGACGAAGACACGACGAGCTGGTGTGGTCAAGGAAATC
 CCTATGTAATCCACCTGCGAACACACCTGGTGGCGTTCCACGGTGTGGCCACGTCGGCTAC
 ATCCCGGGCGACGACGGCAGGGTGACCGGCTTGTCAAAGATCGCGCGACTGGTCGATCTGTAC
 GCCAAGCGACCTCAGGTCCAGGAGCGGCTCACCAGTCAGATCGCCGATGCCCTGATGAAAAA
 25 CTCGATCCACGCGGGGTAATCGTGGTGTGAGGCTGAGCATCTGTGCATGGCGATGCGCGGG
 GTTCGCAAGCCCGGCTCGGTACCACTACGTGCGCGGTGCGCGGACTGTTCAAACCAATGCC
 GCTTCTCGAGCCGAAGCGCTCGACCTCATTTTGGCGAAGTGA

>Rv3610c ftsH inner membrane protein, chaperone TB.seq 4050601:4052880 MW:81987

>emb|AL123456|MTBH37RV:c4052880-4050598, ftsH SEQ ID NO:135

ATGAACCGGAAAAACGTGACTCGCACCATAACAGCGATCGCCGTCGTGGTGTGCTCGGCTGG
 TCGTTCTTTTACTTCAGCGACGACACCCGCGGCTACAAGCCCGTTGATACCTCGGTGGCGATAA
 CACAGATCAACGGCGACAACGTCAAGAGCGCACAGATCGACGATCGCGAGCAACAGCTGCGGC
 TGATCCTGAAGAAGGGTAACAACGAGACCGACGGGTCCGAGAAGGTCATACCAAGTACCCCA
 35 CCGGGTACGCCGTCGACCTGTTCAACGCGCTCAGCGCCAAAAACGCGAAGGTCAGCACGGTCG
 TCAACCAGGGCAGCATCCTGGGCGAGCTGCTGGTCTACGTGCTGCCGCTGCTGTTGCTGGTGG
 GGCTGTTCTGTGATGTTCTCCCGCATGCAAGGCGGCGCCCGGATGGGCTTCGGGTTCCGGCAAGT

CACGCGCCAAGCAACTGAGCAAGGACATGCCCCAAGACCACCTTCGCCGACGTGCGAGGTGTCG
 ACGAGGCGGTGCGAGGAGCTCTACGAGATCAAGGACTTCCTGCAGAACCCAGCAGGTACCAAG
 CGCTGGGCGCCAAGATCCCCAAAGGCGTGCTGCTCTACGGGCGCGCGGAACCGGTAAGACG
 TTGCTGGCTCGTGCGGTGGCCGGCGAAGCCGGAGTGCCGTTCTTCACCATCTCCGGCTCCGAC
 5 TTCGTCGAAATGTTTCGTCGGCGTCGGCGCATCCCGTGTCAGAGACCTGTTTCGAGCAGGCCAAG
 CAGAACAGCCCGTGTCATCATCTTCGTCGACGAGATCGACGCCGTGCGCCGACAAAGAGGCGCC
 GGGCTGGGCGGCGGTACGACGAGCGTGAGCAGACCCTCAACCAGTTGCTAGTCGAAATGGA
 CGGTTTTGGCGATCGCGCCGGCGTCATCCTGATCGCGGCCACCAACCGGCCCGACATCCTGGA
 CCCGGCGCTGTTGCGGCCGGGCCGCTTCGACCGCCAGATCCCGGTATCCAACCCCGATCTGG
 10 CGGGTCGGCGGGCGGTGCTGCGCGTGCACTCCAAGGGCAAGCCGATGGCCGCGGACGCCGA
 CCTCGACGGAAGTGGCCAAGCGGACCGTCGGCATGACCGGAGCCGACCTGGCCAACGTCATCA
 ACGAGGCGGCGCTGCTGACCGCCCGGGAGAACGGCACCGTCATCACCGGTCCCGCCCTCGAG
 GAAGCGGTGGACCGGGTGATCGGCGGCCCGCGCCGCAAAGGCCGGATCATCAGCGAGCAGGA
 GAAGAAGATCACCGCCTATCACGAGGGCGGGCACACCCTGGCCGCTTGGGCGATGCCCGATAT
 15 CGAGCCGATTTATAAGGTGACGATCCTGGCGCGCGGGCGTACCGGCGGGCACGCGGTGGCGG
 TGCCGGAAGAAGACAAGGGCCTGCGGACCCGCTCGGAAATGATCGCGCAACTGGTGTTTCGCGA
 TGGGTGGGCGCGCCGCCGAAGAACTGGTGTTTCGTGAGCCGACCACCGGCGCGGTGTCCGAC
 ATCGAGCAGGCCACCAAGATAGCGCGCTCAATGGTCACCGAATTTGGAATGAGCTCCAAGCTG
 GGCGCGGTCAAATACGGCTCCGAACACGGCGACCCGTTCTCGGACGTACCATGGGCACCCAG
 20 CCGGACTACTCCCACGAGGTGCCCCGCGAGATCGACGAAGAGGTCCGCAAGCTTATCGAGGCG
 GCGCATACCGAAGCGTGCGGAAATCCTGACCGAATACCGCGACGTGCTGGACACTTTGGCCGGC
 GAGCTGCTGGAAAAGGAGACCCTGCACCGACCCGAGCTGGAAAGCATCTTCGCTGACGTCGAA
 AAGCGGCCGCGGCTCACCATGTTTCGACGACTTCGGTGGCCGGATCCCGTCGGACAAACCGCCC
 ATCAAGACACCCGGCGAGCTCGCGATCGAACGCGGCGAACCTTGCCCCAGCCGGTCCCCGA
 25 GCCGGCGTTCAAGGCGGCGATTGCGCAGGCTACCCAAGCCGCTGAGGCGCGCCCGGTCCGACG
 CCGGCCAAACCGGGCACGGCGCCAACGGTTCGCCCGCCGGCACCCACCGGTCCGGTGACCGC
 CAGTACGGCTCCACCCAGCCTGACTACGGTGCCCCGGCGGGCTGGCATGCGCCGGGATGGCC
 CCAAGGTCATCTCATCGGCCAGCTATAGCGGTGAACCGGCACCGACGTATCCGGGTACGCC
 CTACCCGACCGGTCAAGCCGATCCGGGTTCCGATGAGTCCTCGGCGGAGCAGGATGACGAGGT
 30 CAGTCGGACCAAGCCGGGCCACGGCTGA

>Rv3671c - TB.seq 4112322:4113512 MW:40722 >emb|AL123456|MTBH37RV:c4113512-4112319,
 Rv3671c SEQ ID NO:136

ATGACCCCGTCGCAGTGGCTGGATATCGCCGTCTTGCGGGTCGCATTTATTGCAGCCATCTCCG
 35 GCTGGCGTGCCGGTGCGCTGGGCTCAATGCTGTGTTTTGGCGGGGTGCTGCTGGGCGCGACA
 GCCGGCGTGCTGCTGGCGCCGCATATCGTCAGTCAAATCAGCGCTCCGCGGGCCAAACTGTTT
 GCCGCGCTGTTCTGATCCTGGCACTGGTCGTAGTCGGCGAGGTGCTGGTGTGGTGCTGGGC

CGCGCCGTCCGCGGGGCGATCCGTAACCGGCCGATCCGGTTGATCGACTCGGTCATTGGGGTA
 GGGGTGCAGCTGGTCGTGGTGCTCACCGCGGCGTGGTTGTTGGCGATGCCGCTGACACAGTC
 GAAAGAGCAGCCCGAGCTGGCTGCCGCGGTGAAGGGTTCGCGGGTGCTCGCCCGGGTCAACG
 AGGCGGCACCCACCTGGCTGAAGACGGTGCCCAAGCGGCTGTCGGCCCTGCTGAACACCTCC
 5 GGCCTGCCCGCGGTTTTGGAGCCGTTACGCCGCACGCCGGTCATTCCAGTGGCCTCACCCGAC
 CCAGCGCTGGTCAACAATCCGGTGGTGGCGGCCACCGAGCCAAGTGTGCTCAAAATCCGCAGC
 CTGGCACCCAGATGCCAGAAAGTGTTGGAGGGCACCGGCTTCGTGATCTCACCCGATCGGGTG
 ATGACCAACGCGCACGTGGTGGCCGGATCCAACAACGTCACGGTGTATGCCGGCGACAAGCCC
 TTCGAGGCCACGGTGGTGTCTACGACCCGTCGGTCGACGTAGCGATCCTGGCCGTTCCGCAC
 10 TTGCCGCCGCCGCCGCTGGTCTTCGCTGCGGAGCCGGCGAAAACCGGTGCCGACGTTGTGGT
 GCTGGGTTATCCCGGCGGGCGGCAATTTCACTGCCACACCCGCCAGGATTCGCGAGGCCATCAG
 ACTCAGTGGCCCCGATATTTACGGGGACCCGGAGCCGGTTACCCGCGACGTGTACACCATCAG
 AGCCGATGTGGAGCAAGGTGATTCGGGTGGGCCCCCTGATCGACCTCAACGGTCAGGTGCTCGG
 TGTGGTGTTCGGCGCAGCCATCGACGACGCCGAACTGGGTTTGTGCTGACGGCCGGCGAGGT
 15 GGCGGGGCAGCTTGCCAAAATCGGTGCTACCCAACCGGTCCGCACCGGGGCCTGCGTCAGCT
 GA

>Rv3682 ponA2 TB.seq 4121913:4124342 MW:84637

>emb|AL123456|MTBH37RV:4121913-4124345, ponA' SEQ ID NO:137

20 ATGCCCGAGCGCCTCCCGGCCGCGATCACCGTTCTGAAGCTGGCTGGGTGCTGTCTGTTGGCC
 AGTGTGCTCGCCACTGCGCTGACGTTCCCGTTTCGAGGCGGGCTAGGGCTGATGTCCAATCGT
 GCCTCTGAGGTGCTTGCCAACGGCTCGGCCAGCTGCTCGAGGGGCAAGTGCCTGCGGTATCG
 ACGATGGTTCGACGCGAAGGGCAACACGATCGCGTGGCTGTACTCGCAGCGCCGGTTTCGAGGT
 GCCCTCGGACAAGATCGCCAACACGATGAAGCTGGCGATCGTCTCGATTGAAGATAAGCGGTTCC
 25 GCCGACCACAGCGGCGTGGACTGGAAGGGCACCTGACCGGCCTGGCGGGCTACGCGTCCG
 GCGACCTCGACACGCGCGGCGGCTCGACGCTCGAACAACAGTACGTGAAGAACTACCAACTGC
 TGGTGACAGCCCAAACCGATGCCGAGAAGCGAGCGGCCGTGAAACCACTCCGGCCCGCAAG
 CTTGCGGAGATCCGGATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCC
 GATACTTGAACCTGGTCTCGTTCCGGCAATAACTCGTTCCGGCGTGCAGGACGCGGCGCAAACGTA
 30 CTTCCGGCATCAACGCGTCCGACCTGAATTGGCAGCAAGCGGCGCTGCTGGCCGGCATGGTGCA
 ATCGACCAGCACGCTCAACCCGTACACCAACCCCGACGGCGCGCTGGCCCGGCGGAACGTGG
 TCCTCGACACCATGATCGAGAACCTTCCCGGGGAGGCGGAGGCGTTGCGTGCCGCCAAGGCC
 GAGCCGCTGGGGGTACTGCCGCAGCCCAATGAGTTGCCGCGCGGCTGCATCGCGGCCGGCGA
 CCGCGCATTCTTCTGCGACTACGTCCAGGAGTACCTGTCTCGGGCCGGGATCAGCAAGGAGCA
 35 GGTCGCCACGGGCGGGTACCTGATCCGCACCACCCTGGACCCAGAGGTGCAGGCACCGGTCA
 AGGCCGCCATCGACAAGTACGCCAGCCCCGAACCTGGCCGGTATTTCCAGCGTGATGAGCGTGA
 TCAAACCGGGTAAGGATGCGCACAAGGTGTTGGCCATGGCCAGTAACCGCAAATACGGGCTGG

ATCTAGAAGCCGGCGAAACCATGCGGCCGCAGCCATTCTCCCTGGTTGGCGACGGCGCCGGGT
 CTATCTTCAAGATCTTCACCACGGCCGCTGCTCTGGACATGGGCATGGGTATTAACGCCCAACT
 CGACGTGCCGCCCGGATTCCAGGCCAAAGGTCTGGGAAGTGGCGGGGCAAAGGGGTGCCCA
 AAGAGACCTGGTGTGTGGTGAACGCCGGCAACTACCGCGGCTCGATGAATGTCACCGACGCGC
 5 TGGCAACCTCGCCAAACACCGCGTTTCGCCAAGCTGATCTCGCAGGTGGGGTGGGGCGTGCG
 GTCGATATGGCCATCAAACCTCGGGCTGAGGTCTTATGCGAATCCCGGCACCGCACGCGACTAC
 AACCCCGACAGCAATGAGAGCTTGGCTGACTTCGTCAAACGACAGAACCTGGGTTCGTTACCC
 TCGGCCCATCGAGTTAAACGCGCTGGAGCTGTCCAACGTGGCGGCCACGTTGGCATCCGGCG
 GCGTGTGGTGCCCCCCCCAACCAATCGACCAGCTCATCGACCGCAACGGCAACGAAGTCGCGG
 10 TCACCACCGAGACGTGCGACCAGGTGGTGCCCGCAGGGCTGGCGAACACCCTCGCCAACGCG
 ATGAGCAAGGACGCCGTGGGCAGCGGCACGGCGGCCGGTTTCGGCCGGCGCGGGCGGGCTGGG
 ATCTGCCGATGTCCGGCAAACCGGCACCAACCGAGGCGCACCGGTCGGCCGGCTTCGTGGGC
 TTCACCAACCGCTACGCGGCGGCGAACTACATCTACGACGACTCCAGCTCGCCGACAGATCTGT
 GTTCCGGCCCCGCTGCGCCATTGCGGCAGCGGCGACTTGTACGGCGGCAACGAGCCATCCCGC
 15 ACCTGGTTCGCCGCGATGAAGCCGATCGCCAACAACCTTCGGCGAAGTGCAGCTACCACCGACC
 GATCCACGCTATGTGACGGCGCACCAAGGCTCACGGGTACCAAGCGTGGCCGGTCTGGATGTC
 GACGCCGCACGCCAGCGCCTCAAGGACGCGGGCTTCCAGGTCGCCGACCAAACCAACTCGGT
 CAACAGCTCCGCCAAGTATGGTGAGGTGGTCGGAACGTGCCCCAGCGGTCAAACAATTCCGGG
 TTCGATCGTCACGATCCAGATCAGCAACGGCATCCCGCCGGCTCCGCCTCCGCCACCGCTGCC
 20 TGAGGATGGTGGGCCCGCCACCGCCGGTCGGATCGCAGGTGGTGGAGATTCCGGGGCTGCCGC
 CGATCACCATTCCGCTGCTGGCGCCACCACCCCCAGCGCCTCCCCCGTAG

>Rv3721c dnaZX DNA polymerase III,[gamma] (dnaZ) and t (dnaX) TB.seq 4164995:4166728

MW:61892 >emb|AL123456|MTBH37RV:c4166728-4164992, dnaZX SEQ ID NO:138

25 GTGGCTCTCTACCGCAAGTACCGACCGGCAAGCTTCGCGGAGGTGGTGGGGCAGGAGCACGT
 CACCGCGCCGCTGTCGGTGGCGCTGGATGCCGGCCGGATCAACCACGCGTACCTGTTCTCTGG
 GCCGCGTGGCTGCGGAAAGACGTGTCAGCGCGTATCCTGGCGCGGTGTTGAACTGTGCGCA
 GGGCCCTACCGCCAACCCGTGCGGGGTCTGCGAATCCTGCGTTTCGTTGGCGCCCAACGCCCC
 CGGCAGCATCGACGTGGTAGAGCTGGATGCCGCCAGCCACGGCGGCGTGGACGACACCCGCG
 30 AGCTGCGGGACCGCGCGTTCTATGCGCCGGTCCAGTCACGGTACCGGGTATTTATCGTCGACG
 AGGCGCACATGGTGACCACCGCGGGATTCAACGCGCTGCTCAAGATCGTGGAGGAACCGCCC
 GAACACCTGATCTTCATATTCGCCACCACCGAACCAGGAGGTAAGTACTGCCGACGATTCGGTTCG
 GCACTCATCACTACCCGTTCCGGCTGCTGCCGCCGCGCACTATGCGGGCGTTGCTCGCGCGGA
 TCTGCGAGCAGGAGGGCGTCGTCGTCGACGATGCGGTGTACCCGTTGGTGATCCGGGGCCGGC
 35 GGAGGTTCCCCACGGGATACGCTCTCGGTGCTGGACCAATTGCTGGCTGGGGCCGCGGACAC
 CCACGTGACCTACACCCGGGCGCTGGGGCTGCTGGGTGTCACCGACGTCGCCCTGATCGACG
 ACGCGGTGACGCACTGGCCGCTTGCATGCGGCCGCATTGTTGGGGCGATCGAATCGGTGA

TCGATGGCGGACATGACCCTCGGCGTTTCGCTACCGATCTGCTGGAGCGATTCCGCGACCTGA
 TTGTGCTGCAATCGGTTCCCGACGCGGCATCTCGCGGGGTGGTGGATGCGCCCGAAGACGCG
 CTGGATCGGATGCGCGAGCAAGCCGCCCGGATCGGGCGGGCGACCCTGACCCGATATGCCGA
 GGTGGTGCAGGCCGGGCTAGGCGAGATGCGCGGTGCGACCGCGCCGCGTCTGCTGCTGGAA
 5 GTGGTTTTCGCGCGGACTGCTGCTGCCCTCGGCGAGCGACGCCGAATCGGCACTGTTGCAGCG
 GGTCGAACGGATCGAGACCCGGTTGGACATGTCGATCCCGGCGCCGCAAGCCGTACCACGCC
 CGTCGGCTGCGGCTGCCGAGCCGAAACACCAGCCCGCGCGTGAACCGAGACCGGTGCTGGCC
 CCCACACCGGCCTCGAGCGAACCACCGTGGCCGCGGTTTCGGTCCATGTGGCCGACGGTGCG
 CGACAAGGTGCGCCTGCGCAGCCGTACCACCGAGGTGATGCTGGCGGGTGCCACCGTCCGTG
 10 CGCTAGAGGACAACACGCTGGTGTGACCCACGAATCGGCGCCGCTGGCGCGGCGGCTGTCC
 GAACAGCGCAACGCCGATGTCCTCGCCGAGGCGCTTAAGACGCGCTGGGAGTCAACTGGCG
 GGTGCGGTGTGAGACCGGTGAACCGGCTGCGGCGGCATCACCCGTCGGCGGGGGAGCGAAC
 GTGGCGACCGCCAAGGCCGTAAACCCTGCCCCACAGCGAATTCCACTCAGCGCGACGAAGAG
 GAGCACATGCTCGCCGAAGCCGGCCGTGGCGACCCGTCGCCGCGTCGCGACCCGGAAGAGGT
 15 TGCACTCGAGCTGCTGCAGAACGAGCTGGGCGCGCGCCGGATAGACAACGCCTAG

>Rv3783 - TB.seq 4229255:4230094 MW:32337

>emb|AL123456|MTBH37RV:4229255-4230097, Rv3783 SEQ ID NO:139

ATGACATTCATGGATGCTCAAGCTAGCTTCCAGACACAGTCGCGGACACTGGCCCCGCTCCGA
 20 GGCGATCTGGTCGACGGGTTCCGCCGCCACGAGCTGTGGCTGCACCTGGGCTGGCAGGACAT
 CAAGCAGCGGTACCGCCGCTCGGTGCTGGGGCCGTTCTGGATCACCATCGCCACCGGAACGA
 CCGCCGTCGCGATGGGCGGCCTGTATTCCAAGCTGTTTCGGCTCGAGCTGTCTGAGCACCTGC
 CCTACGTCACGCTCGGGCTGATCGTCTGGAACCTGATCAACGCCGCCATCCTGGACGGCGCAG
 AGGTTTTTCGTCGCCAACGAAGGTCTGATCAAACAGCTGCCGGCACCGTTGAGCGTGACGTCTA
 25 TCGGTTGGTGTGGCGGCAGATGATCTTCTTCGCCACAACATCGTCATCTACTTCGTATCGCG
 ATCATCTTTCCTAAGCCGTGGTCGTGGGCGGATCTGTCGTTTCTTCGGCGCTGGCGCTCATTT
 TCCTCAATTGCGTTTGGGTGTCACTGTGTTTCGGCATCCTGGCGACCCGCTACCGCGACATCGG
 CCGCTGCTGTTTTCCGTTGTGCAGTTGTTGTTCTTCATGACGCCGATCATCTGGAACGACGAGA
 CCCTGCGTCGGCAGGGCGCGGGCCGCTGGTCGAGCATCGTCGAGCTCAACCCGCTGCTGCAC
 30 TATCTGGACATCGTGCGGGCGCCACTGTTGGGCGCTCACCAGGAGCTGCGGCACTGGCTGGTG
 GTGCTGGTGTGACCGTCGTGGGCTGGATGCTGGCGGCGTTTCGCGATGCGGCAGTATCGCGC
 GCGGGTGCCCTACTGGGTGTAG

>Rv3789 - TB.seq 4235371:4235733 MW:13378

>emb|AL123456|MTBH37RV:4235371-4235736, Rv3789 SEQ ID NO:140

ATGCGGTTTCGTTGTCAACGGCGGCCTCGCTGGGATAGTTGACTTTGGCCTCTACGTCGTGCTGT
 ACAAGGTGGCGGGCCTACAGGTGACCTGTCCAAGGCCATCAGCTTCATCGTCGGCACCATCA

CCGCGTACCTGATCAACCGCCGGTGGACATTCCAGGCCGAGCCCAGCACGGCCCCGATTCTGTCG
CGGTCATGCTCCTCTACGGAATCACCTTCGCCGTGCAGGTCGGACTCAACCACCTCTGCCTCGC
ACTCTTGCACTACCGGGCGTGGGCCATCCCCGTGCGTTTTGTGATCGCGCAGGGCACCGCCAC
GGTAATCAACTTCATCGTGCAGCGAGCCGTGATCTTCCGGATCCGCTGA

5

>Rv3790 - TB.seq 4235776:4237158 MW:50164

>emb|AL123456|MTBH37RV:4235776-4237161, Rv3790 SEQ ID NO:141

ATGTTGAGCGTGGGAGCTACCACTACCGCCACCCGGCTGACCGGGTGGGGCCGCACAGCGCC
GTCGGTGGCGAATGTGCTTCGCACCCCAGATGCCGAGATGATCGTCAAGGCGGTGGCTCGGGT
10 CGCCGAGTCGGGGGGCGGCCGGGGTGTATCGCGCGCGGGTGGGCCGCTCCTATGGGGAC
AACGCCCCAAAACGGCGGTGGGTTGGTGATCGACATGACGCCGCTGAACACTATCCACTCCATTG
ACGCCGACACCAAGCTGGTCGACATCGACGCCGGGGTCAACCTCGACCAACTGATGAAAGCCG
CCCTGCCGTTCCGGGCTGTGGGTCCCGGTGCTGCCGGGAACCCGGCAGGTCACCGTCGGCGGG
GCGATCGCCTGCGATATCCACGGCAAGAACCATCACAGCGCTGGCAGCTTCGGTAACACAGTG
15 CGCAGCATGGACCTGCTGACCGCCGACGGCGAGATCCGTCTACTCCGACCGGCGAGGA
CGCCGAACGTGTTCTGGGCCACCGTCGGGGGCAACGGTCTACCGGCATCATCATCGGGGCCAC
CATCGAGATGACGCCCACTTCGACGGCGTACTTCATCGCCGACGGCGACGTCACCGCCAGCCT
CGACGAGACCATCGCCCTGCACAGCGACGGCAGCGAAGCGCGCTACACCTATTCCAGTGCCTG
GTTTCGACGCGATCAGCGCTCCCCGAAGCTGGGCCGCGCGCGGTATCGCGTGGCCGCCTGG
20 CCACCGTCGAGCAATTGCCTGCGAACTGCGGAGCGAACCTTTGAAATTCGATGCGCCACAGCT
ACTTACGTTGCCCGACGTGTTTCCCAACGGGCTGGCCAACAAATATACCTTCGGCCCCGATCGGC
GAACTGTGGTACCGCAAATCCGGCACCTATCGCGGCAAGGTCCAGAACCTCACGCAGTTCTACC
ATCCGCTGGACATGTTCCGGCGAATGGAACCGCGCCTACGGCCCAGCGGGCTTCCTGCAATATC
AGTTCGTGATCCCCACAGAGGCGGTTGATGAGTTCAAGAAGATCATCGGCGTTATTCAAGCCTC
25 GGGTCACTACTCGTTTCTCAACGTGTTCAAGCTGTTCCGGCCCCGCAACCAGGCGCCGCTCAGC
TTCCCCATCCCGGGCTGGAACATCTGCGTCGACTTCCCCATCAAGGACGGGCTGGGGAAGTTC
GTCAGCGAACTCGACCGCCGGGTACTGGAATTGGCGGGCCGCTCTACACCGCAAAGACTCC
CGTACCACCGCCGAAACCTTTCATGCCATGTATCCGCGCGTCGACGAATGGATCTCCGTGCGCC
GCAAGGTCGATCCGCTGCGCGTATTGCGCTCCGACATGGCCCCGACGCTTGGAGCTGCTGTAG

30

>Rv3791 - TB.seq 4237162:4237923 MW:27470

>emb|AL123456|MTBH37RV:4237162-4237926, Rv3791 SEQ ID NO:142

ATGGTTCTTGATGCCGTAGGAAACCCCCAGACGGTGCTGCTGCTCGGTGGCACCTCCGAGATC
GGGCTCGCCATCTGCGAGCGCTACCTGCACAATTGGCGGGCCCGCATCGTGCTGGCCTGCCTG
35 CCCGACGACCCACGGCGGGAGGACGCGGCCGCTGCGATGAAGCAGGCCGGCGCGCGGTTCG
TGGAGCTGATCGACTTTGACGCCCTGGATACCGACAGCCACCCGAAGATGATCGAGGCGGCCT
TCTCCGGCGGTGATGTGGACGTGGCTATCGTCGCGTTCCGGCTTGCTCGGCGACGCCGAAGAGC

TGTGGCAGAACCAGCGCAAGGCGGTGCAGATCGCCGAAATCAACTACACCGCAGCGGTTTCGG
TGGGCGTGCTGCTGGCTGAGAAGATGCGCGCTCAGGGCTTCGGTCAGATCATCGCGATGAGCT
CGGCCGCCGGTGAGCGGGTGCAGCGGGCGAACTTCGTCTACGGCTCCACCAAGGCCGGTCTG
GACGGGTTTTACCTGGGGTTGTCAGAAGCGCTGCGCGAGTACGGTGTTCTGTGCTGGTGATC
5 CGGCCCGGCCAGGTGCGTACCCGGATGAGCGCGCACCTCAAGGAAGCTCCATTGACCGTCGA
CAAGGAGTACGTGCGCAACCTCGCGGTGACCGCGTCCGCAAAAGGTAAGGAATTGTTTTGGGC
GCCAGCAGCGTTCCGCTACGTCATGATGGTGTTGCGTCACATCCCGCGGAGCATCTTCCGCAA
GCTGCCCATCTGA

10 >Rv3794 embA TB.seq 4243230:4246511 MW:115694

>emb|AL123456|MTBH37RV:4243230-4246514, embA SEQ ID NO:143

GTGCCCCACGACGGTAATGAGCGATCTACCGGATCGCACGCCTAGCAGCCGTCGTCTCGGGA
ATCGCGGGTCTGCTGCTGTGCGGCATCGTTCCGCTGCTTCCGGTGAACCAAACACCGCGACC
ATCTTCTGGCCGACGGGACGACCGCCGACGGCAACATCACCCAGATCACCGCCCCCTCTGGTA
15 TCCGGGGCGCCACGCGCGCTGGACATCTCGATCCCCTGCTCGGCCATCGCCACGCTGCCCGC
CAACGGCGGCCTGGTGCTGTCCACACTGCCGGCCGGTGGCGTGGATAACCGGTAAGGCCGGGC
TGTTCTGTCGCGCCAACCAGGACACGGTCGTCTGGCGTTCGCGACTCGGTGGCCGCGGTG
GCGGCCCGCTCCACGATCGCAGCGGGAGGCTGTAGCGCGCTGCATATCTGGGCCGATAACGG
CGGCGCGGGCGCTGATTTTATGGGTATACCCGGCGGCGCGCGGACCCTGCCGCCGAGAAGA
20 AGCCACAGGTTGGCGGCATCTTACCGACCTGAAGGTGGAGCGCAGCCCGGGCTGTGCGCC
CGCGTCGACATCGACACTCGGTTTATCACGACGCCCGGCGCGCTCAAGAAGGCCGTGATGCTC
CTCGGCGTGCTGGCGGTCCTGGTAGCCATGGTGGGGCTGGCCGCGCTGGACCGGCTCAGCAG
GGGCCGCACCCTGCGCGACTGGCTGACCCGATATCGCCCGCGGGTGGGGTTCGGATTGCGCA
GCCGGCTCGCTGACGCAGCGGTGATCGCGACCTTGTGCTCTGGCATGTCATCGGCGCCACCT
25 CGTCCGATGACGGCTACCTTCTGACCGTCGCCCGGGTCGCCCGAAGGCCGGCTATGTAGCCA
ACTACTACCGGTATTTGCGCACGACGGAGGCGCCGTTGACTGGTATACATCGGTGCTTGCCCA
GCTGGCGGCGGTGAGCACCGCCGGCGTCTGGATGCGCCTGCCCGCCACCCTGGCCGGAATCG
CCTGCTGGCTGATCGTCAGCCGTTTCGTGCTGCGGCGGCTGGGACCGGGCCCGGGCGGGCTG
GCGTCCAACCGGGTCGCTGTGTTACCGCTGGTGCGGTGTTTCTGTCCGCTGGCTGCCGTTT
30 AACAACGGCCTGCGTCCCGAGCCGCTGATCGCGCTGGGTGTGCTGGTCACGTGGGTGTTGGTG
GAACGGTCGATCGCGCTCGGACGGCTGGCCCCGGCGCGGTAGCCATCATCGTGGCGACGCT
TACCGCGACGCTGGCACCGCAGGGGTTGATCGCGCTGGCCCCGCTGCTGACTGGTGCGCGCG
CCATCGCCCAGAGGATCCGGCGCCGCCGGGCGACCGATGGACTGCTGGCGCCGCTGGCGGT
GCTGGCCGCGGCGTTGTGCTGATCACCGTGGTGGTGTTCGGGACCAGACGCTGGCCACGGT
35 GGCCGAATCGGCACGCATCAAGTACAAGGTCGGCCCGACCATCGCCTGGTACCAGGACTTCCT
GCGCTACTACTTCCTTACCGTGGAGAGCAACGTTGAGGGTTCGATGTCCCGCCGGTTCGCGGT
GCTGGTGTTGCTGTTCTGCCTGTTCCGGGTGCTGTTCTGTGCTGCTGCGGCGCGGCCGGGTGGC

GGGGCTGGCCAGCGGCCCGGCCTGGCGACTGATCGGCACTACGGCGGTGGCCTGCTGCTGC
 TCACGTTACGCCAACCAAGTGGGCCGTGCAGTTCGGCGCATTCGCCGGGCTGGCCGGGGTGT
 TGGGTGCGGTACCGCGTTACCTTTGCCCGCATCGGTCTACATAGTCGACGCAACCTCACGCT
 GTACGTGACCGCGTTGCTGTTGCTGCTGGCGTGGGCAACCTCGGGCATCAACGGGTGGTTCTA
 5 CGTCGGCAACTACGGGGTGCCGTGGTATGACATCCAGCCCGTCATCGCCAGCCACCCGGTGAC
 GTCGATGTTTTCTGACGCTGTCGATCCTCACCGGATTGCTGGCAGCCTGGTATCACTTCCGGATG
 GACTACGCCGGGCACACCGAAGTCAAAGACAACCGGCGCAACCGCATCTTGGCCTCTACGCCA
 CTGCTGGTGGTCGCGGTGATCATGGTCGAGGCGAAGTCGGCTCGATGGCCAAGGCCGCGGT
 GTTCCGTTACCCGCTTTACACCACCGCCAAGGCCAACCTGACCGCGCTCAGCACCGGGCTGTC
 10 CAGCTGTGCGATGGCCGACGACGTGCTGGCCGAGCCCGACCCCAATGCCGGCATGCTGCAAC
 CGGTTCCGGGCCAGGCGTTCGGACCGGACGGACCGCTGGGCGGTATCAGTCCCGTCGGCTTC
 AAACCCGAGGGCGTGGGCGAGGACCTCAAGTCCGACCCGGTGGTCTCAAACCCGGGCTGGT
 CAACTCCGATGCGTCGCCCAACAAACCCAACGCCGCCATCACCGACTCCGCGGGCACCGCCGG
 AGGGAAGGGCCCGGTGCGGATCAACGGGTGCGACGCGGCGCTGCCGTTGCGATTGGACCCGG
 15 CACGTACCCCGGTGATGGGCAGCTACGGGGAGAACAACCTGGCCGCCACGGCCACCTCGGCC
 TGGTACCAGTTACCGCCCCGACGCCCGGACCGGCCGCTGGTGGTGGTTTTCCGCGGCCGGCGC
 CATCTGGTCTTACAAGGAGGACGGCGATTTTCATCTACGGCCAGTCCCTGAAACTGCAGTGGGG
 CGTCACCGGCCCGGACGGCCGCATCCAGCCACTGGGGCAGGTATTTCCGATCGACATCGGACC
 GCAACCCGCGTGGCGCAATCTGCGGTTTTCCGCTGGCCTGGGCGCCCGCGGAGGCCGACGTGG
 20 CGCGCATTGTGCCTATGACCCGAACCTGAGCCCTGAGCAATGGTTCGCCCTTACCCCGCCCC
 GGGTTCCGGTGCTGGAATCTCTGCAGCGGTTGATCGGGTCAGCGACACCGGTGTTGATGGACA
 TCGCGACCGCAGCCAACTTCCCCTGCCAGCGACCGTTTTCCGAGCATCTCGGCATTGCCGAGC
 TTCCGCAGTACCGGATCCTGCCGACCAACAAGCAGACGGCGGCGTCGTCGAACCTATGGCAGT
 CCAGCTCGACCGGCGGTCCGTTCTGTTACCCAGGCGCTGCTGCGCACCTCGACGATCGCCA
 25 CGTACCTGCGTGGGGACTGGTATCGCGACTGGGGATCGGTGGAGCAGTACCACCGGCTGGTG
 CCGGCCGATCAGGCTCCAGACGCCGTTGTGAGGAGGGCGTGATCACTGTGCCCGGCTGGGG
 TCGGCCAGGACCGATCAGGGCGCTGCCATGA

>Rv3795 embB TB.seq 4246511:4249804 MW:118023

>emb|AL123456|MTBH37RV:4246511-4249807, embB SEQ ID NO:144

ATGACACAGTGC GCGAGCAGACGCAAAAGCACCCCAAATCGGGCGATTTTGGGGGCTTTTGCG
 TCTGCTCGCGGGACGCGCTGGGTGGCCACCATCGCCGGGCTGATTGGCTTTGTGTTGTCGGTG
 GCGACGCCGCTGCTGCCCGTCGTGCAGACCACCGCGATGCTCGACTGGCCACAGCGGGGGCA
 ACTGGGCAGCGTGACCGCCCCGCTGATCTCGCTGACGCCGGTCGACTTTACCGCCACCGTGCC
 35 GTGCGACGTGGTGCGGCCATGCCACCCGCGGGCGGGGTGGTGCTGGGCACCGCACCCAAG
 CAAGGCAAGGACGCCAATTTGCAGGCGTTGTTGTCGTCGTCAGCGCCCAGCGCGTGGACGTC
 ACCGACCGCAACGTGGTGATCTTGTCCGTGCGCGCGAGCAGGTGACGTCCCCGCAGTGTCAA

CGCATCGAGGTCACCTCTACCCACGCCGGCACCTTCGCCAACTTCGTGCGGGCTCAAGGACCCG
TCGGGCGCGCCGCTGCGCAGCGGCTTCCCCGACCCCAACCTGCGCCCGCAGATTGTCGGGGT
GTTACCGACCTGACCGGGCCCCGCGCCGCCGGGCTGGCGGTCTCGGCGACCATCGACACCC
GGTTCTCCACCCGGCCGACCACGCTGAAACTGCTGGCGATCATCGGGGCGATCGTGGCCACCG
5 TCGTCGCACTGATCGCGTTGTGGCGCCTGGACCAGTTGGACGGGCGGGGCTCAATTGCCCAGC
TCCTCCTCAGGCCGTTCCGGCCTGCATCGTCGCGGGGCGGCATGCGCCGGCTGATTCCGGCAA
GCTGGCGCACCTTCACCCTGACCGACGCCGTGGTGATATTGGGCTTCCTGCTCTGGCATGTCAT
CGGCGCGAATTCTGTCGGACGACGGCTACATCCTGGGCATGGCCCGAGTCGCCGACCACGCCG
GCTACATGTCCAACTATTTCCGCTGGTTCGGCAGCCCCGGAGGATCCCTTCGGCTGGTATTACAA
10 CCTGCTGGCGCTGATGACCCATGTCAGCGACGCCAGTCTGTGGATGCGCCTGCCAGACCTGGC
CGCCGGGCTAGTGTGCTGGCTGCTGCTGTGCGGTGAGGTGCTGCCCCGCCTCGGGCCGGCGG
TGGAGGCCAGCAAACCCGCCTACTGGGCGGCGGCCATGGTCTTGCTGACCGCGTGGATGCCG
TTCAACAACGGCCTGCGGCCGGAGGGCATCATCGCGCTCGGCTCGCTGGTCACCTATGTGCTG
ATCGAGCGGTCCATGCGGTACAGCCGGCTCACACCGGCGGGCGCTGGCCGTCTGTTACCGCCGC
15 ATTCACACTGGGTGTGCAGCCCACCGGCCTGATCGCGGTGGCCGCGCTGGTGGCCGGCGGCC
GCCCGATGCTGCGGATCTTGGTGCGCCGTATCGCCTGGTCGGCACGTTGCCGTTGGTGTGCG
CGATGCTGGCCGCCGGCACCGTCATCCTGACCGTGGTGTTCGCCGACCAGACCCTGTCAACGG
TGTTGGAAGCCACCAGGGTTCGCGCCAAAATCGGGCCGAGCCAGGCGTGGTATACCGAGAACC
TGCGTTACTACTACCTCATCCTGCCACCGTCGACGGTTCGCTGTGCGGGCGCTTCGGCTTTTT
20 GATCACCGCGCTATGCCTGTTACCGCGGTGTTTCATCATGTTGCGGCGCAAGCGAATCCCAGC
GTGGCCCGCGGACCGGCGTGGCGGCTGATGGGCGTCATCTTCGGCACCATGTTCTTCCTGATG
TTCACGCCCACCAAGTGGGTGCACCACTTCGGGCTGTTCCGCCCGGTAGGGGCGGCGATGGC
CGCGCTGACGACGGTGTGTTGGTATCCCCATCGGTGCTGCGCTGGTCGCGCAACCGGATGGCGTT
CCTGGCGGCGTTATTCTTCCTGCTGGCGTTGTGTTGGGCCACCACCAACGGCTGGTGGTATGTC
25 TCCAGCTACGGTGTGCCGTTCAACAGCGCGATGCCGAAGATCGACGGGATCACAGTCAGCACA
ATCTTTTTCGCCCTGTTTGCATCGCCGCCGGCTATGCGGCCTGGCTGCACTTCGCGCCCCGC
GGCGCCGGCGAAGGGCGGCTGATCCGCGCGCTGACGACAGCCCCGGTACCGATCGTGGCCG
GTTTCATGGCGGCGGTGTTGTCGCGTCCATGGTGGCCGGGATCGTGCGACAGTACCCGACCT
ACTCCAACGGCTGGTCCAACGTGCGGGCGTTTGTGCGGCGGCTGCGGACTGGCCGACGACGTA
30 CTCGTCGAGCCTGATACCAATGCGGGTTTCATGAAGCCGCTGGACGGCGATTCCGGTTCTTGG
GGCCCCCTGGGCCCCGCTGGGTGGAGTCAACCCGGTCGGCTTCACGCCCAACGGCGTACCGGA
ACACACGGTGGCCGAGGCGATCGTGATGAAACCCAACCAGCCCGGCACCGACTACGACTGGGA
TGCGCCGACCAAGCTGACGAGTCCTGGCATCAATGTTCTACGGTGCCGCTGCCCTATGGGCT
CGATCCCGCCCGGTACCGTTGGCAGGCACCTACACCACCGGCGCACAGCAACAGAGCACACT
35 CGTCTCGGCGTGGTATCTCCTGCCTAAGCCGGACGACGGGCATCCGCTGGTCGTGGTGACCGC
CGCGGGCAAGATCGCCGGCAACAGCGTGCTGCACGGGTACACCCCGGGCAGACTGTGGTG
TCGAATACGCCATGCCGGGACCCGGAGCGCTGGTACCCGCGGGGCGGATGGTGCCCGACGAC

CTATACGGAGAGCAGCCCAAGGCGTGGCGCAACCTGCGCTTCGCCCCGAGCAAAGATGCCCCG
CGATGCCGTCGCGGTCCGGGTGGTGGCCGAGGATCTGTCGCTGACACCGGAGGACTGGATCG
CGGTGACCCCGCCGCGGTACCGGACCTGCGCTCACTGCAGGAATATGTGGGCTCGACGCAG
CCGGTGCTGCTGGACTGGGCGGTGCGTTTGGCCTTCCCGTGCCAGCAGCCGATGCTGCACGC
5 CAATGGCATCGCCGAAATCCCGAAGTTCGCGATCACACCGGACTACTCGGCTAAGAAGCTGGAC
ACCGACACGTGGGAAGACGGCACTAACGGCGGCCTGCTCGGGATCACCGACCTGTTGCTGCG
GGCCACGTCATGGCCACCTACCTGTCCCGCGACTGGGCCCCGCGATTGGGGTTCCCTGCGCAA
GTTTCGACACCCTGGTCGATGCCCTCCCGCCAGCTCGAGTTGGGCACCGCGACCCGCGAGCG
GCCTGTGGTCACCGGGCAAGATCCGAATTGGTCCATAG

>Rv3834c serS seryl-tRNA synthase TB.seq 4307655:4308911 MW:45293

>emb|AL123456|MTBH37RV:c4308911-4307652, serS SEQ ID NO:145

GTGATCGACCTGAAGCTGCTTCGTGAAAACCCCGACGCGGTACGCCGCTCACAACCTCAGCCGC
GGCGAGGACCCGGCGCTGGTAGATGCCCTGCTGACGGCCGACGCCGCCCGCCGGGCGGTGA
15 TCTCGACCGCCGATTGTTACGGGCCGAGCAGAAAGCCGCCAGCAAAAGCGTGGGTGGCGCG
TCTCCCGAAGAGCGCCCGCCGCTGCTGCGGCGCGCGAAGGAACTCGCCGAGCAGGTCAAAGC
CGCTGAGGCCGACGAGGTGAAGCGGAGGCGGCGTTACCGCGGCGCACCTGGCGATCTCGA
ATGTCATCGTGACGGGGTACCCGCCGGCGGGGAGGACGACTACGCGGTGCTCGACGTCGTC
GGCGAGCCCAGCTACCTCGAGAACCCCAAGGACCACCTGGAGCTCGGCGAGTCGCTGGGCCT
20 GATCGACATGCAGCGCGGCGCCAAGGTGTGGGTTACGGTTCTACTTCCTGACCGGTGCGGG
TGCCCTACTGCAGCTTGGATTGCTGCAGCTGGCGCTGAAGCTAGCCGTCGACAACGGCTTTGTC
CCTACGATCCCGCCGGTGCTGGTGCGCCCGGAAGTGATGGTAGGCACGGGATTTCTAGGCGCC
CACGCCGAGGAGGTGTACCGGGTAGAGGGCGACGGCCTCTACCTTGTGGGCACCTCCGAGGT
ACCGCTGGCGGGGTATCACTCCGGCGAGATTCTGGACCTTTCCCGCGGGCCGCTGCGGTATGC
25 GGGCTGGTCGTCGTGTTTCCGACGTGAGGCCGGCAGCCATGGCAAGGACACGCGCGGCATCA
TCCGGGTGCACCAAGTTCGACAAAGTCGAGGGCTTCGTCTACTGCACACCGGCCGACGCGGAGC
ACGAACATGAGCGGCTGCTGGGCTGGCAGCGCCAGATGCTGGCACGCATCGAGGTGCCGTAT
CGGGTCATCGACGTGGCCGCGGGTGATCTCGGCTCGTCGGCCGCCCGCAAGTTCGACTGCGA
GGCGTGATTCCGACGCAGGGGGCCTATCGCGAGCTGACGTCGACGTCGAAGTGCACCACTT
30 TCAGGCGCGCCGTTGGCGACCCGCTACCGGGATGCCAGCGGCAAGCCGCAGATCGCGGCCA
CCCTCAACGGAACGCTGGCCACCACCCGGTGGCTGGTTGCGATCCTGGAGAACCACAGCGG
CCCGACGGCAGCGTTAGAGTCCCGGACGCACTGGTTCCGTTCTGTTGGGTGTCGAAGTGCTGGAG
CCGGTCGCTTAG

>Rv3907c pcnA polynucleotide polymerase TB.seq 4391631:4393070 MW:53057

>emb|AL123456|MTBH37RV:c4393070-4391628, pcnA SEQ ID NO:146

GTGCCGGAAGCCGTCCAGGAAGCCGATCTGCTAACCGCCGCTGCGGTTGCCTTGAACAGGCAT
 GCTGCCTTATTGCGGGAAGTCCGGTCCGGTGTTCGCCGCCGCGGGACACGAGTTGTATCTGGTC
 GGCGGTTCCGGTGCAGATGCACTGTTGGGCCGGTTGAGCCCCGACCTGGACTTCACCACCGAC
 GCCCGTCCCAGCGGGTGCAGGAGATCGTGCGGCCGTGGGCCGATGCGGTGTGGGATACCG
 5 GAATCGAATTCGGCACCGTCCGGCTGGGTAAGAGCGACCACCGCATGGAGATCACCACATTCC
 GTGCCGACAGCTACGACCGGGTTTCGCGTCATCCAGAGGTACGTTTCGGCGATTGCCTCGAGG
 GCGATCTGGTCCGCCGCGACTTCACCACGAACGCAATGGCTGTGCGCGTCAACGCCACTGGGC
 CGGGCGAATTCCTGGATCCGCTTGGTGGCTTGGCGGCGCTGCGGGCCAAGGTGTTAGACACCC
 CGGCGGCGCCGTCCGGGTCTTTGGCGACGATCCGTTGCGGATGCTGCGCGCCGCGCGGTTTC
 10 GTCTCGCAACTTGATTCCGCGGTGGCGCCGCGGGTGGCGCGGCGATCGAAGAGATGGCGCC
 GCAGTTGGCCCGAATCAGCGCCGAACGGGTGGCCGCCGAGCTGGACAAGCTGCTGGTCCGGTG
 AGGATCCGGCCGCGGGTATCGACCTGATGGTGCAGAGCGGTATGGGTGCTGTGGTCTTGCCTG
 AAATCGGTGGGATGCGGATGGCGATCGACGAACATCACCAGCACAAGGACGTCTATCAGCATTC
 CTTGACCGTGCTGCGGCAGGCGATCGCGCTGGAGGACGACGGCCCGGATCTGGTGTTCGCGT
 15 GGGCGGCGCTGCTGCACGACATCGGCAAGCCCCGCCACCCGCCGTACGAACCCGACGGTGGG
 GTGAGCTTCCATCACCACGAAGTGGTGGCGCCAAGATGGTGGCAAGCGGATGCGGGCGCT
 GAAGTATTCCAAGCAGATGATCGACGACATCTCGCAGCTGGTCTACCTGCATCTGCGGTTTCAC
 GGCTACGGCGATGGGAAATGGACCGACTCTGCGGTGCGCCGCTATGTCAACGACGCCGGGGC
 CCTACTGCCACGGCTGCACAAGCTGGTGGCGCCGACTGCACGACCCGCAACAAGCGCCGGG
 20 CCGCGCGGTTGCAGGCCAGTTACGACCGGCTGGAAGAGCGGATCGCGGAGCTGGCCGCCAG
 GAGGATCTGGATCGGGTGGCGCCCGACCTGGACGGCAACCAGATCATGGCGGTGCTCGACATT
 CCGGCGGGGCCGCAAGTCGGCGAGGCGTGGCGCTACTTGAAGGAGCTGCGGCTAGAGCGCG
 GCGCGTTGTCCACCGAGGAGGCGACAACCGAGCTGCTGTCCTGGTGAAATCACGGGGGAAC
 CGCTAG

25

TABLE 4

>Rv0002 dnaN DNA polymerase III, b-subunit TB.seq 2052:3257 MW:42114 SEQ ID NO:147
 MDAATTRVGLTDLTFRLLRESFADAVSWVAKNLPARPAVPVLSGVLLTGSDNGLTISGFDYEVSAEA
 QVGAEIVSPGSVLVSGRLLSDITRALPNKPVDVHVEGNRVALTCGNARFSLPTMPVEDYPTLPTLPEE
 30 TGLLPAELFAEAIQVAIAAGRDDTLPLMTGIRVEILGETVVLAATDRFRLAVRELKWSASSPDIEAAVL
 VPAKTLAEAAKAGIGGSDVRLSLGTGPGVGKDGLLGISNGKRSTTRLLDAEFPKFRQLLPTEHTAVA
 TMDVAELIEAIKLVALVADRGAVRMEFADGVSRLSAGADDVGRAEEDLVVDYAGEPLTIAFNPTYLT
 DGLSSLRSERVSFGFTTAGKPALLRPVSGDDRVPAGLNGNGPFPVAVSTDYVYLLMPVRLPG
 35 >Rv0003 recF DNA replication and SOS induction TB.seq 3280:4434 MW:42181 SEQ ID NO:148
 VYVRHLGLRDFRSWACVDLELHPGRTVFVGPNGYGKTNLIEALWYSTTLGSHRVSADLPLIRVGTDR
 AVISTIVNDGRECAVDLEIATGRVNKARLNRSSVRSTRDVVGVLRAVLFAPEDLGLVRGDPADRRR

YLDDLAIVRRPAIAAVRAEYERVLQRRTALLKSVPGARYRGDRGVFDLTLEVWDSRLAEHGAELVAARI
DLVNQLAPEVKKAYQLLAPESRSASIGYRASMDVTGPSEQSDIDRQLLAARLLAALAARRDAELERG
VCLVGPHRDDLLRLGDQPAKGFASHGEAWSLAVALRLAAYQLLRVDGGEPVLLDDVFAELDMRR
RALATAAESAEQVLVTAAVLEDIPAGWDARRVHIDVRADDTGSMSVLP

5

>Rv0005 gyrB DNA gyrase subunit B TB.seq 5123:7264 MW:78441 SEQ ID NO:149

MGKNEARRSALAPDHGTVCPLRLNRMHATPEESIRIVAAQKKKAQDEYGAASITILEGLEAVRKR
PGMYIGSTGERGLHHLIWEVVDNAVDEAMAGYATTNNVLLLEDGGVEVADDGRGIPVATHASGIPTV
DVVMTQLHAGGKFDSDAYAISGGLHGVGVSVNALSTRLEVEIKRDGYEWSQVYEKSEPLGLKQGA
PTKKTGSTVRFWADPAVFETTEYDFETVARRLQEMAFLNKGLTINLTDERVTQDEVVDEVSDVAEA
PKSASERAAESTAPHKVKSRTHYPGGLVDFVKHINRTKNAIHSSIVDFSGKGTGHEVEIAMQWNAG
YSESVHTFANTINTHEGGTHEEGFRSALTSVNNKYAKDRKLLKDKDPNLTGDDIREGLAAVISVKVSE
PQFEGQTKTKLGNTVEKSFVQKVCNEQLTHWFEANPTDAKVVVNKAVSSAQARIAARKARELVRRK
SATDIGGLPGKLADCRSTDPRKSELYVVEGDSAGGSAKSGRDSMFQAILPLRGKIINVEKARIDRVLK
NTEVQAIITALGTGIHDEFDIGKLRHYHKIVLMADADVDGQHISTLLLTLLFRFMRPLIENGHVFLAQPPPLY
KLKWQRSDEPEFAYSRRERDGLLEAGLKAGKKINKEDGIQRYKGLGEMDAKELWETMDPSVRVLRQ
VTLDAAADELFSILMGEDVDARRSFITRNAKDVRFLDV

10

15

>Rv0006 gyrA DNA gyrase subunit A TB.seq 7302:9815 MW:92276 SEQ ID NO:150

MTDTTLPPDDSLDRIEVDIEQEMQRSYIDYAMSVIVGRALPEVRDGLKPVHRRVLYAMFDSGFRPD
RSHAKSARSVAETMGNYHPHGDASIYDSLVRMAQPWSLRYPLVDGQGNFGSPGNDPPAAMRYTEA
RLTPLAMEMLREIDEETVDFIPNYDGRVQEPTVLPSPFPNLLANGSGGIAVGMATNIPPHNLRELADA
VFWALENHDADEEETLAAMVGRVKGPDPFTAGLIVGSQGTADAYKTGRGSIRMGRGVVEVEEDSRG
RTSLVITELPYQVNHDFITSIAEQVRDGLAGISNIEDQSSDRVGLRIVIEIKRDAVAKVWINNLYKHTQ
LQTSFGANMLAIVDGPVPTLRDLQLIRYYVDHQLDVIVRRTTYRLRKANERAHILRGLVKALDALDEVI
ALIRASETVDIARAGLIELLDIDEIQAQAILDMQLRRLAALERQRIIDDLAKIEAEIADLEDILAKPERQIR
VRDELAIEVDHRHGGDRRTRIIAADGDVSEDLIAREDDVVTTITETGYAKRTKTDLYRSQKRGKGQVQG
AGLKQDDIVAHFFVCSTHDLILFFTQGRVYRAKAYDLPEASRTARGQHVANLLAFQPEERIAQVIQIR
GYTDAPYLVLATRNLVKKSKLTDDFSNSGGIVAVNLRDNDDELVGAVLCSAGDDLVSANGQSIR
FSATDEALRPMGRATSGVQGMRFNIDRLSLNVVREGTYLLVATSGGYAKRTAIEEYPVQGRGGK
GVLTVMYDRRRGRVLGALIVDDDSELYAVTSGGGVIRTAARQVRKAGRQTKGVRLMNLGEGDTLLAI
ARNAEESGDDNAVDANGADQTGN

25

30

>Rv0014c pknB serine-threonine protein kinase TB.seq 15593:17470 MW:66511 SEQ ID NO:151

MTTPSHLSDRYELGEILGFGGMSEVHLARDLRLHRDVAVKVLRADLARDPSFYLRFRREAQNAAALN
HPAIVAVYDTGEAETPAGPLPYIVMEYVDGVTLRDIVHTEGPMTPKRAIEVIADACQALNFHQNGIIH
RDVKPANIMISATNAVKVMDFGIARAIADSGNSVTQTAAVIGTAQYLSPEQARGDSVDARSDVYSLGC

35

VLVEVLTGEPFPTGDSPPSVAYQHVREDPIPPSARHEGLSADLDAVLKALAKNPENRYQTAAEMRA
DLVRVHNGEPPEAPKVLTAERTSLLSSAAGNLSPRTDPLPRQDLDDTDRLDRSIGSVGRWVAVVA
VLAVLTVVVTIAINTFGGITRDVQVPDVRGQSSADAIATLQNRGFKIRTLQKPDSTIPPDHVGITDPAAN
TSVSAGDEITVNVSTGPEQREIPDVSTLYAEAVKKLTAAGFGRFKQANSPSTPELVGKVIGTNPPAN
5 QTSAITNVVIVGSGPATKIDPDVAGQTVDAQKNLNVYGFTKFSQASVDSRPAGEVTGTNPPAGT
TVPVDSVIELQVSKGNQFVMPDLSGMFWVDAEPRLRALGWTGMLDKGADV DAGGSQHNRVVYQN
PPAGTGVNRDGIITLRFQG

>Rv0016c pbpA TB.seq 18762:20234 MW:51577 SEQ ID NO:152

10 MNASLRISVTVMALIVLLLLNATMTQVFTADGLRADPRNQRVLLDEYSRQRGQITAGGQLLAYS VAT
DGRFRFLRVYPNPEVYAPVTGFYSLRYSSTALERAEDPILNGSDRRLFGRRADFFTGDRDPRGGNV
DTTINPRIQQAGWDAMQQGCYGPCKGAVVALEPSTGKILALVSSPSYDPNLLASHNPEVQAQAWQR
LGDNPASPLTNRAISETYPPGSTFKVITTAALAAGATETEQLTAAPTIPLPGSTAQLENYGGAPCGDE
PTVSLREAFVKSCNTAFVQLGIRTGADALRSMARAFGLDSPRPTPLQVAESTVGPIPD SAALGMTSI
15 GQKDVALTPLANAEIAATIANGGITMRPYLVGSLKGPDLANISTTVGYQQRRAVSPQVAAKLT ELMVG
AEKVAQQKGAIPGVQIASKTGTAEHGTDPRHTPPHAWYIAFAPAQAPKVAVAVLVENGADRLSATGG
ALAAPIGRAVIEAALQGEP

>Rv0017c rodA TB.seq 20234:21640 MW:50612 SEQ ID NO:153

20 MTTRLQAPVAVTPPLPTRRNAELLLCFAAVITFAALLVVQANQDQGVWDLT SYGLAFLTLFGSAHL
AIRRFAPYTDPLLLPVVALLNGLGLVMHRLDLVDNEIGEHRHPSANQQMLWTLVGVA AFALVVTFLK
DHRQLARYGYICGLAGLVFLAVPALLPAALSEQNGAKIWIRLPGFSIQPAEFSKILLIFFSAVLVAKRG
LFTSAGKHLLGMTLPRPRDLAPLLAAWVISVGMVFEKDLGASLLLYTSFLVWVYLATQRF SWVIGL
TLFAAGTLVAYFIFEHVRLRVQTWLDPFADPDGTGYQIVQSLFSFATGGIFGTGLGNGQPDTVPAAST
25 DFIIAAFGEELGLVGLTAILMLYTIIRGLRTAIATRDSFGKLLAAGLSSTLAIQLFIVVGGVTRLIPLTGLT
TPWMSYGGSSLLANYILLAILARISHGARRPLRTRPRNKSPITAAGTEVIERV

>Rv0018c ppp TB.seq 21640:23181 MW:53781 SEQ ID NO:154

30 VARVTLVLRYAARSDRGLVRANNEDSVYAGARLLALADGMGGAAGEVASQLVIAALAHLD DDEPG
GDLLAKLDAAVRAGNSAIAAQVEMEPDLEGMTTLTAILFAGNRLGLVHIGDSRGYLLRDGELTQITK
DDTFVQTLVDEGRITPEEAHSHPQRS LIMRALTGHEVEPTLTMREARAGDRYLLCSDGLSDPVSD ETI
LEALQIPEVAESAHR LIELALRGGGPDNVTVVADVVDYDYGQTQPILAGAVSGDDDQLTPNTAAG
RASAIQRKEIVKRVPQADTF SRPRWSGRRLAFVVALVTVLMTAGLLIGRAIRS NYVADYAGSVSI
MRGIQGSLLGMSLHQPYLMGCLSPRNELS QISYGQSGGPLDCHLMKLEDLRPPER AQVRAGLPAGT
35 LDDAIGQLRELAANSLPPCPAPRATSPPGRPAPPTTSETTEPNVTSSPASPSPTTSAPAPTGTTPAIP
TSASPAAPASPTPWVPTSSPTMAALPPPPPPQPGIDCRAAA

>Rv0019c - TB.seq 23273:23737 MW:17153 SEQ ID NO:155

MQGLVLQLTRAGFLMLLWVFIWSVLRILKTDIYAPTGAVMRRGLALRGTLGARQRRHAARYLVVT
EGALTGARITLSEQPVLIGRADDSTLVLTDDYASTRHARLSMRGSEWYVEDLGSTNGTYLDRAKVT
AVRVPIGTPVRIGKTAIELRP

5

>Rv0020c - TB.seq 23864:25444 MW:56881 SEQ ID NO:156

MGSQKRLVQRVERKLEQTVGDAFARIFGGSIVPQEVEALLRREAADGIQSLQGNRLLAPNEYIITLGV
HDFEKLADPELKSTGFARLDADIQEQQWQTYGDVVVRFEQSSNLHTGQFRARGTVNPDVETHP
PVIDCARPQSNHAFGAEPGVAPMSDNSSYRGGGQGRPDYDDRYARPQEDPRGGPDPPQGS
DPRGGYPPETGGYPPQPGYPRPRHPDQGDYPEIQIGYPDQGGYPERGYPERGYPDQRGYQDQ
GRGYPDQGGGGYPPPYEQRPVSPGPAAGYGAPGYDQGYRQSGGYGPSPGGGQPGYGGYGEY
GRGPAREEESYVPSGPPGPPEQRPAYPDQGGYDQGYQQGATTYGRQDYGGGADYTRYTESPR
VPGYAPQGGGYAEPAGRDYDYQSGAPDYQPPAPGGYSGYGGGYGSAGTSVTLQLDDGSGRT
YQLREGSNIIRGQDAQFRLPDTGVSRRHLEIRWDGQVALLADLNSTNGTTVNNAPVQEWQLADGD
VIRLGHSEIIVRMH

10

15

>Rv0032 bioF2 C-terminal similar to B. subtilis BioF TB.seq 34295:36607 MW:86245

SEQ ID NO:157

MPTGLGYDFLRPVEDSGINDLKHYFMADLADGQPLGRANLYSVCDFLATTDRLTPAWRTTIKRW
PGFMTFRFLECGLLTMVSNPLALRSDDLRLVPLAGQMDQLAHDDGSDFLMIRDVDPEHYQRYL
DILRPLGFRPALGFSRVDTTISWSSVEEALGCLSHKRRPLKTSLEFRERFGIEVEELDEYAEHAPVLA
RLWRNVKTEAKDYQREDLNPEFFAACSRHLHGRSRLWLFYRQGTPIAFFLNWVGADENYILLEWGI
DRDFEHYRKANLYRAALMLSLKDAISRDKRRMEMGITNYFTKLRIPGARVIPTIYFLRHSTDPVHTATL
ARMMMHNIQRPTLPDDMSEEFCEWEERIRLDQDGLPEHDIFRKIDRQHKYTGLKLGGVYGFYPRFT
GPQRSTVKAELGEIVLLGTNSYLGLATHPEVVEASAEATRRYGTGCSGSPLLNGTLDLHVSLEQEL
ACFLGKPAAVLCSTGYQSNLAAISALCESGDMIIQDALNHRSLFDAARLSGADFTLYRHNDMDHLARV
LRRTEGRRRIIVDAVFSMEGTVADLATIAELADRHGCRVYVDESHALGVLGPDGRGASAAALGVLAR
MDVVMGTFSKSFASVGGFIAGDRPVVDYIRHNGSGHVFSASLPPAAAAATHAALRVSRREPDRRAR
VLAAAEMYMATGLARQGYQAEYHGTAIVPVILGNPTVAHAGYLRLMRSGVYVNPVAPPVPEERSGFR
TSYLADHRQSDLDRLHVFAGLAEDLTPQGAAL

20

25

30

>Rv0050 ponA1 TB.seq 53661:55694 MW:71119 SEQ ID NO:158

VVILLPMVTFTMAYLIVDVPKPGDIRTNQVSTILASDGSEIAKIVPPEGNRVDVNLQVPMHVRQAVIAA
EDRNFYSNPGFSFTGFARAVKNNLFGGDLQGGSTITQQYVKNALVGSAQHGWGSLMRKAKELVIAT
KMSGEWKDDVLQAYLNIIYFGRGAYGISAASKAYFDKPVEQLTVAEGALLAALIRRPSTLDPVDP
GAHARWNWVLDGMVETKALSPNDRAAQVFPETVPPDLARAENQTKGPNGLIERQVTRELLELFNID
EQLTNTQGLVTTTIDPQAQRAAEKAVAKYLDGQDPDMRAAVVSIDPHNGAVRAYYGDNANGFDF

35

AQAGLQTGSSFKVFALVAALEEQGIGLGYQVDSSPLTVDGIKITNVEGEGCGTCNIAEALKMSLNTSYY
RLMLKLNGGPQAVADAAHQAGIASSFPQVAHTLSEDGKGGPPNNGIVLGQYQTRVIDMASAYATLAA
SGIYHPPHFVQKVVSANGQVLFDASTADNTGDQRIPKAVADNVTAAMEPIAGYSRGNLAGGRDSA
AKTGTTQFGDTTANKDAWMVGYTPSLSTAVWVGTVKGDEPLVTASGAAYGSGLPDSIWKATMDGA
5 LKGTSNETFPKPTEVGGYAGVPPPPPPPEVPPSETVIQPTVEIAPGITIPIGPPTTITLAPPPPPAPPAAT
PTPPP

>Rv0051 - TB.seq 55694:57373 MW:61210 SEQ ID NO:159

VTGALSQSSNISPLPLAADLRSADNRDCPSRTDVLGAALANVVGPPVGRHALIGRTRLMTPLRVMFAI
10 ALVFLALGWSTKAACLQSTGTGPGDQRVANWDNQRAYYQLCYSDTVPLYGAELLSQGKFPYKSSWI
ETDSNGTPQLRYDGQIAVRYMEYPVLTGIYQYLSMAIAKTYTALSKVAPLPVVAEVMFFNVAAFGLA
LAWLTTWATSGLAGRRIWDAALVAASPLVIFQIFTNFDALATGLATSGLLAWARRRPVLAGVLIGLG
SAAKLYPLLFLYPLLLLIRAGRLNALARTMAAAAATWLLVNLPMMLFPRGWSEFFRLNTRRGDDM
DSLYNVVKSFTGWRGFDPTLGFWEPLVLNTVVTLLFVLCCAAIAYIALTAPHRPRVAQLTFLTVASFL
15 LVNKBWSPQFSLWLVLAVLALPHRRILLAWMTIDALVWVPRMYLYGNPSRSLPEQWFTTTVLLRD
IAVMVLCGLVWQIYRPGRDLVRTGGPGALPACGGVDDPVGGVFANAADAPPGRLPSWLRPRLGD
EHARERTPDAGRDRTFSGQHRA

>Rv0106 - TB.seq 124372:125565 MW:43701 SEQ ID NO:160

MRTPVILVAGQDHTDEVTGALLRRTGTVVVEHRFDGHVRRMTATLSRGELITTEDALEFAHGCVSC
20 TIRDDLVLRLRLHRRDNVGRIVVHLAPWLEPQPICWAIDHVRVCVGHGYPDGPAALDVRVAAVVTC
VDCVRWLPQSLGEDELPDGRVAQVTVGQAEFADLLVLTHPEPVAVAVLRLAPRARITGGVDRVEL
ALAHLDNRSRRGRTDTPHTPLLAGLPPLAADGEVAIVEFSARRPFHPQRLHAAVDLLLDGVVRTRGR
LWLANRPDQVMWLESAGGGLRVASAGKWLAAAMAASEVAYVDLERRLFADLMWVYPFGDRHTAMT
25 VLVCGADPTDIVNALNAALLSDDEMASPQRWQSYVDPFGDWHDDPCHEMPDAAGEFSAHRNSGES
R

>Rv0125 - TB.seq 151146:152210 MW:34927 SEQ ID NO:161

MSNSRRRSLRWSWLLSVLAAVGLGLATAPAQAAPPALSQDRFADFPALPLDPSAMVAQVGPQVVNI
30 NTKLGYNNAVGAGTGIVIDPNGVLTNNHVIAGATDINAFSVGSGQTYGVDVVGYYDRTQDVAVLQLR
GAGGLPSAAIGGGVAVGEPVVMGNSGGQGGTPRAVPGRVVALGQTVQASDSLTAEEETLNGLIQ
FDAAIQPGDSGGPVVNLGQVGMNTAASDNFQLSQGGQGFAPIGQAMAIAAGQIRSGGGSPTVHI
GPTAFLGLGVVDNNGNGARVQRVVGSAAPASLGISTGDVITAVDGAPINSATAMADALNGHHPGDVI
SVTWQTKSGGTRTGNVTLAEGPPA

>Rv0350 dnaK 70 kD heat shock protein, chromosome replication TB.seq 419833:421707
MW:66832 SEQ ID NO:162

MARAVGIDLGTTNSVSVLEGGDPVVANSEGSRTTPSIVAFARNGEVLVGQPAKNQAVTNVDRTV
RSVKRHMGSWSIEIDGKKYTAPEISARILMKLKRDAEAYLGEDITDAVITTPAYFNDAQRQATKDAG
QIAGLNLVRIVNEPTAAALAYGLDKGEKEQRILVFDLGGGTDFVSLLEIGEGVVEVRATSGDNHLGGD
DWDQQRVVDWLVDKFKGTSGIDLTDKDMAMQRLREAAEKAKIELSSSQSTSINLPYITVDADKNPLFLD
5 EQLTRAEFQRITQDLLDRTRKPFQSVIADTGISVSEIDHVVLVGGSTRMPAVTDLVKELTGKKEPNKG
VNPDEVVAVGAALQAGVLKGEVKDVLLEDVTPSLSGIETKGGVMTRLIERNTTIPTKRSETFTTADDN
QPSVQIQVYQGEREIAAHNKLLGSFELTGIPPAPRGIPQIEVTFDIDANGIVHVTAKDKGTGKENTIRIQ
EGSGLSKEDIDRMIKDAEAEHAEEDRKRRREADVRNQAETLVYQTEKFVKEQREAEAGGSKVPEDTLN
KVDAAVAEAKAALGGSDISAIKSAMEKLGQESQALGQAIYEAQAASQATGAAHPGGEPGGAHPGS
10 ADDVDAEVVDDGREAK

>Rv0351 grpE stimulates DnaK ATPase activity TB.seq 421707:422411 MW:24501
SEQ ID NO:163

VTDGNQKPDGNSGEQVTVTDKRRIDPETGEVRHVPPGDMPPGGTAAADAHAHTEDKVAELTADLQRV
15 QADFANYRKRALRDQQAADRAKASVVSQLLGVLDLERARKHGDLESGLKSVADKLDLSALTGLG
LVAFGAEGEDFDPVLHEAVQHEGDGGQGSKPVIGTVMRQGYQLGEQVLRHALVGVDTVVVDAAE
LESVDDGTAVADTAENDQADQGNSADTSGEQAESEPSGS

>Rv0352 dnaJ acts with GrpE to stimulate DnaK ATPase TB.seq 422450:423634 MW:41346
SEQ ID NO:164

MAQREWVEKDFYQELGVSSDASPEEIKRAYRKLARDLHPDANPGNPAAGERFKAVSEAHNVLSDDPA
KRKEYDETRRLFAGGGFGGRRFDSGFGGGFGGFGVGGDGAEFNLNDFDAASRTGGTTIGDLFGG
LFGRGGSARPSRPRRGNDLETETELDFVEAAKGVAMPLRLTSPAPCTNCHGSGARPGTSPKVCPTC
NGSGVINRNQGAFGFSEPCTDCRGSGSIIHPCEECKGTGVTTTRTINVRIPPGVEDGQRIRLAGQ
25 GEAGLRGAPSGDLVTVHVRPDKIFGRDGDLLTVTVPVSFTELALGSTLSVPTLDGTGVGRVPKGTA
DGRILRVGRGVPKRSGGSGDLLVTVKVAVPPNLAGAAQEALEYAAAERSSGFNPRAGWAGNR

>Rv0363c fba fructose bisphosphate aldolase TB.seq 441266:442297 MW:36545
SEQ ID NO:165

MPIATPEVYAEMLGQAKQNSYAFPAINCTSSETVNAAIKGFADAGSDGIIQFSTGGAIEFGSGLGVKDM
30 VTGAVALAEFTHVIAAKYPVNVALHTDHCPKDKLDSYVRPLLAISAQRVSKGGNPLFQSHMWDCSAV
PIDENLAIQELLKAAAAAKIILEIEIGVVGGEEEDGVANEINEKLYTSPEDFEKTIEALGAGEHGKYLAA
TFGNVHGVYKPGNVKLRPDILAQQGQVAAAKLGLPADAKPFDVFHGGSGSLKSEIEEALRYGVVKM
NVDTDTQYAFTRPIAGHMFTNYDGVLVKDGEVGVKKVYDPRSYLKKAESMSQRVVQACNDLHCA
GKSLTH

>Rv0405 pks6 TB.seq 485729:489934 MW:147615 SEQ ID NO:166

MTDGSVTADKLQKWFREYLSTHIECHPNEVSLDVPIRDLGLKSIDVLAIPGDLGDRFGFCIPDLAVWD
NPSANDLIDSLNQRSADSLRESHGHADRNTQGRGSINEPVAVIGVGCRFPGDIDGPERLWDFLTEK

KCAITAYPDRGFTNAGTFAESGGFLKDVAGFDNRFFDIPPDEALRMDPQQRLLLEVSWEALEHAGIIP
ESLRLSRTGVFVGVSSSTDYVRLVSASAQQKSTIWDNTGGSSSIANRISYFLDIQGPSIVIDTACSSSLV
AVHLACRSLSTWDCDIALVGGTNVLISPEPWGGFREAGILSQTGCCHAFDKSADGMVRGEGCGVIVL
QRLSDARLEGRRLAILTGSAVNQDGKSNIGIMAPNPSAQIGVLENACKSARVDPLEIGYVEAHGTGTS
5 LGDRIEHALGMVFGRKRPGSGPLMIGSIKPNIGHLEGAAGIAGLIKAVLMVERGSLLPSGGFTEPNP
AIPFTELGLRVDELQEWPVVAGRPRRAGVSSFGFGGTNAHVIVEEAGSVGADTVSGRADVGGSGG
GVVAWVISGKTASALAAQAGRLGRYVRARPALDVVDVGYSLVSTRSVFDHRAVVGQTRDELLAGL
AGVVAGRPEAGVVCVGVKPKAGKTAFFVAGQGSQWLGMGSELYAAYPVFAEALDAVDELDRHLRY
PLRDVIWGHQDQDLLNTEFAQPALFAVEVALYRLLMSWGVPRGLVLGHSVGEIAAAHVAGALCLPD
10 AAMLVAARGRLMQALPAGGAMFAVQAREDEVAPMLGHDVSI AAVNGPASVVISGAHDAVSAIADRL
RGQGRRVHRLAVSHAFHSALMEPMIAEFTAVAAELSVGLPTIPVISNVTGQLVADDFASADYWARHIR
AVVRFGDSVRSASAHGASRFIEVGPGGGLTSLIEASLADAQIVSVPTLRKDRPEPVSVMTAAQGFV
SGMGLDWASVFSGYRPKRVELPTYAFQHQQFWLAPAPSVSDPTAAGQIGASDGGAEALLASSGFAA
RLAGRSADQLAAAEVVCHEAAVLRDGAAGLDAGQAFADSGFNSLSAVELRNRLTAVTAVTLPA
15 TAIFDHPTPTELAQYLITQIDGHGSSAAAAANPAERIDALDQLFLQACDAGRDADGWKMVALASNTRE
RMSSPVRNNVSKNVALADGISDVVICIPTLTVLSDQREYRDIANAMTGRHSVYSLTLPFGFDSSDAL
PQNADMIVETVSNAIIDVVGGSCTFVLSGYSSGGVLAALCSHLSVKHQRNPLGVALIDTYLPSQIAN
PSMNEGFSPNDTGKGLSREVIRVARMLNRLTATRLTAAATYAAIFQAWEPGRSMAPVLNIVAKDRIAT
VENLREERINRWRTAAAEAAYSVAEVPGDHFGMMSTSSEAIATEIHDWISGLVRGPHR
20

>Rv0435c - ATPase of AAA-family TB.seq 522348:524531 MW:75315 SEQ ID NO:167

VTHPDPARQLTLTARLNTSAVDSRRGVVRLHPNAIAALGIREWDAVSLTGSRTTAAVAGLAAADTAV
GTVLLDDVTLNAGLREGTEVIVSPVTYVYARSVTLGSGTLATQSVPPVTLRQALLGKVM TVGDAVSL
LPRDLGPGTSTSAASRALAAVGISWTSELLTVTGVDPDGPVSVQPNSLVTWGAGVPAAMGTSTAG
25 QVSISSPEIQIEELKGAQPQAAKLTWLKLALDEPHLLQTLGAGTNLGVLVSGPAGVGKATLVRAVCD
GRRLVTLTGPEIGALAAGDRVKAVASAVQAVRHEGGVLLITDADALLPAAAEPVASLILSELRTAVATA
GVVLIATSARPDQLDARLRSPELCDRELGLPLPDAATRKSLLLEALLNPVPTGDLNLDEIASRTPGFVVA
DLAALVREAALRAASRASADGRPPMLHQDDLGLALT VIRPLSRASDEVTVGDVTLDDVGDMAAAK
QALTEAVLWPLQHPDTFARLGVEPPRGVLLYGPPGCGKTFVVRALASTGQLSVHAVKGSELMDKWV
30 GSSEKAVRELFRARDSAPSLVFLDELDAAPRRGQSFD SGVSDRVVAALLTELGDIDPLRDVVMLG
ATNRPDLIDPALLRPGRRLRLVFVEPPDAAARREILRTAGKSIPLSSDVLDEVAAGLDGYSAADCVAL
LREAALTAMRRSIDAANVTAADLATARETVRASLDPLQVASLRKFGTKGDLRS

>Rv0436c pssA CDP-diacylglycerol-serine o-phosphatidyltransferase TB.seq 524531:525388

MW:31219 SEQ ID NO:168

MIGKPRGRRGVNLQILPSAMTVLSICAGLTAIKFALEHQPKAAMALIAAAAILDGLDGRVARILDAQSR
MGAEIDSLADAVNFGVTPALVLYVSMLSKWPVGWVVLLYAVCVLRLARYNALQDDGTQPAYAHE

FFVGMPAPAGAVSMIGLLALKMQFGEGWWTSGWFLSFWVTGTSILLVSGIPMKKMHAVSVPPNYAA
ALLAVLAICAAAVALAPYLLIWVIIIAYMCHIPFAVRSQRWLAQHPEVWDDKPKQRRRAVRRASRAHP
YRPSMARLGLRKPGRRLL

5 >Rv0440 groEL 260 kD chaperonin 2 TB.seq 528606:530225 MW:56728 SEQ ID NO:169
MAKTIAYDEEARRGLERGLNALADAVKVTLGPKGRNVVLEKKWGAPTITNDGVSLAKEIELEDPYEKI
GAELVKEVAKKTDDVAGDGTTTATVLAQALVREGLRNVAAGANPLGLKRGIEKAVEKVTTETLLKGAK
EVETKEQIAATAAISAGDQSIGDLIAEAMDKVGNEGVITVEESNTFGLQLELTEGMRFDKGYISGYFVT
DPERQEAVLEDPYILLVSSKVSTVKDLLPILLEKVIAGKPLLIIAEDVEGEALSTLVVNKIRGTFKSVAVK
10 APGFGDRRKAMLQDMAILTGGQVISEEVGLTLENADLSLLGKARKVVVTKDETTIVEGAGDTDAIAGR
VAQIRQEIENSDDYDREKLQERLAKLAGGVAVIKAGAATEVELKERKHRIEDAVRNAKAAVEEGIVA
GGGVTTLLQAAPTLDCLKLEGDEATGANIVKVALEAPLKQIAFNGLPGVVAEKVRNLPAGHGLNAQT
GVYEDLLAAGVADPVKVTRSAQNAAIAGLFLTTEAVVADKPEKEKASVPGGGMDMGDMDF

15 >Rv0482 murB TB.seq 570537:571643 MW:38522 SEQ ID NO:170
MKRSGVGSLFAGAHIAEAVPLAPLTTLRVGPIARRVITCTSAEQVVAALRHLDAAKTGADRPLVFAG
GSNLVIAENLTDLTVVRLANSGITIDGNLVRAEAGAVFDDVVVRAIEQGLGGLECLSGIPGSAGATPVQ
NVGAYGAEVSDTITRVRLLDRCTGEVRWVSARDLRFGYRTSVLKHADGLAVPTVVLEVEFALDPSGR
SAPLRYGELIAALNATSGERADPQAVREAVLALRARKGMVLDPTDHDTSVGSFFTNPVVTQDVYE
20 RLAGDAATRKGDPVPHYPAPDGVKLAAGWLVERAGFGKGYPDAGAAPCRLSTKHALALTNRGGAT
AEDVVTLARAVRDGVHDVFGITLKPEPVLIGCML

>Rv0483 - TB.seq 571708:573060 MW:47859 SEQ ID NO:171
VVIRVLFPRVSLIPVNNSSTPQSQGPISRRLALTALGFGVLAPNVLVACAGKVTKLAEKRPPPPAPRLTF
25 RPADSAADVPIAPISVEVGDFQWRVALTNSAGKVAGAYSRRDRTIYTITEPLGYDTTYTWSGSAV
GHDGKAVPVAGKFTTVAPVKTNAGFQLADGQTVGIAAPVIIQFDSPISDKAAVERALTVTTDPPVEGG
WAWLPDEAQQGARVHWRPREYYPAGTTVDVDAKLYGLPFGDGAYGAQDMSLHFQIGRRQVKA
SSHRIQVVTDAQVIMDFPCSYPEADLARNVTRNGIHVVTEKYSDFYMSNPAAGYSHIHERWAVRISN
NGEFIHANPMSAGAQQNSNVTNGCINLSTENAEQYYRSVAVYGPVEVTGSSIQLSYADGDIWDWAV
30 DWDTWVSMALPPPAKPAATQIPVTAPVTPSDAPTPSGTPTTTNGPGG

>Rv0489 gpm phosphoglycerate mutase I TB.seq 578424:579170 MW:27217 SEQ ID NO:172
MANTGSLVLLRHGESDWNALNLTGWVDVGLTDKGQAEAVRSGELIAEHDLLPDVLYTSLLRRAITT
AHLALDSADRLWIPVRRSWRLNERHYGALQGLDKAETKARYGEEQFMAWRRSYDTPPPPIERGSGQ
35 FSQDADPRYADIGGGPLTECLADVVARFLPYFTDVIVGDLRVGKTVLIVAHGNSLRALVKHLDQMSDD
EIVGLNIPTGIPLRYDLDLSAMRPLVRGGTYLDPEAAAAGAAVAGQGRG

>Rv0490 senX 3sensor histidine kinase TB.seq 579347:580576 MW:44794 SEQ ID NO:173
VTVFSALLLAGVLSALALAVGGAVGMRLTSRVVEQRQVRATEWSGITVSQMLQCIVTLMPLGAAVVD
THRDVVYLNERAKELGLVRDRQLDDQAWRAARQALGGEDVEFDLSPRKRSATGRSGLSVHGHARL
LSEEDRRFAVVFVHDQSDYARMEAARRDFVANVSHELKTPVGAMALLAEALLASADDSETVRRFAE
5 KVLIEANRLGDMVAELIELSRLQGAERLPNMTDVDVDIVSEAISRHKVAADNADIEVRTDAPSNLRVL
GDQTLTALANLVSNAIAYSPRGSLSISRRTRGANIEIAVTDRGIGIAPEDQERVFERFFRGDKARS
RATGGSGGLGLAIVKHVAANHGDGIRVWSKPGTGSTFTLALPALIEAYHDDERPEQAREPELRSNRSQ
REEELSR

10 >Rv0500 proC pyrroline-5-carboxylate reductase TB.seq 590081:590965 MW:30172
SEQ ID NO:174
MLFGMARIAIIGGSGIGEALLSGLLRAGRQVKDLVVAERMPDRANYLAQTYSVLVTSAADAVENATFV
VVAVKPADVEPVIA LANATAAAENDSAEQVFVTVVAGITIAYFESKLPAGTPVVRAMPNAAALVGAG
VTALAKGRFVTPQQLEEVSA LFDVGGVLTVPESQLDAVTAVSGSGPAYFFLLVEALVDAGVGVGLS
15 RQVATDLAAQTMAGSAAMLLERMEQDQGGANGELMGLRVDLTASRLRAAVTSPGGTTAAALRELE
RGGFRMAVDAAVQAASRSEQLRITPE

>Rv0528 - TB.seq 618303:619889 MW:57132 SEQ ID NO:175
MWRSLTSMGTALVLLFLLALAAIPGALLPQRGLNAAKVDYLAHPLIGPWLDELQAFDVFSSFWFTA
IYVLLFVSLVGCLAPRTIEHARSLRATPVAAPRNLARLPKHAHARLAGEPAALAATITGRLRGWRSITR
20 QQGDSVEVSAEKGYLREFGNLVFHFALLGLLVAVAVGKLFGEYGNVIVADGGPGFCSASPAAFDSF
RAGNTVDGTSLHPICVRVNNFQAHYLPSGQATSFAADIDYQADPATADLIANSWRPYRLQVNHPLRV
GGDRVYLQGHGYAPTFTVTFPDGQTRTSTVQWRPDNPQTLLSAGVVRIDPPAGSYNPNPDERRKHI
AIQGLLAPTEQLDGTLLSSRFPALNAPAVAIDYRGDTGLDSGRPQSLFTLDHRLIEQGRLVKEKRVNL
25 RAGQQVRIDQGAAGTVVRFDGAVPFVNLQVSHDPGQSWVLVFAITMMAGLLVSLVRRRRRVWARI
TPTTAGTVNVELGGLTRTDNSGWGAEFERLTGRLLAGFEARSPDMAEAAAGTGRDVD

>Rv0667 rpoB [beta] subunit of RNA polymerase TB.seq 759805:763320 MW:129220
SEQ ID NO:176
LADSRQSKTAASPSRPQSSSNNSVPGAPNRVSFAKLREPLEVPGLLDVQTDSFEWLIGSPRWRE
SAAERGDVNPVGGLEEVLYELSPIEDFSGSMSLSFSDFPRFDDVKAPVDECKDKDMTYAAPLFVTAEF
INNNTGEIKSQTVFMGDFPMMTEKGTFIINGTERVWVSQVLRSPGVYFDETIDKSTDKTLHSVKVIPS
GAWLEFDVDKRDVTGVRIDRKRRQPVTVLLKALGWTSEQIVERFGFSEIMRSTLEKDNTVGTDEALL
DIYRKL RPGEPTKESAQTLL ENLFFKEKRYDLARVGRYKVNKKLGLHVGEPTSSSTL TEEDVVATIEY
35 LVRLHEGQTMTVPGGVEVPVETDDIDHFGNRRRLRTVGELIQNQIRVGMSRMRERVVRERMTTQDVE
AITPQTLINIRPVVAAIKEFFGTSQLSQFMDQNNPLSGLTHKRRLSALGPGGLSRERAGLEV RDVHPS
HYGRMCPIETPEGPNIGLIGLSVYARVNPFGFIETPYRKVVDGVVSDEIVYLTADEEDRHVVAQANS

PIDADGRFVEPRVLVRRKAGEVEYVPSSEVDYMDVSPRQMVSVATAMIPFLEHDDANRALMGANMQ
RQAVPLVRSEAPLVGTGMELRAAIDAGDVVVAEESGVIEEVSADYITVMHDNGTRRTYRMRKFARSN
HGTCANQCPIVDAGDRVEAGQVIADGPCTDDGEMALGKNLLVAIMPWEGHNYEDAIIILSNRLVEEDV
LTSIHIEEHEIDARDTKLGAEIEITRDIPNISDEV LADLDERGIVRIGAEVRDGDILVGKVTPKGETELTPE
5 ERLLR AIFGEKAREVRDTS LKVP HGESGKVIGIRVFSREDEDELPA GVNELVRVYVAQKRKISDGD KL
AGRHGNKG VIGKILPVEDMPFLADGTPVDIILNTHGVPRRMNIGQILETHLGWCAHSGWKVDAAGKV
PDWAARLPDELLEAQPN AIVSTPVFDGAQEAE LQGLLSCTLPNRDGDVLVDADGKAM LFDGRSGEP
FPYPVTVGYMYIMKLHHLVDDKI HARSTGPYSMITQQPLGGKAQFGGQRFGE MECWAMQAYGAAY
TLQELLTIKSDDTVGRVKVYE AIVKGENIPEPGIPESFKVLLKELQSLCLNVEVLSSDGA AIELREGEDE
10 DLERAAANLGINLSRNESASVEDLA

>Rv0668 rpoC [beta]' subunit of RNA polymerase TB.seq 763368:767315 MW:146740
SEQ ID NO:177

VLDVNFFDELRI GLATAEDIRQWSYGEVKKPETINYRTLKPEKDGLFCEKIFGPTRDWECYCGKYKRV
15 RFKGIICERC GVEVTRAKVRRERMGHIELAAPVTHIWYFKGVPSRLGYLLDLAPKDLEKIIYFAAYVITS
VDEEMRHNELSTLEAEM AVERKAVEDQRDGELEARAQKLEADLAELEAEGAKADARRKVRD GGER
EMRQIRDRAQRELDRL EDIWSTFTKLAPKQLIVDENLYRELVD RYGEYFTGAMGAESIQKLIENFDIDA
EAESLRDVIRNGKGQKKLRALKRLKVAAFQQSGNSPMGMVLDAVPVIPPELRPMVQLDGGRFATS
DLNDLYRRVINRNNRLKRLIDLGAPEIIVNNEKRMLQESVDALFDNGRRGRPVTPGPNRPLKSLSDLL
20 KGKQGRFRQNLLGK RVDYSGRSVIVVGPQLKLHQCGLPKLMAL ELFKPFVMKRLVDLNHAQNIKSAK
RMVERQRPQVWDVLEE VIAEHPVLLNRAPTLHRLGIQAFEPMLVEGKAIQLHPLVCEAFNADFDGDQ
MAVHLPLSAEAQAEARILMLSSNNILSPASGRPLAMPRLDMVTGLYYLTTEVP GDTGEYQPASGDHP
ETGVYSSPAEAIMAADRGVLSVR AKIKVRLTQLRPPVEIAELFGHSGWQPGDAWMAETTLGRVMF
NELLPLGYPFVNKQMHKKVQAAIINDLAERYPMIVVAQTVDKLKDAGFYWATRSGVTVSMADVLVPP
25 RKKEILDHYEERADKVEKQFQRGALNHDERNEALVEIWKEATDEVGQALREHYPDDNPIITIVDSGAT
GNFTQTRTLAGMKGLVTNP KGEFIPRPVKSSFREGLTVLEYFINTHGARKGLADTALRTADSGYLTRR
LVDVSQDVIVREHDCQTERGIVVELAERAPDGT LIRDPIYIETSAYARTLGTD AVEAGNVIVERGQDL
GDPEIDALLAAGITQVKVRSVLT CATSTGVCATCYGRSMATGKLVDIGEAVGIVAAQSIGEPGTQLTM
RTFHQGGVGEDITGGLPRVQELFEARVPRGKAPIADVTGRVRLEDGERFYKITIVPDDGGEEVVYDKI
30 SKRQRLRVFKHEDGSE RVLSDGDHVEVGQQLMEGSADPHEVLRVQGPREVQIHLVREVQEYVRAQ
GVSIHDKHIEVIVRQMLRRVTIIDSGSTEFLPGSLIDRAEFEAENRRVVAEGGEPAAGR PVLMGITKAS
LATDSWLSAASFQETTRVLTDAA INCRSDKLNGLKENVIIGKLIPAGTG INRYRNAVQPTEEARAAAYT
IPSYEDQYYSPDFGAATGA AVPLDDYGYSDYR

35 >Rv0711 atsA TB.seq 806333:808693 MW:86216 SEQ ID NO:178
MAPEATEAFNGTIELDIRDSEPDWGPYAAPVAPEHSPNILYLWDDVGIATWDCFGGLVEMPAMTRV
AERGVRLSQFHHTALCSPTRASLLTGRNATTVGMATIEEFTDGFPNCNGRIPADTALLPEVLAEHGYN

TYCVGKWHLTPLEESNMASTKRHWPTSRGFERFYGFLGGETDQWYPDLVYDNHPVSPPGTPEGG
YHLSKDIADKTIEFIRDAKVIAPDKPWFSYVCPGAGHAPHHVFEWADRYAGRFDMGYERYREIVLE
RQKALGIVPPDELSPINPYLDVPGPNGETWPLQDTPVRPWDSLSDEEKKLFCRMAEVFAGFLSYTDA
QIGRILDYLEESGQLDNTIIVISDNGASGEGGPNNGSVNEGKFFNGYIDTVAESMKLFDHLGGPQTYN
5 HYPGWAMAFNTPYKLFKRYASHEGGIADPAIISWPNGIAAHGEIRDNYVNVSDITPTVYDLLGMTTP
GTVKGIPQKPMDGVSFIAALADPAADTGKTTQFYTMLGTRGIWHEGWFANTIHAATPAGWSNFNAD
RWELFHIAADRSQCHDLAAEHDPKLEELKALWFSEAAKYNGPLADLNLLTMTSRPYLVSERASY
VYYPDCADVIGAAVEIRGRSFAVLADVTIDTTGAEGVLFKHGGAHGGHVLVFRDGRHLHYVYNFLGE
RQQLVSSSGPVPSGRHLLGVRYLRTGTVPNSHTPVGDLELFFDENLVGALTNVLTHPGTFGLAGAAI
10 SVGRNGGSAVSSHYEAPFAFTGGTITQVTVDVSGRPFEDVESDLALAFSRD

>Rv0764c - lanosterol 14-demethylase cytochrome P450 TB.seq 856683:858035 MW:50879
SEQ ID NO:179

MSAVALPRVSGGHDEHGHLEEFRTDPIGLMQRVRDECGDVGTFLAGKQVLLSGSHANEFFFR
15 GDDDLQAKAYPFMTPIFGEGVFDASPERRKEMLHNAALRGEQMKGHAATIEDQVRRMIADWGE
AGEIDLLDFFAELTIYTSSACLIKKFRDQLDGRFAKLYHELERGTDPLAYVDPYLPISFRRRDEARN
GLVALVADIMNGRIANPPTDKSDRDMLDVLIAMKAETGTPRFSADEITGMFISMMFAGHHTSSGTASW
TLIELMRHRDAYAAVIDELDELYGGRSVSFHALRQIPQLENVLKETLRLHPPLIILMRVAKGEFEVQG
HRIHEGDLVAASPAISNRIPEDFPDPHDFVPARYEQPRQEDLLNRWTWIPFGAGRHRVCVGAFAIMQI
20 KAIFSVLLREYEFEMAQPPESYRNDHSMVVLQAQPACVRYRRRTGV

>Rv0861c - DNA helicase TB.seq 958524:960149 MW:59773 SEQ ID NO:180

VQSDKTVLLEVDHELAGAARAAIAPFAELERAPEHVHTYRITPLALWNARAAGHDAEQVVDALVSYS
RYAVPQPLLVDIVDTMARYGRLQLVKNPAHGLTLVSLDRAVLEEVLNRNKKIAPMLGARIDDDTVVHP
25 SERGRVKQLLLKIGWPAEDLAGYVDGEAHPISLHQEGWQLRDYQRLAADSFWAGGSGVWLPCGA
GKTLVGAAAMAKAGATTILVTNIVAARQWKRELVARTSLTENEIGEFSGERKEIRPVTISTYQMITRR
TKGEYRHLELFDSDRWGLIYDEVHLLPAPVFRMTADLQSKRRRLGLTATLIREDGREGDVFSLIGPKR
YDAPWKDIEAQGWIAPAECVEVRVTMTDSERMMYATAEPEERYRICSTVHTKIAVVKSIKHPDEQ
TLVIGAYLDQLDELGAELGAPVIQGSTRTSREALFDAFRRGVATLVVSKVANFSIDLPEAAVAVQVS
30 GTFGSRQEEAQRLGRILRPKADGGGAIFYSVVARDSLDAEYAAHRQRFLAEQGYGYIRDADDLLGP
AI

>Rv0904c accD3 TB.seq 1006694:1008178 MW:51741 SEQ ID NO:181

VSRIITDQLRHAVLDRGSFVSWDSEPLAVPVADSARELAARAATGADESQVTGEGRVFGRRVAV
35 VACEFDLGGSIGVAAAERITAVERATAERLPLLASPSSGGTRMQEGTVAFLQMVKIAAAIQLHNQA
RLPYLVYLRHPTTGGVFASWGLHGLTVAEPGALIGFLGPRVYELLYGDPFPGSVQTAENLRRHGIID
GVVALDRLRPMMLDRALTVLIDAPEPLPAPQTPAPVPDVPTWDSVVASRRPDRPGVRQLLRHGATDR

VLLSGTDQGEAATLLALARFGGQPTVVLGQQRAVGGGGSTVGPAALREARRGMALAAELCLPLVL
VIDAAGPALSAAAEQGGLAGQIAHCLAELVTLDTPTVSILLGQSGGPALAMLPADRVLAALHGWLAP
LPPEGASAIVFRDTAHAAELAAAQGIRSADLLKSGIVDTIVPEYPDAADEPIEFALRLSNAIAAEVHALR
KIPAPERLATRLQRYRRIGLPRD

5

>Rv0983 - TB.seq 1099064:1100455 MW:46454 SEQ ID NO:182

MAKLARVVGLVQEEQPSDMTNHPRYSPPPPQQPGTPGYAQGGQQQTYSQQFDWRYPPSPPPQPTQY
RQPYEALGGTRPGLIPGVIPTMTPPPGMVRQRPRAGMLAIGAVTIAVVSAGIGGAAASLVGFNRAPA
GPSGGPVAASAAPSIPAANMPPGSVEQVAAKVVPVVMLETDLGRQSEEGSGIILSAEGLILTNNHVI
10 AAAAKPPLGSPPPKTTVTFSDGRTAPFTVVGADPTSDIAVVRVQGVSGLTPIISLGSSSDLRVGQPVL
IGSPLGLEGTVTTGIVSALNRPVSTTGEAGNQNTVLDAIQTDAAINPGNSGGALVNMNAQLVGVNSAI
ATLGADSADAQSGSIGLGAIPVDQAKRIADELISTGKASHASLVQVTNDKDTLGAKIVEVVAGGAA
ANAGVPKGVVVTKVDDRPINSADALVAVRSKAPGATVALTFQDPSGGSRVQVTLGKAEQ

10

15

>Rv1008 - Similar to E.coli protein YcfH TB.seq 1127087:1127878 MW:29066 SEQ ID NO:183

LVDAHTHLDACGARDADTVRSLVERAAAAGVTAVTVADDLESARWVTRAAEWDRRVYAAVALHPT
RADALTDAAARAELERLVAHPRVVAVGETGIDMYWPGRLDGCAEPHVQREAFWHIDLAKRTGKPLM
IHNRQADRDVLDVLAEGAPDTVILHCFSSDAAMARTCVDAGWLLSLSGTVSFRTARELREAVPLMP
VEQLLVETDAPYLTPHPRGLANEPYCLPYTVRALAELVNRPEEVALITTSNARRAYGLGWMRQ

20

>Rv1009 - lipoprotein, similar to various other MTB proteins TB.seq 1128089:1129174 MW:38079
SEQ ID NO:184

MLRLVVGALLLVLA FAGGYAVAACKTVTLVDGTAMRVTTMKSRVIDIVEENGFSVDDRDDLPAAG
VQVHDADTIVLRRSRPLQISLDGHDQVWTTASTVDEALAQLAMTDTAPAAASRASRVPLSGMALP
25 VVSAKTQVLNDGGLVRTVHLPA PNVA GLLSAAGVPLLQSDHVVPAATAPIVEGMQIQVTRNRIKKVTE
RLPLPPNARRVEDPEMNMSREVVEDPGVPGTQDVTFAVAEVNGVETGRLPVANVVVTPAHEAVVR
VGTKPGTEVPPVIDGSIWDAIAGCEAGGNWAIN TGNGYYGGVQFDQGTWEANGGLRYAPRADLAT
REEQIAVAEVTRLRQGWGAWPVCAARAGAR

25

30

>Rv1010 ksgA 16S rRNA dimethyltransferase TB.seq 1129150:1130100 MW:34647
SEQ ID NO:185

MCCTSGCALTIRLLGRTEIRRLAKELDFRPRKSLGQNFVHDANTVRRVVAASGVSRSDLVLEVGPGL
GSLTLALLDRGATVTAVEIDPLLASRLQQTVAEHSSEVHRLTVVNRDVLALRREDLAAAPTAVVANL
PYNVAVPALLHLLVEFPSIRVVTVMVQAEVAERLAAEPGSGKEYGVPSVKLRFGRVRRCGMVSPVTF
35 WPIPRVYSGLVRIDRYETSPWPTDDAFRRRVFELVDIAFAQRRKTSRNAFVQWAGSGSESANRLLAA
SIDPARRGETLSIDDFVRLRLRRSGGSDEATSTGRDARAPDISGHASAS

35

>Rv1011 - Similar to E.coli protein YcbH TB.seq 1130189:1131106 MW:31350

SEQ ID NO:186

VPTGSVTVRVPKVNLYLAVGDRREDGYHELTTFHAVSLVDEVTVRNADVLSLELVGEGADQLPTD
ERNLAWQAAELMAEHVGRAPDVSIMIDKSIPVAGGMAGGSADAAVLVAMNSLWELNVPRDLRML
5 AARLGSDVPFALHGGTALGTGRGEELATVLSRNTFHWLAFADSGLLTSAVYNELDRLREVGDPPRL
GEPGPVLAALAAGDPDQLAPLLGNEMQAAVSLDPALARALRAGVEAGALAGIVSGSGPTCAFLCTS
ASSAIDVGAQLSGAGVCRTVRVATGPVPGARVVSAPTEV

>Rv1106c - cholesterol dehydrogenase TB.seq 1232845:1233954 MW:40743 SEQ ID NO:187

10 MLRRMGDASLTTELGRVLVTGGAGFVGANLVTLLDRGHWVRSFDRAPSLPAHPQLEVLQGDITD
ADVCAAVDGIDTIFHTAAIIELMGASVTDEYRQRSFAVNVGGTENLLHAGQRAGVQRFVYTSSNS
VVMGGQNIAGGDETLPYTDRFNDLYTETKVVAERFVLAQNGVDGMLTCAIRPSGIWNGDQTMFRK
LFESVLKGHVKVLVGRKSARLDNSYVHNLIHGFIILAAHLVPDGTAPGQAYFINDAEPINMFEFARPVL
EACGQRWPKMRISGPAVRWVMTGWQRLHFRFGFPAPLLEPLAVERLYLDNYFSIAKARRDLGYEPL
15 FTTQQALTECLPYVSLFEQMKNEARA EKTAATVKP

>Rv1110 lytB2 TB.seq 1236183:1237187 MW:36298 SEQ ID NO:188

MVPTVDMGIPGASVSSRSVADRPNRKRVLAEPRGYCAGVDRAVETVERALQKHGPPVYVRHEIVH
NRHVVDTLAKAGAVFVEETE QVPEGAI VVFSAHGVAPT VHVSASERNLQVIDATCPLVTKVHNEARR
20 FARDDYDILLIGHEGHEEVVGTAGEAPDHVQLVDGVDQVTVRDEDKVVWLSQTTLSDVDETMEIV
GRLRRRFPKLQDPPSDDICYATQNRQVAVKAMAPECELVIVVGSRNSSNSVRLVEVALGAGARAAH
LVDWADDIDSAWLDGVTTVGVTSGASVPEVLVRGVLERLAECGYDIVQPVTTANETLVFALPRELRS
PR

25 >Rv1216c - TB.seq 1359473:1360144 MW:24863 SEQ ID NO:189

MHIGLKIFIWGLVGLVFGALLFGPAGTFDYWQAWVFLAAVSTTIGPTIYLARNDPAALQRRMRSGP
LAEGRTIQKFIVIGAF LGFFAMMVLSACDHR YGWSSVPAAVCVIGDVLVMTGLGIAMLVVIQNRYYAAS
TVRVEAGQILASDGLYKIVRHPMYAGNVVMMTG IPLALGSYWAMFILVPGTLVLVFRILDEEKLLTQEL
SGYREYRQLVRYRLVPYVW

30 >Rv1223 htrA TB.seq 1365810:1367456 MW:56547 SEQ ID NO:190

VSHLSQRMAGLLRVHGEWSRSVDTRVDTDNAMPARFSAQIQNEDEVTS DQGNNGGPNGGGRLAP
RPVFRPPVDPASRQAFGRPSGVQGSFVAERVRPQKYQDQSDFTPNDQLADPVLQEA FGRPFAGAE
SLQRHPIDAGALAAEKDGAGPDEPDDPWRDPAAAAALGTPALAAPAPHGALAGSGKLGV RDVLF GG
35 KVSYLALGILVAIALVIGGIGGVIGRKTA EVVDAFTTSKVTLS TTGNAQEPAGRFTKVAAAVADSVVTIE
SVSDQEGMQGSGVIVDGRGYIVTNNH VISEAANNPSQFKTTVVFNDGKEVPANLVGRDPKTDLAVLK
VDNVDNLTVARLGDSSKVRVGDEV LAVGAPLGLRSTVTQGIVSALHRPVPLSGEGSDTDTVIDAIQTD

ASINHGNSGGPLIDMDAQVIGINTAGKSLSDSASGLGFAIPVNEMKLVANSLIKDGKIVHPTLGISTRSV
SNAIASGAQVANVKAGSPAQKGGILENDVIVKVGNAVADSDEFVAVRQLAIGQDAPIEVVREGRH
VTLTVKPDPDST

5 >Rv1224 - TB.seq 1367461:1367853 MW:14083 SEQ ID NO:191

VFANIGWWEMLVLMVGLVVLGPERLPGAIRWAASALRQARDYLSGVTSQLREDIGPEFDDLGRHL
GELQKLRGMTTPRAALTKHLLDGDSDLFTGDFDRPTPKPDAAGSAGPDATEQIGAGPIPFDS DAT

10 >Rv1229c mrp similar to MRP/NBP35 ATP-binding proteins TB.seq 1371778:1372947 MW:41064
SEQ ID NO:192

MPSRLHSAVMSGTRDGD LNAAIR TALGKVIDPELRRPITELGMVKSIDTGPDGSVHVEIYLT IAGCPKK
SEITERVTRAVADVPGTSAVRVSLDVMSEQRTEL RKQLRGDTREPVIPFAQPDSL TRVYAVASGKG
GVGKSTVTVNLAAMAVRGLSIGVLDADIHGHSIPRMMGTDRPTQVESMILPPIAHQVKVISIAQFTQ
GNTPVVWRGPMLHRALQQFLADVWGDLDVLLLDLPPGTGDVAISVAQLIPNAELLVTTPLAAAE
15 VAERAGSIALQTRQRIVGVVENMSGLTLPDGTMMQVFGE GGGRLVAERLSRAVGADVPLLGGQIPLDP
ALVAAGDSGVPLVLSSPDSAIGKELHSIADGLSTRRRGLAGMSLGLDPTRR

>Rv1239c corA magnesium and cobalt transport protein TB.seq 1381943:1383040 MW:41470
SEQ ID NO:193

20 VFPGFDALPEVLRPVARPQPPNAHPVAQPPA QALVDCGVYVCGQRLPGKYTYAAALREVREIELTG
QEA FVWIGLHEPDENQM QDVADV FGLHPLAVEDAVHAHQRPKLERYDETFLVLKTVNYVP HESV
LAREIVKTGEIMIFVGKDFVTVRHGEHGGLSEVRKRMDADPEHLRLGPYAVMHAIADYVVDHYLEV T
NLMETDIDSIEEVA FAPGRKLDIEPIYLLKREVELRRCVNPLSTAFQRMQTESKDLISKEVRRYLRDV
ADHQTEAADQIASYDDMLNSLVQAALARVGMQQNM DMRKISAWAGIIAVPTMIAGIYGMNFHFMP EL
25 DSRWGYPTVIGGMVLICFLYHVFRNRNL

>Rv1279 - TB.seq 1430060:1431643 MW:57332 SEQ ID NO:194

MDTQSDYVVVGTGSAGAVVASRLSTD PATTVVALEAGPRDKNRFIGVPAAFSKLFRSEIDWDYLTEP
QPELDGREIYWPRGKVLGGSSSMNAMMWVRGFASDYDEWAARAGPRWSYADVLGYFRRIENVTA
AWHFVSGDDSGVTGPLHISRQSPRSVTA AAWLAAARECGFAAARPN SPRPEGFCETVVTQRRGAR
30 FSTADAYLKPAMRRKNLRVLTGATATRVVIDG DRAVGVEYQSDGQTRIVYARREVVLCAGAVNSPQL
LMLSGIGDRDHLAEHDIDTVYHAPEVGCNLLDHLVTVLGF DVEKDSLFAAEKPGQLISYLLRRRGMLT
SNVGEAYGFVRSRPELKL PDLELIFAPAPFYDEALVPPAGHGVVFGPILVAPQSRGQITLRSADPHAK
PVIEPRYLSDLGGVDRAAMMAGLRICARIAQARPLRDLLGSIARPRNSTELDEATLELALATCSHTLYH
PMGTCRMGSDEASVDPQLRVRGVDGLRVADASVMPSTVRGHTHAPSVLIGEKAADLIRS

35 >Rv1294 thrA homoserine dehydrogenase TB.seq 1449373:1450695 MW:45522 SEQ ID NO:195
VPGDEKPVGVAVLGLGNVGSEVVRIIENSAEDLAARVGAPLVLRGIGVRRVTTDRGVPIELLTDDIEEL
VAREDVDIVVEVMGPVEPSRKAILGALERGKSVVTANKALLATSTGELAQAAESAHV DLYFEAAVAGA

IPVIRPLTQSLAGD TVLRVAGIVNGTTNYILSAM DSTGADYASALADASALGYAEADPTADVEGYDAA
AKAAILASIAFHTRVTADDVYREGITKVTPADFGSAHALGCTIKLLSICERITTTDEGSQRVSARVYPALV
PLSHPLAAVNGAFNAVVEAEAAGRMLFYGGAGGAPTASAVTGD LVMAARNRVLGSRGPRESKY
AQLPVAPMGFIETRYVSMNVADKPGVLSAVAAEFAKREVSIAEVRQEGVVDEGGRRVGARIVVVTH
5 LATDAALSETVDALDDLDVVQGVSSVIRLEGTGL

>Rv1323 fadA4 acetyl-CoA C-acetyltransferase (aka thiL) TB.seq 1485860:1487026 MW:40049
SEQ ID NO:196

VIVAGARTPIGKLMGSLKDFSASELGAIAIKGALEKANVPASLVEYVIMGQVLTAGAGQMPARQAABA
10 AGIGWDVPALTINKMCLSGIDAIALADQLIRAREFDVVAGGQESMTKAPHLLMNSRSGYKYGDVTVL
DHMAYDGLHDVFTDQPMGALTEQRNDVDMFTRSEQDEYAAASHQKAAA WKGDFADEVIPVNIP
QRTGDPLQFTEDEGIRANTTAAALAGLKPAFRGDGTITAGSASQISDGAAAVVMNQEKAQELGLTW
LAEIGAHGVVAGPDSTLQSQPANAINKALDREGISVDQLDVVEINEAFAAVALASIRELGLNPQIVNVN
GGIAIVGHPLGMSGTRITLHAALQLARRGSGVGVAALCGAGGQGDALILRAG

>Rv1389 gmk putative guanylate kinase TB.seq 1564399:1565022 MW:22064 SEQ ID NO:197
VSVGEGPDKPTARGQPAAVGRVVLSGPSAVGKSTVVRCLRERIPNLHFSVSATTRAPRPGEVDG
VDYHFIDPTRFQQLIDQGELLEWAEIHGGLHRSGLTAQPVRAAAATGVPVLIEVDLAGARAIKKTMP
AVTVFLAPPSWQDLQARLIGRGTTETADVIQRRLDTARIELAAQGD FDKVVVNRRLESACAEVLSLLVG
20 TAPGSP

>Rv1407 fmu similar to Fmu protein TB.seq 1583099:1584469 MW:48494 SEQ ID NO:198
MTPRSRGRPRRRPLDPARRAAFETLRAVSARDAYANLVLPALLAQRGIGGRDAAFATELTYGTCRAR
GLLDAVIGAAAERSPQAIDPVLLDLLRLGTYQLLRTRVDAHAAVSTTVEQAGIEFDSARAGFVNGVLR
25 TIAGRDRSWVGELAPDAQNDPIGHAAFVHAHPRWIAQAFADALGAAVGELEAVLASDDERPAVHLA
ARPGVLTAGELARAVRGTVGRYSPFAVYLPRGDPGR LAPVRDGGQALVQDEGSQ LVARALTLAPVDG
DTGRWLDLCAGPGGKTALLAGLGLQCAARVTAVEPSPHRADLVAQNTRGLPVELLRVDGRHTDLP
GFDRVLVDAPCTGLGALRRRPEARWRRQPADVAALAKLQRELLSAAIALTRPGGVVLYATCSPHLAE
TVGAVADALRRHPVHALDTRPLFEPVIAGLGEGPHVQLWPHRHGTDAMFAAALRRLT

>Rv1409 ribG riboflavin biosynthesis TB.seq 1585192:1586208 MW:35367 SEQ ID NO:199
MNVEQVKSIDEAMGLAIEHSYQVKGTTPKPPVGAVIVDPNGRIVGAGGTEPAGGDHAEVVALRRAG
GLAAGAIVVTMEPCNHYGKTPPCVNALIEARVGTVVYAVADPNGIAGGGAGRLSAAGLQVRSGVLA
EQVAAGPLREWLHKQRTGLPHVTWKYATSIDGRSAAADGSSQWISSEAAARLDLHRRRAIADAILVGT
35 GTVLADDPALTARLADGSLAPQQPLRVVVGKRDIPPEARVLNDEARTMMIRTHEPMEVLRALS DRTD
VLLEGGPTLAGAFLRAGAINRILAYVAPILLGGPVTAVDDVGVS NITNALRWQFDSVEKVGPDLLLSLV
AR

>Rv1440 secG TB.seq 1617715:1618065 MW:12140 SEQ ID NO:200

VAGVTA AVSARLKADEARRPGFYAAGSGPLPQVRGSTLPVMELALQITLIVTSVLVLLVLLHRAKGG
GLSTLFGGGVQSSLSGSTVVEKNLDRLTLFVTGIWLVSIIGVALLIKYR

5 >Rv1484 inhA TB.seq 1674200:1675006 MW:28529 SEQ ID NO:201

MTGLLDGKRILVSGIITDSSIAFHARVAQEQAQLVLTGFDRLRLIQRITDRLPAKAPLLELDVQNEEH
LASLAGRVTEAIGAGNKLDGVVHSIGFMPQTGMGINPFFDAPYADVSKGIHISAYSASYASMAKALLPIM
NPGGSIVGMDFDPSRAMPAYNWMTVAKSALESVNRVAREAGKYGVRSNLVAAGPIRTLAMSAIVG
GALGEEAGA QIQLLEEGWDQRAPIGWNMKDATPVAKTVCALLSDWLPATTGDIIYADGGAHTQLL

10

>Rv1617 pykA pyruvate kinase TB.seq 1816187:1817602 MW:50668 SEQ ID NO:202

VTRRGKIVCTLGPATQRDDLVRALVEAGMDVARMNFSHGDYDDHKVAYERVRVASDATGRAVGVL
ADLQGP KIRLGRFASGATHWAEGETVRITVGACEGSHDRVSTTYKRLAQDAVAGDRVLVDDGKVAL
VDAVEGDDV VCTVVEGGPVSDNKGISLPGMNVTA PALSEKDIEDLTFALNLGVD MVALSFVRSPAD
15 VELVHEVMDRIGRRVPVIAKLEKPEAIDNLEAIVLAFDAVMVARGDLGVELPLEEVPLVQKRAIQMARE
NAKPVIVATQMLDSMIENS RPTRAEASDVANAVLDGADALMLSGETSVGKYPLAAVRTMSRIICAVEE
NSTAAPPLTHIPRTKRGVISYAARDIGERLDAKALVAFTQSGDTVRRRLARLHTPLPLLAFTAWPEVRS
QLAMTWGTET FIVPKMQSTDGMIRQVDKSLLELARYKRGDLVVIVAGAPP GTVGSTNLHVHRIGEDD
V

20

>Rv1630 rpsA 30S ribosomal protein S1 TB.seq 1833540:1834982 MW:53203 SEQ ID NO:203

MPSPTVTSPQVAVNDIGSSEDFLAAIDKTIKYFNDGDIVEGTIVKVDRDEVLLDIGYKTEGVIPARELSIK
HDVDPNEVVS VGDEVEALVLTKEDEKGRLLSKKRAQYERAWGTIEALKEKDEAVKGTVIEVVKGLI
LDIGLRGFLPASLVEMRRVRDLQPYIGKEIEAKIIELDKNRNNVLSRRRAWLEQTQSEVRSEFLNNLQK
25 GTIRKGVVSSIVNFGAFVDLGGVDGLVHVSELSWKHIDHPSEVVQVGDEVTV EVLVDVMDRERVSL
LKATQEDPWRHFARTHAI GQIVPGKVTKLVPFGAFVRVEEGIEGLVHISELAERHVEVPDQVAVGDD
AMVKVIDIDLERRRISLSLKQANEDYTEEFDPAKYGMADSYDEQGNYIFPEGFDAETNEWLEGFEKQ
RAEWEARYAEAERRHKMHTAQMEKFAAAEAAGRGADDQSSASSAPSEKTAGGSLASDAQLAALRE
KLAGSA

30

>Rv1631 - TB.seq 1835011:1836231 MW:44669 SEQ ID NO:204

MLRIGLTGGIGAGKSLLSTTFSQCGGIVDGDVLAREVVQPGTEGLASLVDAFGRDILLADGALDRQA
LAAKA FRDDES RGVNLGIVHPLVARRRSEIIAAVSGDAVVVEDIPLLVESGMAPLFPLVVVHADVELR
VRRLEQ RGM AEADARARIAAQASDQQRRAVADVWLDNSGSPEDL VRRARDVWNTRVQPF AHNL
35 AQRQIARAPARLVPADPSWPDQARRIVNRLKIACGHKALRVDHIGSTAVSGFPDFLAKDVIDIQVTE
SLDVADELAEP LLAAGYPRLEHITQDTEKTDARSTVGRYDHTDSAALWHKRVHASADPGRPTNVHLR

VHGWPNQQFALLFVDWLAANPGAREDYLTVKCDADRRADGELARYVTAKEPWFLDAYQRAWWEA
DAVHWRP

>Rv1706c - TB.seq 1932695:1933876 MW:39779 SEQ ID NO:205

MTLDVPVNQGHVPPGSGVACCLVGVTA VADGIAGHSLSNFGALPPEINSGRMYS GP GSGPLMAAAAA
WDGLAAELSSAATGYGAAISELTNMRWWSGPASDSMVA AVL P FVGWLSTTATLAEQAAMQARAAA
AAFEAAFAMTVPPPAIAANRTLMTLVDTNWFGQNTPAIATTESQYAEMWAQDAAAMYGYASAAAP
ATVLT P FAPPPQT T NATGLVGHATAVAALRGQHSWAAAIPWSDIQKYWMMFLGALATAEGFIYDSG
GLTLNALQFVGGMLWSTALAEAGAAEAAAAGAGGAAGWSAWSQLGAGPVAASATLAAKIGPMSVPP
GWSAPPATPQAQTVARSIPGIRSAAEAAETSVLLRGAPT PGRSRAAHMGRRYGRRLTVMADRPNVG

>Rv1745c - similar to Q46822 ORF_O182 TB.seq 1971381:1971989 MW:22490 SEQ ID NO:206

MTRSYRPAPPIERVLLNDRGDATGVADKATVHTGDTPLHLAFSSYVFDLHDQLLITRRAATKRTWP
AVWTNSCCGHP L PGESLPGAIRRRLLAAELG L T PDRVDLILPGFRYRAAMADGT VENEICPVYRVQVD
QQPRPNSDEVDAIRWLSWEQFVRDVTAGVIAPVSPWCRSQLGYLTKLGPCPAQWPVADDCRLPKA
AHGN

>Rv1800 - TB.seq 2039451:2041415 MW:67068 SEQ ID NO:207

MLPNFAVL PPEVNSARVFAGAGSAPMLAAAAAWDDLASELHCAAMSFSGSVTSGLVVGWWQGSASA
AMVDAAASYIGWLSTSAAHAEGAAGLARA AVSVFEEALAA TVHPAMVAANRAQVASLVASNLFQGN
APAIAALESLEYECMWAQDAAAMAGYYVGASAVATQLASWLQRLQSIPGAASLDARLPSSAEAPMGV
VRAVNSAIAANAAAAQTVGLVMGGSGTPIPSARYVELANALYMSGSVPGVIAQALFTPQGLYPVWVIK
NLTFDSSVAQGAVILES AIRQQIAAGNNVT VFGYSQSATISSLVMANLAASADPPSPDELSFTLIGNPN
NPNGGVATRFPGISFPSLGVTATGATPHNLYPTKIY TIEYDGVADFPRYPLNFVSTLNAIAGTYVVHSN
YFILTPEQIDA AVPLTNTVGPTMTQYYIIRTENLPLLEPLRSVPIVGNPLANLVQPNLKVIVNLGYGDPA
YGYSTSPPNVATPFGLFPEVSPVVIADALVAGTQQGIGDFAYDVSHLELPLPADGSTMPSTAPGSGT
PVPPLSIDSLIDDLQVANRNLANTISKVAATSYATVLTADIANAALTIVPSYNIHLFLEGIQQALKGDPM
GLVNAVGYPLAADVALFTAAGGLQLLIISAGRTIANDISAIVP

>Rv1844c gnd 6-phosphogluconate dehydrogenase (Gram -) TB.seq 2093732:2095186
MW:51548 SEQ ID NO:208

MSSSESPAGIAQIGVTGLAVMG SNIARNFARHGYTVAVHNRSVAKTDALLKEHSSDGKFVRSETIPEF
LAALEKPRRVLMVKAGEATDADAVINELADAMEPGDIIIDGGNALYDTMRREKAMRERGLHFVGAG
ISGGEEGALNGPSIMPGGPAESYQSLGPLLEEISAHVDGVPCCTHIGPDGSGHFVKMVHNGIEYS DM
QLIGEAYQLMRDGLGLTAPAIADV FTEWNNGDLSYLVEITAEVLRQTD AKTGKPLVDVIVDRAEQKG
TGRWTVKSALDLGVPVTGIAEAVFARALSGSVGQRS AASGLASGKLGEQPADPATFTEDVRQALYA
SKIVAYAQQGFNQIQAGSAEFGWDITPGDLATIWRGGCIIRAKFLNHIKEAFDASPNLASLIVAPYFRGA

VESAIDSWRRVSTAAQLGIPTPGFSSALSYYDALRTARLPAALTQAQRDFFGAHTYGRIDEPGKFHT
LWSSDRTEVPV

>Rv1900c lipJ TB.seq 2146246:2147631 MW:49685 SEQ ID NO:209

5 VAQAPHIHRTRYAKCGDMDIAYQVLGDGPTDLLVLPGPFPIDSIDDEPSLYRFHRRLASFSRVIRLDH
RGVGLSSRLAAITTLGPKFWAQDAIAVMDAVGCEQATIFAPSFHAMNGLVLAADYPERVRSIVVNGS
ARPLWAPDYPVGAQVRRADPFLTVALEPDAVERGFDVLSIVAPTAVAGDDVFRWWDLAAGNRAGPP
SIARAVSKVIAEADVRDVLGHIEAPTLILHRVGSTYIPVGHGRYLAELHAGSRLVELPGTDTLYWVGDT
10 GPMLDEIEEFITGVRGGADAERMLATIMFTDIVGSTQHAAALGDDRWRDLDNHDHTIVCHEIQRFGGR
EVNTAGDGFVATFTSPSAAIACADDIVDAVAALGIEVRIGIHAGEVEVRDASHGTDVAGVAVHIGARVC
ALAGPSEVLVSSTVRDIVAGSRHRFAERGEQELKGVPGRWRLCVMRDDATRTR

>Rv1967 - TB.seq 2210599:2211624 MW:36516 SEQ ID NO:210

15 MRENLGGVVRLGVFLAVCLLTAFLLIAVFGEVRFVGDGKTYAEFANVSNLRTGKLVRIAGVEVGKVT
RISINPDATVRVQFTADNSVTLTRGTRAVIRYDNLFGDRYLALEEGAGGLAVLRPGHTIPLARTQPALD
LDALIGGFKPLFRALNPEQVNALSEQLLHAFAGQGPTIGSLLAQSAVTNTLADRDRDIGQVITNLNVV
LGSLGAHTDRLDQAVTSLSALIHRLAQRKTDISNAVAYTNAAAGSVADLLSQARAPLAKVVRETDRVA
GIAAADHDYLDNLLNTLPDKYQALVRQGMYGDFFAFYLCDVVLKVNGKGGQPVYIKLAGQDSGRCA
20 PK

>Rv1975 - TB.seq 2218050:2218712 MW:23650 SEQ ID NO:211

25 MSRRASATCALSATTAVAIMAAPAARADDKRLNDGVVANVYTVQRQAGCTNDVTINPQLQLAAQWH
TLDLLNNRHLNDDTGSDGSTPQDRAHAAGFRGKVAETVAINPAVAISGIELINQWYYNPAFFAIMSDC
ANTQIGVWSENSPDRTVVAVYGQPDRPSAMPPRGAVTGPPSPVAAQENVPIDPSPDYDASDEIEY
GINWLPWILRGVYPPPPAMPPQ

>Rv1981c nrdF ribonucleotide reductase small subunit TB.seq 2224221:2225186 MW:36591
SEQ ID NO:212

30 MTGKLVERVHAINWNRLLDAKDLQVWERLTGNFWLPEKIPLSNDLASWQTLSTEQQTTIRVFTGLT
LLDTAQATVGAVAMIDDAVTPHEEAVLTNMAFMESVHAKSYSSIFSTLCSTKQIDDAFDWSEQNPYL
QRKAQIIVDYRGDDALKRKASSVMLESFLFYSGFYLPYWSSRGKLTNTADLIRLIIRDEAVHGYIY
YKCQRGLADLTAERADHREYTCCELLHTLYANEIDYAHDLDELGWTDDVLPYMRYNANKALANLG
YQPAFDRDTCQVNPVRAALDPGAGENHDFFSGSGSSYVMGTHQPTTDTDWDF

35 >Rv2092c helY helicase, Ski2 subfamily TB.seq 2349335:2352052 MW:99576 SEQ ID NO:213
VTELAELDRFTAELPFSLDDFQQRACSALEGRGHGVLVCAPTGAGKTVVGEFAVHLALAAGSKCFYTT
PLKALSNQKHTDLTARYGRDQIGLLTGDLVNGNAPVVVMTTEVLRNMLYADSPALQGLSYVVMDE

VHFLADRMRGPVWEEVILQLPDDVRVVSLSATVSNAEEFGGWIQTVRGDTTWWDEHRPVPLWQHV
LVGKRMFDLFDYRIGEAEGQPQVNRELLRHIAHRREADRMADWQPRRRGSGRPGFYRPPGRPEVI
AKLDAEGLLPITFVFSRAGCDAAVTQCLRSPLRLTSEEERARIAEVIDHRCGLADSDLAVLGYEWE
REGLLRGLAAHHAGMLPAFRHTVEELFTAGLVKAVFATETLALGINMPARTVVLERLVKFNGEQHMP
5 LTPGEYTQLTGRAGRRGIDVEGHAVVIWHPEIEPSEVAGLASTRTFPLRSSFAPSYNMTINLVHRMGP
QQAHRLLSEQSFAQYQADRSVVLVVGIERGNRILGEIAAELGGSDAPILEYARLRARVSELERAQARA
SRLQRRQAATDALAALRRGDIIITITHGRRGGLAVVLESARDRDDPRPLVLTEHRWAGRISADYSGTT
PVGSMTLPKRVEHRQPRVRRDLASALRSAAAGLVIPAARRVSEAGGFHDPELESSREQLRRHPVHT
SPGLEDQIRQAERYLRIERDNAQLERKVAAATNSLARTFDRFVGLLTEREFIDGPATDPVVTDDGRL
10 ARIYSEDLLVAECLRTGAWEGLKPAELAGVVS AVVYETRGGDGQGAPFGADVPTPRLRQALTQTS
RLSTTLRADEQAHRITPSREPDDGFVRVIYRWSRTGDLAAALAAADVNGSGSPLLAGDFVRWCRQV
LDLLDQVRNAAPNPELRATAKRAIGDIRRGVAVDAG

>Rv2101 helZ helicase, Snf2/Rad54 family TB.seq 2360238:2363276 MW:111632

SEQ ID NO:214

MLVLHGFWSNSGGMRLWAEDSDLLVKSPSQALRSARPHFAAPADLIAGIHPGKPATAVLLPSLRS
APLDSPELIRLAPRPAARTDPMLLAWTVPVVDLDPTAALAAFDQPAPDVRYGASVDYLAELAVFAREL
VERGRVLPQLRRDTHGAAACWRPVLQGRDVVAMTSLVSAMPPVCRAEVGGHDPHELATSALDAMV
DAAVRAALSPMDLLPPRRGRSKRHRHAVEAWLTALTCPDGRFDAEPDELDALAEALRPWDDVGIGTV
20 GPARATFRLSEVETENEETPAGSLWRLEFLLQSTQDPSLLVPAEQAWNDDGSLRRWDRPQELLLT
ELGRASRIFPELVPALRTACPSGLELDADGAYRFLSGTAAVLDEAGFGVLLPSWWDRRRKLGLVLSA
YTPVDGVVGKASKFGREQLVEFRWELAVGDDPLSEEEIAALTETKSPLIRLRGQWVALDTEQMRRGL
EFLERKPTGRKTTAEILALAASHPDDVDTPLEVTAVRADGWLGDLLAGAAAASLQPLDPPDGFTATLR
PYQQRGLAWLAFLSSLGLGSC LADMGLGKTVQLLALETLESVQRHQDRGVGPTLLCPMSLVGN
25 WPQEAARFAPNLRVYAHHG GARLHGEALRDHLERTDLVSTYTTATRDIDELAEYEWNRVWLDEAQ
AVKNLSRAAKAVRRLRAAHRVALTGTPMENRLAELWSIMDFLNPGLLGSSERFRTRYAIPIERHGHT
EPAERLRASTRPYILRRLKTDPAIDDLPEKIEIKQYQCLTTEQASLYQAVVADMMEKIENTEGIERGN
VLAAMAKLKQVCNHPAQLLHDSVPVGRRSKGKIRLEEILEEILAEGRVLCFTQFTEFAELLVPHLAAR
FGRAARDIAYLHGGTPRKRRDEMVARFQSGDGPPIFLLSLKAGGTGLNLTAANHVVHLDRWWNPAV
30 ENQATDRAFRIGQRRTVQVRKFICTGTLEEKIDEMIEKKALADLVVTDGEGWLTSTRDLREVFAL
SEGAVGE

>Rv2110c prcB proteasome [beta]-type subunit 2 TB.seq 2369727:2370599 MW:30274

SEQ ID NO:215

VTWPLPDRLSINSLSGTPAVDLSSFTDFLRRQAPELLPASISGGAPLAGGDAQLPHGTTIVALKYPGG
VVMAGDRRSTQGNMISGRDVRKVYITDDYTATGIAGTAAVAVEFARLYAVELEHYEKLEGVPLTFAG
KINRLAIMVRGNLAAAMQGLLALPLLAGYDIHASDPQSAGRIVSFDAAGGWNIEEEGYQAVGSGSLFA

KSSMKKLYSQVTDGDSGLRVAVEALYDAADDDSATGGPDLVRGIFPTAVIIDADGAVDVPESRIAELA
RAIIESRSGADTFGSDGGEK

>Rv2118c - = B2126_C1_165 (83.6%) TB.seq 2377471:2378310 MW:30091 SEQ ID NO:216
VSATGPF SIGERVQLTDAKGRRYTMSLTPGAEFHTHRGSIAHDAVIGLEQGSVVKSSNGALFLVLRPL
LVDYVMSMPRGPQVIYPKDAAQIVHEGDIFFGARVLEAGAGSGALTLSLLRAVGPAGQVISYEQRAD
HAEHARRNVSGCYGQPPDNWRLVVS DLADSEL PDGSVDRAVL DMLAPWEVLDAVSRLLVAGGVLM
VYVATVTQLSRIVEALRAKQCWTEPRAWETLQRGWNVVG LAVRPQHSMRGHTAFLVATRRLAPGA
VAPAPLGRKREGRDG

>Rv2144c - TB.seq 2404166:2404519 MW:12028 SEQ ID NO:217
MLIIALVLALIGLLALVFAVVTSNQLVAWVCIGASVLGVALLIVDALRERQQGGADEADGAGETGVAEE
ADVDYPEEAEPEESQAVDAGVIGSEEPSEEASEATEESAVSADRSDDSAK

>Rv2146c - TB.seq 2405667:2405954 MW:10805 SEQ ID NO:218
LVVFFQILGFALFIFWLLLIARVVVEFIRSF SRDWRPTGVTVVILEIIMSITDPPVKVLRRLIPQLTIGAVRF
DLSIMVLLLVAFIGMQLAFGAAA

>Rv2147c - TB.seq 2406119:2406841 MW:27630 SEQ ID NO:219
VNSHCSHTFITDNRS PRARRGHAMSTLHKVKAYFGMAPMEDYDDEYYDDRAPS RGYARPRFDDDY
GRYDGRDYDDARS DSRGDLRGEPADYPPPGYRGGYADEPRFRPREFDRAEMTRPRFGSWLRNST
RGALAMDPRRMAMMFEDGHPLSKITTLRP KDYSEARTIGERFRD GSPVIMDLVSMDNADAKRLVDF
AAGLAFALRGSFDKVATKV FLLSPADVDSPEERRRIAETGFYAYQ

>Rv2148c - TB.seq 2406841:2407614 MW:27694 SEQ ID NO:220
MAADLSAYPDRESELTHALAAMRSRLAAAAEAAGRN VGEIELLPITKFFPATDVAILFRLGCRSVGES
REQEASAKMAELNRL LAAAE LGHSGGVHWHMVGR IQRNKAGSLARWAHTAHSVDSSRLVTALDRA
VVAALAEHRRGERLRVYVQVSLDGDGSRGGVDSTTPGAVDRICAQVQESEGLELVGLMGIPPLDWD
PDEAFDRLQSEHNRVRAMFPHAIGLSAGMSNDLEVAVKHGSTCVRVGTALLGPRRLRSP

>Rv2150c ftsZ TB.seq 2408386:2409522 MW:38757 SEQ ID NO:221
MTPPHNYLAVIKVVIGIGGGGVNAVNRMI EQGLKGV EFI AINTDAQALLMSDADVKLDVGRDSTRGLG
AGADPEVGRKAAEDAKDEIEELLRGADMV FVTAGEGGGTGTGGAPVVASIARKLGALT VGVVTRPF
SFEGKRRSNQAENGIAALRESCDTLIVIPNDRLLQM GDAAVSLMDAFRSAD E VLLNGVQGITDLITTP
GLINVD FADVKGIMSGAGTALMGIGSARGEGRSLKAAEI AINSPLLEASMEGAQGV LMSIAGGSDLGL
FEINEAASLVQDA AHPDANIIFGTVIDDSLGD E VRVT VIAAGFDVSGPGRKPVMGETGGAHRIESAKA
GKLTSTLFEPVDAVSVPLHTNGATLSIGGDDDDVDVPPFMRR

>Rv2152c murC TB.seq 2410639:2412120 MW:51146 SEQ ID NO:222

VSTEQLPPDLRRVHVMVGIGGAGMSGIARILLDRGGLVSGSDAKESRGVHALRARGALIRIGHDASSL
DLLPGGATAVVTTHAAIPKTNPELVEARRRGIPVVLRPVLA KL MAGRTTLMVTGTHGKTTTT SMLIVA
5 LQHCGLDPSFAVGGEAGTNAHHGSGDCFVAEAEDES DGSLLQYTPHVAVITNIESDHLDFYGSVE
AYVAVFDSFVERIVPGGALVVCTDDPGGAAL AQRATELGIRVLR YGSVPGETMAATLVSWQQQGVG
AVAHIRLASELATAQGPRVMRLSVPGRHMA LNALGALLAAVQIGAPAEVLDGLAGFEGVRRRFELV
GTCGVGKASVRVFDDYAHHPTEISATLAAARMVLEQGDGGRCMVVFQPHLYSRTKAFAAEFGRALN
AADEVFVLDVYGAREQPLAGVSGASVAEHVTVPMRYVPDFSAVAQQVAAAASPGDVIVTMGAGDVT
10 LLGPEILTALRV RANRSAPGRPGVLG

>Rv2153c murG TB.seq 2412120:2413349 MW:41829 SEQ ID NO:223

VKDTV SQPAGGRGATAPRPADAASPCGSSPSADSVSVVLAGGGTAGHVEPAMAVADALVALDPR
VRITALGTLRGLETRLVPQRGYHLELITAVPMPRKPGGDLARLPSRVWRVREARDVLDDVDADV VV
15 GFGGYVALPAYLAARGLPLPPRRRRRIPVVIHEANARAGLANRVGAHTADRVLSAVPDSGLRRAEVV
GVPVRASIAALDRAVLRAEARAHFGFPDDARVLLVFGGSQGAVSLNRAVSGAAADLAAAGVCVLHA
HGPQNVLELRRRAQGDPPYVAVPYLDRMELAYAAADLVICRAGAMTVAEVS AVGLPAIYVPLPIGN
EQRLNALPVVNAGGGMVADAALTPELVARQVAGLLTDPARLAAMTAAAAARVGH RDAAGQVARAAL
AVATGAGARTTT

>Rv2154c ftsW TB.seq 2413349:2414920 MW:56306 SEQ ID NO:224

VLTRLLRRGTSDTDGSQTRGAEPVEGQRTGPEEASNPGSARPRTRFGAWLGRPMTSFHLIIAVAALL
TTLGLIMVLSASAVRSYDDDGS AWVIFGKQVLWTLVGLIGGYVCLRMSVRFMRRIAFSGFAITIVMLVL
VLVPGIGKEANGSRGWV VAGFSMQPSELAKMAFAIWGAHLLAARRMERASLREMLIPLVPAAVVAL
25 ALIVAQPD LGQTVSMGIILLGLLWYAGLPLRVFLSSLA AVVVSAAILAVSAGYRSDRVRSWLNPENDP
QDSGYQARQAKFALAQQGIFGDGLGQGVAKWNYLPNAHND FIFAIIGEELGLVGALGLLGLFGLFAY
TGMRIASRSADPFLRLLTATTTLWVLGQAFINIGYVIGLLPVTGLQLPLISAGGTSTAATLSLIGI IANAAR
HEPEAVAALRAGRDDKVNRLRLPLPEPYLPPRLEAFRDRKRANPQPAQTQPARKTPRTAPGQPAR
QMGLPPRPGSPRTADPPVRRSVHHGAGQRYAGQRRTRRVRALEGQRYG

>Rv2155c murD TB.seq 2414935:2416392 MW:49314 SEQ ID NO:225

VLDPLPGGAPVLVAGGRVTGQAVAAVLTRFGATPTVCDDDPVMLRPHAERGLPTVSSSDAVQQITG
YALVVASPGFSPATPLLA AAAAGVPIWGDVELAWRLDAAGCYGPPRSWLVTGTNGKTTTT SMLH
AMLIAGGRRRAVL CGNIGSAVL DVLDEPAELLAVELSSFQLHWAPSLRPEAGAVLNIAEDHLDWHATM
35 AEYTA AKARVLTGGVAVAGLDDSR AAALLDGSPAQVRVGFRLGEPAARELGVRDAHLVDRAFSDDL
TLLPVASIPVPGPVGVLDALAAAALAR SVGPAGAIADAVTSFRVGRHRAEVVAVADGITYVDDSKAT
NPHAARASVLAYPRVWVIAGGLLKGASLHAEVAAMASRLVGAVLIGRDRAAVAEALSRHAPDVPV VQ

VVAGEDTGMPATVEVPVACVLDVAKDDKAGETVGAAVMTAAVAAAARRMAQPGDTVLLAPAGASFD
QFTGYADRGEAFATAVRAVIR

>Rv2156c murX TB.seq 2416397:2417473 MW:37714 SEQ ID NO:226

5 MRQILIAVAVAVTVSILLTPVLIRLFTKQGGFGHQIREDGPPSHHTKRGTPSMGGVAILAGIWAGYLGAAH
LAGLAFDGEIGIGASGLLVGLATALGGVGFIDDLIKIRRSRNLGLNKTAKTVGQITSAVLFGVLVLQFRN
AAGLTPGSADLSYVREIATVTLAPVLFVLCVVIVSAWSNAVNFTDGLDGLAAGTMAMVTAAYVLITF
WQYRNACVTAPGLGCYNVRDPLDLALIAAATAGACIGFLWWNAAPAKIFMGDTGSLALGGVIAGLSV
TSRTEILAVVLGALFVAEITSVVLQILTFRTTGRRMFRMAPFHFFELVGWAETTVIIRFWLLTAITCGL
10 GVALFYGEWLA AVGA

>Rv2157c murF TB.seq 2417473:2419002 MW:51634 SEQ ID NO:227

5 MIELTVAQIAEIVGGAVADISPQDAAHRRVTGTVEFDSRAIGPGGLFLALPGARADGHDHAASAVAAG
AAVLAARPVGVPAIVPPVAAPNVLAGVLEHDNDGSGAAVLAALAKLATAVAAQLVAGGLTIIGITGS
15 SGKTSTKDLMAAVLAPLGEVVAPPGSFNNELGHPWTVLRATRRTDYLILEMAARHHGNIAALAEIAPP
SIGVVLNVGTAHLGEFGSREVIAQTKAELPQAVPHSGAVVLNADDPAVAAMAKLTAARVVRVSRDNT
GDVWAGPVSLDELARPRFTLHAHDAQAEVRLGVCGDHQVTNALCAA VALECGASVEQVAAALTA
PPVSRHRMQVTTRGDGVTVIDDAYNANPDSMRAGLQALAWIAHQPEATRRSWAVLGEMAE LGEDAI
20 AEHDRIGRLAVRLDVSRLVVGTGRSISAMHHGAVLEGAWGSGEATADHGADRTAVNVADGDAALA
LLRAELRPGDVVLVKASNAAGLGAVADALVADDTCGSVRP

>Rv2158c murE TB.seq 2419002:2420606 MW:55310 SEQ ID NO:228

5 VSSLARGISRRRTEVATQVEAAPTGLRPNVAVGVRLAALADQVGAALAEQPAQRAVTE DRTVTGVTL
RAQDVSPGDLFAALTGSTTHGARHVGDAIARGAVAVLTD PAGVAEIAGRAAVPVLVHPAPRGVLGGL
25 AATVYGHPSERLTVIGITGTSGKTTTTYLVEAGLRAAGRVAGLIGTIGIRVGGADLPSALTTP EAPTLQA
MLAAMVERGVDTVMEVSSHALLGRVDGTRFAVGAFNLSRDHLD FHP SMADYFEAKASL FDPDS
ALRARTAVVCIDDDAGRAMAARAADAITVSAADRP AHW RATDVAPT DAGGQQFTAIDPAGVGH HIGI
RLPGRYNVANCLVALAILDTVGV SPEQAVPGLREIRVPGRLEQIDRGQ GFLALVDYAHKPEALRSVLT
30 TLAHPDRRLAVVFGAGGDRDPGKRAPMGRIAAQLADLVVVTDDNPRDE DPTAIRREILAGAAEVGGD
AQVVEIADRRDAIRHAWARPGDVVLIAGKGHETGQRGGGRV RPFDDRVELAAALEALERRA

>Rv2159c - TB.seq 2420632:2421663 MW:36377 SEQ ID NO:229

5 MKFVNHIIEPVAPRRAGGAVAEVYAEARREFGRLPEPLAMLSPDEGLL TAGWATLRETL LVGQVPRG
RKEAVAAAVAASLRCPWCVD AHTTMLYAAGQTD TAAAILAGTAPAAGDPNAPYVAWAAGTGTPAGP
35 PAPFGPDVAAEYLGTA VQFHFIARLVLLDETFLPGGPRAQQLMRRAGGLVFARKVRAEHRPGRST
RRLEPRTL PDDLAWATPSEPIATAFAALSHHLD TAPHLPPPTRQVVRVVG SWHGEPM PMSSRW TN

EHTAELPADLHAPTRLALLTGLAPHQVTDDDVAAARSLLDTAALVGALAWAAFTAARRIGTWIGAAA
EGQVSRQNPTG

>Rv2163c pbpB TB.seq 2425049:2427085 MW:72506 SEQ ID NO:230

5 VSRAAPRRASQSQSTRPARGLRPPGAQEVGQRKRPGKTQKARQAQEATKSRPATRSDVAPAGR
STRARRTRQVVDVGTRGASFVFRHRTGNAVILVLMVAATQLFFLQVSHAAGLRAQAAGQLKVTDV
QPAARGSIVDNRNDRLAFTIEARALTFQPKRIRRLQEEARKKTSAAPDPQQLRDIAQEVAGKLNNKP
DAAAVLKKLQSDETFVYLARAVDPAVASAICAKYPEVGAERQDLRQYPGGSAAANVVGIDWDGHG
LLGLEDSLDAVLAGTDGSVTYDRGSDGVIPGSYRNRHKAVHGSTVVLTDNDIQFYVQQVQQAQK
10 NLSGAHNVSAAVLDAKTGEVLAMANDNTFDPSQDIGRQGDQKLGNAVSSPFEPGSVNKIVAASAVI
EHGLSSPDEVLQVPGSIQMGGVTVHDAWEHGVMPYTTTGVFGKSSNVGTLMLSQRVGPERYYDML
RKFGGLGQRTGVGLPGESAGLVPPIDQWSGSTFANLPIGQGLSMTLLQMTGMYQAIANDGVRVPPRII
KATVAPDGSRTTEPRPDDIRVSAQTAQTVRQMLRAVVQRDPMGYQQGTGPTAGVPGYQMAGKT
GTAQQINPGCGCYFDDVYWITFAGIATADNPRYVIGIMLDNPARNSDGAPGHSAAPLFHNIAGWLMQ
15 RENVPLSPDPGPPLVLQAT

>Rv2165c - TB.seq 2428236:2429423 MW:42498 SEQ ID NO:231

VQTRAPWSLPEATLAYFPNARFVSSDRDLGAGAAPGIAASRSTACQWGGITVADPGSGPTGFGHV
PVLAQRCFELLTPALTRYYPDGSQAVLLDATIGAGGHAERFLEGLPGLRLIGLDRDPTALDVARSLV
20 RFADRLTLVHTRYDCLGAALAESGYAAVGSVDGILFDLGVSSMQLDRAERGFAYATDAPLDMRMDP
TTPLTAADIVNTYDEAALADILRRYGEERFARRIAAGIVRRRAKTPFTSTAELVALLYQAIPAPARRVGG
HPAKRTFQALRIAVNDELESLRTAVPAALDALAIGGRIAVLAYQSLEDRIKRVFAEAVASATPAGLPV
ELPGHEPRFRSLTHGAERASVAEIERNPRSTPVRLRALQRVEHRAQSQQWATEKGDS

25 >Rv2166c - TB.seq 2429428:2429856 MW:15912 SEQ ID NO:232

MFLGTYTPKLDDKGRLTLPKFRDALAGGLMVTQSDHSLAVYPRAAFEQLARRASKAPRSNPEAR
AFLRNLAAGTDEQHPDSQGRITLSADHRRYASLSKDCVVIGAVDYLEIWDAQAWQNYQQIHEENFSA
ASDEALGDIF

>Rv2197c - TB.seq 2461505:2462146 MW:22481 SEQ ID NO:233

30 MVSRYSAAYRRGPDVISPDVIDRILVGACAAVWLVTGVSVAALMDLGRGFHEMAGNPHTTWVL
YAVIVVSALVIVGAIPVLLRARRMAEAEPATRPTGASVRGGRSIGSGHPAKRAVAESAPVQHADADEV
AAEWSSEAVDRIWLRGTVVLTSAGIALIAVAAATYLMVGHGDPWSISYGLAGVVTAGMPVIEWLYA
RQLRRVVAPQSS

>Rv2198c - TB.seq 2462149:2463045 MW:30955 SEQ ID NO:234

35 MSGPNPPGREPDEPESEPVSDTGDERASGNHLPVAGGGDKLPSDQTGETDAYSRAYSAPESHEV
TGGPYVPADLRLYDYDDYEESDLDELAAAPRWVVGVAIIAVALVSVSLLVTRPHTSKLATG
DTTSSAPPVQDEITTTKPAPPPPPPPAPPTTEIPTATETQTVTVTPPPPPPPATTTAPPPATTTTAAAP

PPTTTTPTGPRQVTYSVTGTKAPGDIISVTYVDAAGRRRTQHNVIYIPWSMTVTPISQSDVGSVEASSL
FRVSKLNCSITTS DGT VLSNSNDGPQTSC

>Rv2199c - TB.seq 2463234:2463650 MW:14866 SEQ ID NO:235

5 MHIEARLFEFVAFFVVTAVLYGVLTSMFATGGVEWAGTTALALTGGMALIVATFFRFVARRLDSRPE
DYGAEISDGAGELGFFSPHSWWPIMVALSGSVAAVGIALWLPWLIAAGVAFILASAAGLVFEYYVGP
EKH

>Rv2200c ctaC TB.seq 2463661:2464749 MW:40449 SEQ ID NO:236

10 VTPRGPGRQLQRLSQCRPQRGSGGPARGRLQLALAAMLGALAVTVSGCSWSEALGIGWPEGITPEA
HLNRELWIGAVIASLAVGVIVWGLIFWSAVFHRKKNTDTELPRQFGYNMPELVLTVIPFLIISVLFYFT
VVVQEKMLQIAKDPEVIDITSFQWNWKFQYQRVNFKDGTLTVDGADPERKRAMVSKPEGKDKYGE
ELVGPVRGLNTEDRTYLNFDKVETLGTSTEIPVLVLP SGKRIEFQMASADVIHAFWVPEFLFKRDVMP
NPVANNSVNVFQIEEITKTGAFVGHCAEMCGTYHSMNNFEVRVTPNDFKAYLQQRIDGKTNAEALR
15 AINQPPLAVTTHPFDTRRGELAPQPVG

>Rv2427c proA g-glutamyl phosphate reductase TB.seq 2724231:2725475 MW:43746
SEQ ID NO:237

20 MTVPAPSQQLDLRQEVHDAARRARVAARRLASLPTTVKDRALHAADELLAHRDQILAANAEDLNAAR
EADTPAAMLDRSLNPQRVDGIAAGLRQVAGLRDPVGEVLRGYTLPNGLQLRQQRVPLGVVGMIE
GRPNVTVDAGFLTLKSGNAALLRGSSSAKSNEALVAVLRTALVGLELPADAVQLLSAADRATVTHLI
QARGLDVVIPRGGAGLIEAVVRDAQVPTIETGVGNCHVYVHQAADLDVAERILLNSKTRRPSVCNA
AETLLVDAAIAETALPRLLAALQHAGVTVHLDPD EADLRREYLSLDIAVAVVDGVDAAIAHINEYGTGH
TEAIVTTNLDAAQRFTEQIDAAVMVNASTAFTDGEQFGFGAEIGISTQKLHARGPMGLPELTSTKWI
25 AWGAGHTRPA

>Rv2438c - similar to YHN4_YEAST P38795 TB.seq 2734793:2737006 MW:80492
SEQ ID NO:238

30 MGLLGQSGPRVGS GPVGS IPTPVNAAICQQRGGFHGVERGYSAGDSGVLTS LGDNERTMNFYSA
YQHGFVRVAACHTHTTIGDPAANAASVLDMARACHDDGAALAVFPELTLSGYSIEDVLLQDSLLDAV
EDALLDLVTESADLLPVLVVGAPLRHRHRIYNTAVVIHRGAVLGVPKSYLPTYREFYERRQMAPGD
GERGTIRIGGADVAFGTDLLFAASDLPGFVLHVEICEDMFVPMPPSAEALAGATVLANLSGSPITIGR
AEDRLLARSASARCLAAYVYAAAGEGESTTDLAWDGQTMIWENGALLAESERFPKGVRRSVADVD
TELLRSELRMGTFDDNRRHHRELTESFRRIDFALDPPAGDIGLLREVERFPFVPADPQRLQQDCYE
35 AYNIQVSGLEQRLRALDYPKVVIGVSGGLDSTHALIVATHAMDREGRPRSDILAFALPGFATGEHTKN
NAIKLARALGVTFSEIDIGDTARLMLHTIGHYPYSGEKVYDVTFENVQAGLRDYLFRIANQRGGIVLG
TGDLSSELALGWSTYGVGDQMSHYNVNAGVPKTLIQHLIRWWISAGEFGGEKVGEVLQSVLDTEITPELI

PTGEEELQSSEAKVGPFFALQDFSLFQVLRYGFRPSKIAFLAWHAWNDAERGNWPPGFPKSERPSYS
LAEIRHWLQIFVQRFYFSQFKRSALPNGPKVSHGGALSPRGDWRAPSDMSARIWLDQIDREVPKG

>Rv2439c proB glutamate 5-kinase TB.seq 2737118:2738245 MW:38789 SEQ ID NO:239

5 MRSPHRDAIRTARGLVVKVGTALTTPSGMFDAGRLAGLAEAVERRMKAGSDVVIVSSGAIAAGIEPL
GLSRRPKDLATKQAAASVGQVALVNSWSAAFARYGRTVGQVLLTAHDISMVQHTNAQRTLDRRLA
LHAVAIVNENDTVATNEIRFGDNDRLSALVAHLVGADALVLLSDIDGLYDCDPRKTADATFIPEVSGPA
DLDGVVAGRSSH LGTGGMASKVAAALLAADAGVPVLLAPAADAATALADASVGTVFAARPARLSAR
RFWVRYAAEATGALTLDAGAVRAVVRQRRSLLAAGITAVSGRFCGGDVVELRAPDAAMVARGVWAY
10 DASELATMVGRSTSELPGELRRPVHADDLVAVSAKQAKQV

>Rv2440c obg Obg GTP-binding protein TB.seq 2738248:2739684 MW:50430
SEQ ID NO:240

15 VPRFVDRWVIHTRAGSGGNGCASVHREKFKPLGGPDGGNGGRGGSIVFVDPQVHTLLDFHFRPHL
TAASGKHGMGNNRDGAAGADLEVKVPEGTVVLDENGRLLADLVGAGTRFEAAAGGRGGLGNAALA
SRVRKAPGFALLGEKGQSRDLTLELKTADVGLVGFPSAGKSSLVSAISAAKPKIADYPFTTLVPNLG
VVSAGEHAFTVADVPGLIPGASRGRGLGLDFLRHIERCAVLVHVDCATAEPGRDPISDIDALETELA
CYPTLQGDAAALGDAAAPRAVLNKKIDVPEARELAEFVRDDIAQRGWPVFCVSTATRENQLPLIFGL
20 SQMISDYNAARPVAVPRRPVIRPIPVDDSGFTVEPDGHGGFVVS GARPERWIDQTNFDNDEAVGYL
ADRLARLGVEEELLRLGARSGCAVTIGEMTFDWEPTPAGEPVAMSGRGTDPRLDSNKRVGAAER
KAARSRRREHGDG

>Rv2441c rpmA 50S ribosomal protein L27 TB.seq 2739773:2740030 MW:8969
SEQ ID NO:241

25 MAHKKGASSSRNGRDSAAQRLGVKRYGGQVVKAGEILVRQRGTFHPGVNVGRGGDDTLFAKTAG
AVEFGIKRGRKTVSIVGSTTA

>Rv2442c rplU 50S ribosomal protein L21 TB.seq 2740048:2740359 MW:11152
SEQ ID NO:242

30 MMATYAIVKTGGKQYKVAVGDVVKVEKLESEQGEKVSLPVALVWDGATVTTDAKALAKVAVTGEVLG
HTKGPKIRIHKFNKTGYHKRQGHRRQQLTVLKVTGIA

>Rv2448c valS valyl-tRNA synthase TB.seq 2747596:2750223 MW:97822 SEQ ID NO:243

35 MLPKSWDPAAMESAIYQKWLDAGYFTADPTSTKPAYSIVLPPPNVTGSLHMGHALEHTMMDALTRR
KRMQGYEVLWQPGTDHAGIATQSVVEQQLAVDVGKTKEDLGRELFDKVVDWKRESGGAIGGQMR
RLGDGVDWSRDRFTMDEGLSRAVRTIFKRLYDAGLIYRAERLVNWSPLQTAISDLEVNYRDVEGEL
VSFRYGSLLDDSQPHIVATTRVETMLGDTAIAVHPDDERYRHLVGTSLAHPFVDRELAIVADEHVDPE

FGTGAVKVTPAHPNDFEIGVRHQLPMPSSILDTKGRIVDTGTRFDGMDRFEARVAVRQALAAQGRV
VEEKRPYLHSVGHSESGEPIEPRLSLQWWVRVESLAKAAGDAVRNGDTVIHPASMEPRWFSWVD
DMHDWCISRQLWWGHRIPWIYGPDGEQVCVGPDETTPPQGWEQDPDVLDTWFSALWPFSTLGW
PDKTAELEKFYPTSVLVTGYDILFFWVARMFMMFGTFVGDDAAITLDGRRGPQVPFTDVLHGLIRDE
5 SGRKMSKSKGNVIDPLDWVEMFGADALRFTLARGASPGGDLAVSEDAVRASRNFGTKLFNATRYAL
LNGAAPAPLPSPNELTDADRWILGRLEEVRAEVDSAFDGYEFSRACESLYHFAWDEFCDWYLELAK
TQLAQGLTHTTAVLAAGLDTLLRLLHPVIPFLTEALWLALTGRESLSADWPEPSGISVDLVAAQRIND
MQKLVTETVRRFRSDQGLADRQKVPARMHGVRDSDLSNQVAAVTSALWLTETPGPDFEPSVSLEVRL
GPEMNRTVVVELDTSGTIDVAAERRRLEKELAGAQKELASTAAKLANADFLAKAPDAVIAKIRDRQRV
10 AQQETERITTRLAALQ

>Rv2482c plsB2 TB.seq 2786915:2789281 MW:88284 SEQ ID NO:244

VTKPAADASAVLTAEDTLVLASTATPVEMELIMGWLGGQRRARHPDSKFDILKLPPRNAPPAALTALVE
QLEPGFASSPQSGEDRSIVPVRVIWLPPADRSRAGKVAALLPGRDPYHPSQRQQRRILRTDPRRAR
15 VVAGESAKVSELRQQWRDTTVAEHKRDFAQFVSRRALLALARAERYRILGPQYKSPRLVKPEMLASA
RFRAGLDRIPGATVEDAGKMLDELSTGWSQVSVDLVSVLGRLASRGFDPEFDYDEYQVAAMRAALE
AHPAVLLFSHRSYIDGVVVPVAMQDNRLPPVHMFGGINLSFGLMGPLMRRSGMIFIRRNIGNDPLYK
YYLKEYVGYYVEKRFNLSWSIEGTRSRGTGKMLPPKLGLMSYVADAYLDGRSDDILLQGVSIQCFDQLH
EITEYAAAYARGAEKTPEGLRWLYNFIKAQGERNFGKIYVRFPEAVSMRQYLGAPHGELTQDPAAKRL
20 ALQKMSFEVAWRILQATPVATGLVSALLTTTRGTALTDQLHHTLQDSL DYLERKQSPVSTSALRLR
SREGVRAAADALSNGHPVTRVDSGREPVWYIAPDDEHAAAFYRNSVIHAFLETSIVELALAHAKHAE
GDRVAAFVAQAMRLRDLLKFDYFADSTAFRANIAQEMAWHQDWEDHLGVGGNEIDAMLYAKRPL
MSDAMLRVFFEAYEIVADVLRDAPPDIGPEELTELALGLGRQFVAQGRVRSSEPSTLLFATARQVAV
DQELIAPAADLAERRVAFRRELNRILRDFDYVEQIARNQFVACEFKARQGRDRI
25

>Rv2509 - putative oxidoreductase TB.seq 2824676:2825479 MW:28014 SEQ ID NO:245

MPIPAPSPDARAVVTGASQNIGAALATELAARGHHLIVTARREDVLTELAARLADKYRVTVDVRPADL
ADPQERSKLADELAARPISILCANAGTATFGPIASLDLAGEKTQVQLNAVAVHDLTLAVLPGMIERKAG
GILISGSAAGNSPIYNATYAATKAFVNTFSESLRGELRGSGVHVTVLAPGPVTELDPASEASLVEKL
30 VPDFLWISTEHTARVSLNALERNKMRVVPGLTSKAMSVASQYAPRAIVAPIVGAFYKRLGGS

>Rv2524c fas fatty acid synthase TB.seq 2840124:2849330 MW:326226 SEQ ID NO:246

VTIHEHDRVSADRGGDSPTHTHALVDRLMAGEPYAVAFGGQGSWLETLEELVSATGIETELATLVG
EAELLDPVTDELIVVRPIGFEPLQWVRALAAEDPVPSDKHLTSAVSVPGVLLTQIAATRALARQGM
35 DLVATPPVAMAGHSQGVLAWEALKAGGARDVELFALAQLIGAAGTLVARRRGISVLGDRPPMVSVTN
ADPERIGRLLDEFAQDVRTLPPVLSIRNGRRRAVITGTPEQLSRFELYCRQISEKEEADRKNKVRGG
DVFSPVFEPVQVEVGFTPRLSGDIDIVAGWAEKAGLDVALARELADAILRKVDWVDEITRVHAAGA

RWILDLGPGDILTRLTAPVIRGLGIGIVPAATRGGQRNLFTVGATPEVARAWSSYAPTIVRLPDGRVK
 LSTKFTRLTGRSPILLAGMTPTTVDKIVAAAAANAGHWAELAGGGQVTEEIFGNRIEQMAGLLEPGRT
 YQFNALFLDPYLWKLQVGGKRLVQKARQSGAAIDGVVISAGIPDLDEAVELIDELGDIGISHVVKPGT
 IEQIRSVIRIATEVPTKPVIMHVEGGRAGGHHSWEDLDDLLLATYSELRSRANITVCVGGGIGTPRRAA
 5 EYLSGRWAQAYGFPLMPIDGILVGTAAAMATKESTTSPSVKRMLVDTQGTQDQWISAGKAQGGMASSR
 SQLGADIHEIDNSASRCGRLLDEVAGDAEAVAERRDEIIAAMAKTAKPYFGDVADMTYLQWLRRYVE
 LAIGEGNSTADTASVGSPWLADTWDRFEQMLQRAEARLHPQDFGPIQTLFTDAGLLDNPQQAIAAL
 LARYPDAETVQLHPADVFFVTLCCKTLGKPVNFVPVIDQDVRRWWRSDSLWQAHDARYDADAVCIIP
 GTASVAGITRMDEPVGELLDRFEQAAIDEVLGAGVEPKDVASRRLGRADVAGPLAVLDAPDVRWA
 10 GRTVTNPVHRIADPAEWQVHDGPNPRATHSSTGARLQTHGDDVALSPVSGTWVDIRFTLPANTV
 DGGTPVIATEDATSAMRTVLAIAAGVDSPEFLPAVANGTATLTVDWHPERVADHTGVTATFGEPLAP
 SLTNVPDALVGPCWPAVFAAIGSAVTDTGEPVVEGLLSLVHLDHAARVVGQLPTVPAQLTVTATAAN
 ATDTDMGRVVPVSVVVTGADGAVIATLEERFAILGRTGSAELADPARAGGAVSANATDTPRRRRRDV
 TITAPVDMRPFVAVSGDHNPIHTDRAAALLAGLESPIVHGMWLSAAAQHAVTATDGQARPPARLVG
 15 WTARFLGMVRPGDEVDFRVERVIGDQGAEIVDVAARVGS DLVMSASARLAAPKTVYAFPGQGIQHK
 GMGMEVRARSKAARKVWDTADKFTRDTLGFSVLHVVRDNPTSIIASGVHYHHPDGVLYLTQFTQVA
 MATVAAAQVAEMREQGAFVEGAACGHSVGEYALACVTGIYQLEALLEMFHRGSKMHDIVPRDEL
 GRSNYRLAAIRPSQIDLDDADVPFVAGIAESTGEFLEIVNFNLRGSQYAIAGTVRGLEALEAEVERRR
 ELTGGRRSFILVPGIDVPFHSRVLRVGVAEFRRSLDRVMPRDADPDLIIGRYIPNLVPRLFTLDRDFIQ
 20 EIRDLVPAEPLDEILADYDTWLRERPREMARTVFIELLAWQFASPVRWIETQDLLFIEEAAGGLGVERF
 VEIGVKSSPTVAGLATNTLKLPEYAHSTVEVLNAERDAAVLFATDTPPEPEPEEDEPVAESPAPDVVS
 EAAPVAPAASSAGPRPDDLVDFAADATLALIALSAKMRIDQIEELDSIESITDGASSRRNQLLVDLGSE
 LNLGAIDGAAESDLAGLRSQVTKLARTYPYGPVLSDAINDQLRTVLGPSGKRPGAIAERVKKTWELG
 EGWAKHVTVEVALGTREGSSVRGGAMGHLHEGALADAASVDKVIDAAVASVAARQGVSVVALPSAG
 25 SGGGATIDAAALSEFTDQITGREGVLASAARLVLGQLGLDDPVNALPAAPDSELIDLVTAE LGADWPR
 LVAPVFDPKKAVFDDRWASAREDLVKLWLTDEGDIDADWPRLAERFEGAGHVATQATWWQGKS
 LAAGRQIHASLYGRIAAGAENPEPGRYGGEVAVTGASKGSIAASVVARLLDGGATVIATTSKLDEER
 LAFYRTLRYRDHARYGAALWLVAANMASYSVDALVEWIGTEQTESLGPQSIHIKDAQTPPTLLFPFAAP
 RVVGD LSEAGSRAEMEMKVLLWAVQRLIGGLSTIGAERDIASRLHVVLPGSPNRGMFGGDGAYGEA
 30 KSALDAVVSRWHAESSWAARVSLAHLIGWTRGTGLMGHNDIVA AAVEEAGVTTYSTDEMAALLD
 LCDAESKVA AARSPIKADLTGGLAEANLDM AELAAKAREQMSAAAAVDEDAEAPGAIAALPSPPRGF
 TPAPPQWDDLDVDPADLVIVGGAEIGPYGSSRTRFEMEVENELSAAGVLELAWTTGLIRWEDDP
 QPGWYDTESGEMVDESELVQRYHDAVQVRVGIREFVDDGAIDPDHASPLLVSFLEKDFAFVVSSE
 ADARAFVEFDPEHTVIRPVPDSTDWQVIRKAGTEIRVPRKTKLSRVVGGQIPTGFDPTVWGISADMA
 35 GSIDRLAVWNMVATVDAFLSSGFSPA EVMRYVHPSLVANTQGTGMGGGTSMQTM YHGNLLGRNKP
 NDIFQEVL PNIIAAHVQSYVGSYGAMIHPVAACATAAVSVEEGVDKIRLGKAQLV VAGGLDDLTLEGII
 GFGDMAATADTSM MCGRGIHDSKFSRPNDRRRLGFVEAQGGGTILLARGDLALRMGLPVLAWVAF

QSFQDGVHTSIPAPGLGALGAGRGGKDSPLARALAKLVAADDVAVISKHDTSTLANDPNETELHER
LADALGRSEGAPLFVVSQKSLTGHAKGGAAVFQMMGLCQILRDGVIPPNRSLDCVDDDELAGSAHFV
WVRDTLRLGGKFPLKAGMLTSLGFGHVSGLVVALVHPQAFIASLDPAQRADYQRRADARLLAGQRRRL
ASAIAGGAPMYQRPQDRRFDHAPERPQEASMLLNPAARLGDGEAYIG

5

>Rv2555c alaS alanyl-tRNA synthase TB.seq 2873772:2876483 MW:97326 SEQ ID NO:247
VQTHEIRKRFLDHFVKAGHTEVPSASVILDDPNLLFVNAGMVQFVPFFLGQRTPPYPTATSQKCIPT
DIDEVGITTRHNTFFQMAGNFSFGDYFKRGAIELAWALLTNSLAAGGYGLDPERIWTTVYFDDDEAV
RLWQEVAGLPAERIQRRGMADNYWSMGIPGPCGPSSEIYYDRGPEFGPAGGPVISEDRLVWNL
VFMQNERGEGTTKEDYQILGPLPRKNIDTGMGVERIALVLQDVHNVYETDLLRPVIDTVARVAARAYD
VGNHEDDVRYRIIADHSRTAAILIGDGVSPGNDGRGYVLRLLRRVIRSAKLLGIDAAIVGDLMATVRN
AMGPSYPELVADFERISRIAVAEETA FNRTLASGSRLFEEVASSTKKSGATVLSGSDAFTLHDTYGFPI
ELTLEMAAETGLQVDEIGFRELMAEQRRRAKADAAARKHAHADLSAYRELVDAGATEFTGFDELRS
QARILGIFVDGKRVPVVAHGVAAGGAGEGQRVELVLDRTPLYAESGGQIADEGTISGTGSSEAARAAV
TDVQKIAKTLWHRVNVESGEFVEGDTVIAAVDPGWRRGATQGHSGTHMVHAALRQVLGPNAVQA
GSLNRPGYLRFDFNWQGPLTDDQRTQVEEVTNEAVQADFEVRTFTEQLDKAKAMGAIALFGESYPD
EVRVWEMGGPFSLELCGGTHVSNTAQIGPVTILGESSIGSGVRRVEAYVGLDSFRHLAKERALMAGL
ASSLKVPSEEVPARVANLVERLRAAEKELERVRRMASARAAATNAAAGAQRIGNVRLVAQRMSGGMT
AADLRSLIGDIRGKLGEPAVVALIAEGESQTPYAVAANPAAQDLGIRANDLVKQLAVAVEGRGGGK
ADLAQGSQGNPTGIDAALDAVRSEIAVIARVG

10

15

20

>Rv2580c hisS histidyl-tRNA synthase TB.seq 2904822:2906090 MW:45118 SEQ ID NO:248
VTEFSSFSAPKGVDPDYVPPDSAQFVAVRDGLLAAARQAGYSHIELPIFEDTALFARGVGESTDVVSKE
MYTFADRGRDSVTLRPEGTAGVVRVIEHGLDRGALPVKLCYAGPFFRYERPQAGRYRQLQQVGV
EAIGVDDPALDAEVIAIADAGFRSLGLDGRLEITSLGDESCRPQYRELLQEFLFGLDLDEDTRRRAGI
NPLRVLDDKRPEL RAMTASAPVLLDHLSDVAKQHFDTVLAHLDALGVPYVINPRMVRGLDYYTKTAF
EFVHDGLGAQSGIGGGGRYDGLMHQLGGQDL SGIGFGLGVDRTVLALRAEGKTAGDSARCDVFGV
PLGEAAKLRLAVLAGRLRAAGVRVDLAYGDRGLKGAMRAAARSGARVALVAGDRDIEAGTVAVKDL
TTGEQVSVSMDSVVAEVISRLAG

25

30

>Rv2614c thrS threonyl-tRNA synthase TB.seq 2941190:2943265 MW:77123 SEQ ID NO:249
MSAPAQPAPGVDGGDPSQARIRVPAGTTAATAVGEAGLPRRGTPDAIVVRDADGNLRDLSWVPD
VDTDITPVAANTDDGRSVIRHSTAHLAQAVQELFPQAKLGIGPPITDGFYYDFDVPEPFTPEDLAAL
KRMRIQVKEGQLFDRRVYESTEQARAELANEPYKLELVDDKSGDAEIMEVGGDELTA YDNLNPRTR
ERVWGDLCRPHIPTTKHIPAFKLTRSSAAYWRGDQKNASLQRIYGTAWESQEALDRHLEFIEEAQR
RDHRKLGVELDLFSFPDEIGSLAVFHPKGGIVRRELEDYSRRKHTEAGYQFVNSPHITKAQLFHTSG
HLDWYADGMFPPMHIDA EYNADGSLRKPGQDYLLKPMNCMPMHCLIFRARGRSYRELPLRLFEGTV

35

YRYEKSGVVHGLTRVRGLTMDDAHIFCTRDQMRDELSLLRFVLDLLADYGLTDFYLELSTKDPEKF
VGAEVWEEATTVLAEVGAESGLELVPDPGGAIFYGPKISVQVKDALGRTWQMSTIQLDFNFERF
GLEYYAADGTRHRPVMHRLFGSIEFFGILTEHYAGAPPAWLAPVQVVGIPVADEHVAYLEEVATQ
LKSHGVRAEVDASDDRMAMKIVHHTNHKVPFVLAGDRDVAAGAVSFRFGDRTQINGVARDDAVAA
5 IVAWIADRENAVPTAELVKVAGRE

>Rv2697c dut deoxyuridine triphosphatase TB.seq 3013683:3014144 MW:15772 SEQ ID NO:250
VSTTLAIVRLDPGLPLPSRAHDGDAGVDLYSAEDVELAPGRRALVRTGVAVAVPFGMVGLVHPRSG
10 ATRVGLSIVNSPGTIDAGYRGEIKVALINLDPAPIVVHRGDRIAQLLVQRVELVELVEVSSFDEAGLAS
TSRGDGGHGGSSGGHASL

>Rv2782c pepR protease/peptidase, M16 family (insulinase) TB.seq 3089045:3090358 MW:47074
SEQ ID NO:251
MPRRSPADPAAALAPRRITLPGGLRVVTEFLPAVHSASVGWVGVSRRDEGATVAGAAHFLEHLLF
15 KSTPTRSAVDIAQAMDAVGGELNAFTAKEHTCYAHVLGSDLPLAVDLVADVVLNRCADDVEVER
DVLLEIAMRDDDPEDALADMFLAALFGDHPVGRPVIGSAQSVSMTRAQLQSFHLRRYTPERMV
AAAGNVHDGLVALVREHFGSRLVRGRRPVAPRKGTRVNGSPRLTLVSRDAEQTHVSLGIRTPGR
GWEHRWALSVLHTALGGGLSSRLFQEVRETRGLAYSVYSALDLFADSGALSVYAACLPERFADVMR
VTADVLESVARDGITEAECGIAKGLRGGLVLGLEDDSSSRMSRLGRSELNYGKHSIEHTLRQIEQVT
20 VEEVNAVARRHLLSRRYGA AVLGP HGSKRSLPQQLRAMVG

>Rv2783c gspI pppGpp synthase and polyribonucleotide phosphorylase TB.seq
3090339:3092594 MW:79736 SEQ ID NO:252
MSAAEIDEGVFETTATIDNGSFGTRTIRFETGRLALQAAGAVVAYLDDDNMLLSATTASKNPKEHDF
FPLTV DVEERMYAAGRIPGSFFRREGRPSTDAILTCRLIDRPLRPSFVDGLRNEIQIVVTILSLDPGDLY
25 DVLAINAASASTQLGGLPFSGPIGGVRVALIDGTWVGFTVDQIERAVFDMVAGRIVEGDVAIMMVE
AEATENVVELVEGGAQAPTESVVAAGLEAAKPFIAALCTAQQELADAAGKSGKPTVDFPVFPDYGED
VYYSVSSVATDELAAL TIGGKAERDQRIDEIKTQVVQRLADTYEGREKEVGAALRALTKKLVRQRILT
DHFRIDGRGITDIRALSAEVAVPRAHGSALFERGETQILGVTTLDMIKMAQQIDSLGPETSKRYMHH
YNFPFSTGETGRVGS PKRREIGHGALAERALVPVLP SVEEFYAIRQVSEALGSNGSTSMG SVCAS
30 TLALLNAGVPLKAPVAGIAMGLVSDDIQVEGAVDGVVERRFVTLTDILGAEDAFGDMDFKVAGTKDFV
TALQLDTKLDGIPSQVLGALEQA KDARLTILEVMAEAIDRPDEMSPYAPRVTTIKVPVDKIGEVIGPK
GKVINAITEETGAQISIEDDGT VFGATDGPSAQAAIDKINAIANPQLPTVGERFLGTVVKTDFGAFVS
LLPGRDGLVHISKLGKGKRIAKVEDVNVGDKLRVEIADIDKRGKISLILVADEDSTAAATDAATVTS

>Rv2793c truB tRNA pseudouridine 55 synthase TB.seq 3102364:3103257 MW:31821
35 SEQ ID NO:253
MSATGPGIVVIDKPAGMTSHDVVGRRCRRIFATRRVGHAGTLDPMATGVLVIGIERATKILGLLTAAPKS
YAATIRLGQTTSTEDAEGQVLQSVPAKHLTIEAIDAAMERLRGEIRQVPSSVSAIKVGRRAYRLARQ

GRSVQLEARPIRIDRFELLAARRRDQLIDIDVEIDCSSGTIYIRALARDLGDALGVGGHVTALRRTRVGR
FELDQARSLLDLAERPALSLSLDEACLLMFARRDLTAAEASAAANGRSLPAVGIDGVYAACDADGRVI
ALLRDEGSRTSRVAVLRPATMHPG

5 >Rv2797c - TB.seq 3105619:3107304 MW:58761 SEQ ID NO:254

VPLTVADIDRWNAQAVREVFHAASARA EVTFEASRQLAALSIFANS GGKTA EAAAAHHNAGIRRD LDA
HGNEALAVARAADRAADGIVKVQSELAALRHAAAAAELTIDALINRVVIPGLRSTEAQWARTLAKQT
ELQAELDAIMAEANAVDEELASAVNMADGDAIPADSGPPVGPEGLTPTQLASDANEERLREERARL
QAHLERLQAEYDQLSVRAARDYHNGILDGDAVGRLAALTDELSAARGRLGELDAVDEALSRAPETYL
10 TQLQIPEDPNQQVLA AVAVGNPD TAANVS VTPVG VGSTTRGALPGMVTEARDLRSEVIRQLNAAGK
PASVATIAWMGYHPPNPLDTGSAGDLWQTM TDGQA HAGAADLSRYLQQVRANNP SGH LTVLGHS
YGS LTASLALQDLDAQSAHPVNDVVFY GSPGLELYSPAQLGLDHGHAYVMQAPHDLITNLVAPLAPL
HGWGLDPYLT PGFTELSSQAGFDPGGIWRDGVYAHGDYPRSF LDAAGQPQLRMSGYNLAAIAAGL
PDNTVGPPLLPPILGGGMPAAPGPALRGGR

15 >Rv2864c ponA2 TB.seq 3175454:3177262 MW:63015 SEQ ID NO:255

MVTKTTLASATSGLLLLAVVAMSGCTPRPQGPGPAAEKFFAALAIGDTASAAQLSDNPNEAREALNA
AWAGLQAAHLDAQVLSAKYAEDTGT VAYRFSWHL PKDRIW TYDGQLKMARDEGRWHVRWTTSGL
HPKLGEHQTFALRADPPRRASVNEVG GTDVLVPGYLYHYS LDAGQAGRELFGTAHAVVGALHPFDD
20 TLNDPQLLAEQASSSTQPLDLVTLHADD SNRVAAAIGQLPGVVITPQAELLPTDKHFAPAVLNDVKKA
VVD ELDGKAGWRVVS VNQNGVDVSVLHEVAPSPASSVSITLDRVVQNAAQHAVNTRGGKAMIVVIK
PSTGEILAI AQNAGADADGPVATTGLYPPGSTFKMITAGAAVERDLATPETLLGCPGEIDIGHRTIPNY
GGFDLG VVPM SRAFASSCNTTFAELSSRLPPRGLTQAARRYGIGLDYQVDGITTVTGSVPPTVDLAE
RTEDGFGQGKVLASPFGMALVAATVAAGKTPVPQLIAGRPTAVEGDATPISQKMIDALRPMMLRVVT
25 NGTAKEIAGCGEVFGKTGEAEFFPGGSHSWFAGYRGDLAFASLIVGGGSSEYAVRMTKVMFESLPPG
YLA

>Rv2868c gcpE TB.seq 3179368:3180528 MW:40451 SEQ ID NO:256

VTVGLGMPQPPAPT LAPRRATRQLMVGNVGVGSDHPVSVQSMCTTKTHDVNSTLQQIAELTAAGC
DIVRVACPRQEDADALAEIARHSQIPVVADIHFQPRYIFAAIDAGCAAVRVNPGNIKEFDGRVGEVAKA
30 AGAAGIPIRIGVNAGSLDKRFMEKYGKATPEALVESALWEASLFEEHGFGDIKISVKHNDPVVMVAAY
ELLAARCDYPLHLGVTEAGPAFQGTIKSAVAFGALLSRGIGDTIRVSLSAPPVEEVKVGNQVLESNL
RPRSLEIVSCPSCGRAQVDVYTLANEV TAGLDGLDVPLRVAVMGCVVNGPGEAREADLGVASGNGK
GQIFVRGEVIKTVPEAQIVETLIEEAMRLAAEMGEQDPGATPSGSPIVTVS

>Rv2869c - TB.seq 3180548:3181759 MW:42835 SEQ ID NO:257

35 MMFVTGIVLFALAILISVALHECGHMWVARRTGMKVRRYFVGFGPTLWSTRRGETEYGVKAVPLGG
FCDIAGMTPVEELDPDERDRAMYKQATWKRVAVL FAGPGMNLAI CLVLIYAIALVWGLPNLHPPTRAV
IGETGCVAQEV SQGKLEQCTGP GPAALAGIRSGDVVKVGDTPVSSFDEMAAAVRKSHGSVP I VVE

RDGTAIVTYVDIESTQRWIPNGQGGELQPATVGAIGVGAARVGPVRYGVFSAMPATFAVTGDLTVEV
GKALAALPTKVGALVRAIGGGQRDPQTPISVVGASIIGDTPDHGLWVAFWFFLAQLNLILAAINLLPL
LPFDGGHIAVAVFERIRNMVRSARGKVAAAPVNYLKLLPATYVVLVLVVGYYMLLTVTADLVNPIRLFQ

>Rv2870c - TB.seq 3181770:3183077 MW:45324 SEQ ID NO:258

VATGGRVIRRRGDNEVVAHNDEVNTSTDGRADGRLRVVLGSGSIGTQALQVIADNPDRFEVVG
LAAGGAHLDTLLRQRAQTGVTNIAVADEHAAQRVGDIPYHGSDAATRLVEQTEADVVLNALVGALGL
RPTLAALKTGARLALANKESLVAGGSLVLRARPQGQIVPVDSEHSALAQLRGGTPDEVAKLVTAS
GGPFRGWSAADLEHVTPEQAGAHPTWSMGPMNTLNSASLVNKGLEVIETHLLFGIPYDRIDVVVHP
QSIIHSMVTFIDGSTIAQASPPDMKLPISLALGWPRRVSGAAAACDFHTASSWEFEPLDTPVFPVEL
ARQAGVAGGCMTAVYNAANEEAAAFLAGRIGFPAIVGHIADVLHAADQWAVEPATVDDVLDAQRWA
RERAQRAVSGMASVAIASTAKPGAAGRHAHLERS

>Rv2922c smc member of Smc1/Cut3/Cut14 family TB.seq 3234189:3238055 MW:139610

SEQ ID NO:259

VGAGSRFPLVDPLPSVGARPDRLRGQPRRRTRAGGRPGSARCVPEAAAAAAGRHDTPRRQSR
RLVAVDGADHRVQRAVIWPLVYLKSLTLKGFSFAAPTTLRFEPGITAVVGPNGSGKSNVVDALAWV
MGEQGAKTLRGGKMEDVIFAGTSSRAPLGRAEVTVSIDNSDNALPIEYTEVSITRRMFRDGASEYEIN
GSSCRLMDVQELLSDSGIGREMHVIVGQKLEELQSRPEDRRAFIEEAAGVLKHKRKEKALRKLD
MAANLARLTDLTTELRRQLKPLGRQAEAAQRAAAIQADLRDARLRLAADDLVSRRAEREAVFQAEAA
MRREHDEAAARLAVASEELAHAESAELSTRAESIQTWFGLSALAERVDATVRIASERAHHLDIEP
VAVSDTDPRKPPEELEAEQQVAVAEQQLLAELDAARARLDAARAELADRERRAAEADRAHLAAVRE
EADRREGLARLAGQVETMRARVESIDESVARLSEIEDAAMRAQQTRAETFVQGRIGELDQGEVG
LDEHHERTVAALRLADERVAELQSAERAAERQVASLRARIDALAVGLQRKDGAAWLAHNRSGAGLF
GSIAQLVKVRSGYEALAAALGPAADALAVDGLTAAGSAVSALKQADGGRAVLVLSWPAQAPQS
ASGEMPLPSGAQWALDLVESPPQLVGAMIAMLSGVAVVNDLTEAMGLVEIRPELRAVTVDGDLVGAG
WVSGGSDRKLSTLEVTSEIDKARSELAAAEALAAQLNAALAGALTEQSARQDAAEQALALNESDTAI
SAMYEQLGRLGQEARAAEEEWNRLLQQRTEQEAVRTQTLDVQLQETQLRKAQETQRVQVAQPIDR
QAISAAADRARGVEVEARLAVRTAEERANAVRGRADSLRRAAAEAREARVRAQQARAARLHAAVA
AAVADCGRLLAGRLHRAVDGASQLRDASAAQRQQRLAAMAARDEVNTLSARVGELTDSLHRDEL
ANAQAALRIEQLEQMVLEQFGMAPADLITEYGPVALPPTLEMAEFEQARERGEQVIAPAPMPFDR
VTQERRAKRAERALAELGRVNPLALEEFAALEERYNFLSTQLEDVKAARKDLLGVVADVDARILQVFN
DAFVDVEREFRGVFTALFPGGEGRLRLTEPDDMLTTGIEVEARPPGKKITRLSLLSGGEKALTAVAML
VAIFRARPSPFYIMDEVEAALDDVNLRRLLSLFEQLREQSQIIITHQKPTMEVADALYGVTMQNDGITA
VISQRMRGQQVDQLVTNSS

>Rv2925c rnc RNase III TB.seq 3239829:3240548 MW:25400 SEQ ID NO:260

MIRSRQPLLDALGVDPDELLSLALTHRSYAYENGGLPTNERLEFLGDAVLGLTITDALFHRHPDRSE
GDLAKLRASVNTQALADVARRLCAEGLGVHLLGRGEANTGGADKSSILADGMESLLGAIYLGQHM

EKAREVILRLFGPLLDAAPTLGAGLDWKTSLQELTAARGLGAPSYLVTSTGPDHDKEFTAVVVVMDSEYGSVGRSKKEAEQAAAAAWKALEVLDNAMPGKTS

>Rv2934 ppsD TB.seq 3262245:3267725 MW:193317 SEQ ID NO:261

5 MTSLAERAAQLSPNARAALARELVRAGTTFPTDICEPVAWVGIGCRFPGNVTGPESFWQLLADGVDT
IEQVPPDRWDADAFYDPDPSASGRMTTKWGGFVSDVDAFDADFFGITPREAVAMDPQHRMLLEVA
WEALEHAGIPPDLSGTRTGVMGLSSWDYTIVNIERRADIDAYLSTGTPHCAAVGRIAYLLGLRGA
VAVDTACSSSLVAIHLACQSLRLRETDVALAGGVQLTSPFTAIALSKWSALSPTGRCNSFDANADGF
VRGEGCGVVVLKRLADAVRDQDRVLAVVRGSATNSDGRSNGMTAPNALAQRDVITSALKLADVTPD
10 SVNYVETHGTGTVLGDPIEFESLAATYGLGKGQGESPCALGSVKTNIGHLEAAAGVAGFIKAVLAVQR
GHIPRNLHFTRWNPIDASATRLFVPTESAPWPAAGPRRAAVSSFGLSGTNAHVVEQAPDTAVAA
AGGMPYVSALNVSGKTAARVASAAVLADWMSGPGAAAPLADVAHTLNRHRARHAKFATVIARDRA
EAIAGLRALAAGQPRVGVVDCDQHAGGPGRVFVYSGQGSQWASMGQQLLANEPAFAKAVAELDPI
FVDQVGFSLQQTLDGDEVVGIDRIQPVLVGMQLALTELWRSYGVIPDAVIGHSMGEVSAAVVAGALT
15 PEQGLRVITTRSRLMARLSGQGAMALLELDADAAEALIAGYPQVTLAVHASPRQTVIAGPPEQVDTVI
AAVATQNRRLARRVEVDVASHHPIDPILPELRSALADLTQPPSIPIISTTYESAQPVADADYWSANLRN
PVRFHQAVTAAGVDHNTFIEISHPVLTHALDTLDPDGSHTVMSTMNRELDQTLYFHAQLAAVGVA
ASEHTTGRLVDLPPTPWHHQRFWVTDRSAMSELAATHPLLGAHIEMPRNGDHVWQTDVGTEVCPW
LADHKVFGQPIMPAAGFAEIALAAASEALGTAADAVAPNIVINQFEVEQMLPLDGHTPLTTQLIRGGDS
20 QIRVEIYSRTRGGEFCRHATAKVEQSPRECAHAHPEAQGPATGTTVSPADFYALLRQTGQHHGPAF
AALSRIURLADGSAETEISIPDEAPRHPGYRLHPVVLDAALQSVGAAIPDGEIAGSAEASYPVSFETIR
VYRDIGRHVRCRAHLTNLDGGTGKMGRIVLINDAGHIAAEVDGIYLRVVERRAVPLPLEQKIFDAEWT
ESPAAVPAPPEAAETTRGSWLVLADATVDAPGKAQAKSMADDFVQQWRSPMRRVHTADIHDESAV
LAAFAETAGDPEHPPVGWVVFVGGASSRLDDELAARDTVWSITTVRAVVGTHGRSPRLWLVTG
25 GGLSVADDEPGTPAAASLKGLVRVLAFEHPDMRTTLVDLDTQDPLTALSALRNAGSGSRHDDVIA
WRGERRFVERLSRATIDVSKGHPVVRQGASYVVTGGLGGLGLVVARWLVDRGAGRVLGGRSDPT
DEQCNVLAELQTRAEIVVRGDVASPGVAEKLIETARQSGGQLRGVVHAAVIEDSLVFSMSRDNLE
RVWAPKATGALRMHEATADCELDWWLGFSSAASLLGSPGQAAYACASAWLDALVGWRRASGLPA
AVINWGPWSEVGVAQALVGSVLDTISVAEGIEALDSLLAADRI RTGVARLRADRALVAFPEIRSISYFT
30 QVVEELDSAGDLGDWGGPDALADLDPGEARRAVTERMCARIAAVMGYTDQSTVEPAVPLDKPLTEL
GLDSLMAVRIRNGARADFGVEPPVALILQGASLHDLTADLMRQLGLNDPDPALNNADTIRDRAQRRA
AARHGAAMRRRPKPEVQGG

>Rv2946c pks1 TB.seq 3291503:3296350 MW:166642 SEQ ID NO:262

35 VISARSAEALTAQAGRLMAHVQANPGLPIDVGCSLASRSVFEHRAVVVGASREQLIAGLAGLAAGE
PGAGVAVGQPGSVGKTVVVFPQGGAQRIGMGRELYGELPVFAQAFDAVADELDRHLRLPLRDVIW
GADADLLDSTFAQPALFAVEVASFAVLRDWGVLPDFVMGHVSGELAAAAHAAGVLTADAAMLVVA

RGRLMQALPAGGAMVAVAASEDEVEPLLGEVGIAAINAPESVVISGAQAAANAIADRFAAQGRRVH
 QLAVSHAFHSPLMEPMLEEFARVAARVQAREPQLGLVSNVTGELAGPDFGSAQYWVDHVRPVRP
 ADSARHLQTLGATHFIEAGPGSGLTGSIEQSLAPAEAMVVSMGLKDRPELASALGAAGQVFTTGVPV
 QWSAVFAGSGGRRVQLPTYAFQRRRFWETPGADGPADAAGLGLGATEHALLGAVVERPDSDEVVL
 5 TGRSLADQPWLADHVNGVVLFPAGGFVELVIRAGDEVGCALIEELVLAAPLVMHPGVGVQVQVVV
 GAADESGHRAVSVYSRGDQSQGWLLNAEGMLGVAAAETPMDLSVWPPEGAESVDISDGYAQLAE
 RGYAYGPAFQQLVAIWRRGSELF AEVVAPGEAGVAVDRMGMPAVLDAVLHALGLAVEKTQASTET
 RLPFCWRGVSLHAGGAGRVRRARFASAGADAISVDVCDATGLPVLTVRSLVTRPITAEQLRAAVTAAG
 GASDQGPLEVWSPISVVSGGANGSAPPAPVSWADFCAGSDGDASVVWWELESAGGQASSVVG
 10 VYAATHTALEVLQSWLGADRAATLVVLTHGGVGLAGEDISDLAAA VWMARSQAENPGRIVLIDT
 DAAVDASVLAGVGEPQLLVGGTVHAPRLSPAPALLALPAAESAWRLAAGGGGTLEDLVIQPCPEV
 QAPLQAGQVRVAVAAVGVNFRDVVAALGMYPGQAPPLGAEGAGVVLETGPEVTDLAVGDVAMGFL
 GGAGPLAVVDQQLVTRVPQGWSFAQAAAVPVVFLTAWYGLADLAEIKAGESVLIHAGTGGVGMAAV
 QLARQWGVVEFVTASRGKWDTLRAMGFDDDHIGDSRTCEFEKFLAVTEGRGVDVVLDSLAGEFV
 15 DASLRLLVRGGRFLEMGKTDIRDAQEIAANYPGVQYRAFDLSEAGPARMQEMLAEVRELFDTRELH
 RLPVTTWDVRCAPAAFRFMSQARHIGKVVLTMPSALADRLADGTVITGATGAVGGVLARHLVGAY
 GVRHLVLASRRGDRAEGAAELADLTEAGAKVQVACDVADRAAVAGLFAQLSREYPPVRGVIHAA
 GVLDDAVITSLTPDRIDTVLRAKVDAAWNHLHQATSDLDLSMFALCASSIAATVGSPGQGNYSANAFD
 GLAAHRQAAGLAGISLAWGLWEQPGGMTAHLSSRDLARMSRSLAPMSPAEAVELFDAALAIHPL
 20 AVATLLDRAALDARAQAGALPALFSGLARRPRRRQIDDTGDATSSKSALAQLHGLAADEQLELLVG
 LVCLQAAAVLGRPSAEDVDPDTEFGDLGFDLSLTAVELRNRLKTATGLTLPPTVIFDHPTPTAVAEYVA
 QQMSGSRPTESGDPTSQVVEPAAAEVSVHA

>Rv3014c ligA DNA ligase TB.seq 3372545:3374617 MW:75258 SEQ ID NO:263

VSSPDADQTAPEVLRQWQALAEVREHQFRYYVRDAPISDAEFDELLRRLEALEEQHPPELRTPDSP
 25 TQLVGGAGFATDFEPVDHLERMLSLDNAFTADELAAWAGRIHAEVGDAAHYLCELKIDGVALSLVYR
 EGRLTRASTRGDGRGTGEDVTLNARTIADVPERLTPGDDYPVPEVLEVRGEVFFRLDDFQALNASLVE
 EGKAPFANPRNSAAGSLRQKDAVTAARRRLRMICHGLGHVEGFRPATLHQAYLALRAWGLPVSEHT
 TLATDLAGVRERIDYWGEHRHEVDHEIDGVVVKVDEVALQRRLGSTSRAPRWAIAYKYPPEEAQTKL
 LDIRVNVGRTGRITPFAFMPVKVAGSTVGQATLHNASEIKRKGVLIGDTVIRKAGDVIPEVLGPVVE
 30 LRDGSEREFIMPTTCPECGSPLAPEKEGDADIRCPNARGCPGQLRERVFHVASRNLGLDIEVLGYEAG
 VALLQAKVIADEGELFALTERDLLRTDLFRTKAGELSANGKRLLVNLKAKAAPLWRVLVALSIRHVGP
 TAARALATEFGSLDAIAAASTDQLAAVEGVGPTIAAAVTEWFAVDWHREIVDKWRAAGVRMVDERD
 ESPRRTLGLTIVVTGSLTGFSRDDAKEAIVARGGKAAGSVSKKNTNYVAGDSPGSKYDKAVELGVPI
 LDEDGFRLLADGPASRT

>Rv3025c - NifS-like protein TB.seq 3383885:3385063 MW:40948 SEQ ID NO:264

MAYLDHAATTPMHAAIEAMAAVQRTIGNASSLHTSGRSARRRIEEARELIADKLARPSEVIFTAGG
 TESDNLAVKGIYWARRDAEPHRRRIVTTEVEHHAVLDSVNLVEHEGAHVTLPTAADGSVSATAL

REALQSHDDVALVSVMWANNEVGILPIAEMSVVAMEFGVPMHSDAIQAVGQLPLDFGASGLSAMS
VAGHKFGGPPGVGALLLRDVTVCPLMHGGGQERDIRSGTPDVASAVGMATAAQIAVDGLEENSAR
LRLLRDLVEGVLAIEDVCLNGADDPMLAGNAHFTFRGCEGDALLMLLDANGIECSTGSACTAGV
AQPSHVLIAMGVDAASARGSLRLSLGHTSVEADVDAALEVLPGAVARARRAALAAAGASR

5

>Rv3080c pknK serine-threonine protein kinase TB.seq 3442656:3445985 MW:119420
SEQ ID NO:265

MTDVPDPHATRRDLVPNIPAEELLEAGFDNVEEIGRGGFGVVYRCVQPSLDRAVAVKVLSTDLDNRNLE
RFLREQRAMGRLSGHPHIVTVLQVGVLAGGRPFIVMPYHAKNSLETIRRHGPLDWRETLSIGVKLA
10 GALEAAHRVGTLHRDVKPGNILLTDYGEPQLTDFGIARIAGGFETATGVIAGSPAFTAPEVLEGASPTP
ASDVYSLGATLFCALTGHAAYERRSGERVIAQFLRITSQPIPDLRKQGLPADVAAAIERAMARHPADR
PATAADVGEELRDVQRRNGVSVDEMPLVELGVERRRSPEAHAAHRHTGGGTPTVPTPTPATKY
RPSVPTGSLVTRSRLTDILRAGGRRRLILIHAPSGFGKSTLAAQWREELSRDGAAVAWLTIDNDDNNE
VWFLSHLLESIRRVRLTAESLGHVLEEHHGDDAGRYVLTSLIDEIHENDDRIAVVIDDWHRVSDSRTQ
15 AALGFLLDNGCHHLQLIVTSWSRAGLPVGRRLRIGDELAEIDSAALRFDTDAAAALLNDAGGLRLPRAD
VQALTTSTDGWAAALRLAALSRLGGGDATQLLRGLSGASDVIHEFLSENVLDLTLEPELREFLLVASVT
ERTCGGLASALAGITNGRAMLEEAHRGLFLQRTEDDPNWFRFHQMFADFLHRRRLERGGSHRVAEL
HRRASAWFAENGYLHEAVDHALAAGDPARAVDLVEQDETNLPEQSKMTTLLAIVQKLPTSMVVSRA
RLQLAIWANILLQRPAPATGALNRFETALGRAELPEATQADLRAEADVLRAVAEVFADRVERVDDL
20 AEAMSRPDTLPPRVPGTAGNTAALAAICRFEFAEVYPLLDWAAPYQEMMGPFGTVYAQCLRGMAAR
NRLDIVAALQNFRTAFEVGTAVGAHSHAARLAGSLLAELLYETGDLGAGRLMDESYLLGSEGGAVD
YLAARYVIGARVKAQGDHEGAADRLSTGGDTAVQLGLPRLAARINNERIRLGIALPAAVAADLLAPR
TIPRDNGIATMTAELEDSDAVRLLSAGDSADRDQACQRAGALAAIDGTRRPLAALQAQILHIETLAAT
GRESARNELAPVATKCAELGLSRLLVDAGLA

25 >Rv3106 fprA adrenodoxin and NADPH ferredoxin reductase TB.seq 3474004:3475371
MW:49342 SEQ ID NO:266

MRPYYIAIVGSGPSAFFAAASLLKAADTTEDLDMAVDMLEMLPTPWGLVRSGVAPDHPKIKSISKQFE
KTAEDPRFRFFGNVVVGEHVQPGELSERYDAVIYAVGAQSDRMLNIPGEDLPGSIAAVDFVGWYNA
HPHFEQVSPDLSGARAVVIGNGNVALDVARILLTDPDVLARTDIADHALESRLPRGIQEVVIVGRRGPL
30 QAAFTTLELRELADLDGVDVVIDPAELDGITDEDAAVGKVCKQNIKVLRGYADREPRPGHRRMVFR
FLTSPIEIKGKRKVERIVLGRNELVSDGSGRVAAKDTGEREELPAQLVVRVSVGYRGVPTPGLPFDDQ
SGTIPNVGGRINGSPNEYVVGWIKRGPTGVIGTNKKDAQDVTDLIKNLGNAKEGAECKSFPEDHAD
QVADWLAARQPKLVTSAHWQVIDAFERAAGEPHGRPRVKLASLAELLRIGLG

>Rv3235 - TB.seq 3611296:3611934 MW:22659 SEQ ID NO:267

35 MMASNQTAQHSATLQQAPRSIDDAGGCPLTISPIANSPGDTFAVTPVVEYEPNIPPCGQSSH
AARRPHTPQLARRQPIRPSGRAPAAVTSTAKSPRLRQAGTFADAALRRVLEIDRRRPVGQLRPLLA

PGLVDSVLAVSRTAAGHQGAAMLRRIRLTPAGPDTADTAAEVFGTYSRGDRIHAIACRVEQRPAGN
ETRWLMVALHIG

>Rv3255c manA mannose-6-phosphate isomerase TB.seq 3635040:3636263 MW:43340

SEQ ID NO:268

5 VELLRGALRTYAWGSRTAIAEFTGRPVPAAHPEAELWFGAHPGDPAWLQTPHGQTSLLEALVADPE
GQLGSASRARFGDVL PFLVKVLADEPLSLQAHPSAEQAVEGYLREERMGIPVSSPVRNYRDTSHK
PELLVALQPFEALAGFREAAARTTELLRALAVSDLDPFIDLLSEGSDADGLRALFTTWITAPQPDIDVLV
PAVL DGAIQYVSSGATEFGAEAKTVLELGERYPGDAGVLAALLLNRI LAPGEAIFLPAGNLHAYVRG
FGVEVMANS DNVLRGGLTPKHVDVPELLRVLDFAPTPKARLRPPIRREGLGLVFETPTDEFAATLLVL
10 DGDHLGHEVDASSGHDGPQILLCTEGSATVHGKCGSLTLQRGTAAWVAADDGPIRLTAGQPAKLFR
ATVGL

>Rv3264c rmlA2 glucose-1-phosphate thymidyltransferase TB.seq 3644897:3645973 MW:37840

SEQ ID NO:269

15 LATHQVDAVVLVGGKGTRLRPLTLSAPKPMLPTAGLPFLTHLLSRIAAAGIEHVILGTSYKPAVFEEAF
GDGSALGLQIEYVTEEHPLGTGGGIANVAGKLRNDTAMVFNGDVL SGADLAQLLDFHRSNRADVTL
QLVRVGDPRAFGCVPTDEEDRVVAFLEKTEDPPTDQINAGCYVFERNVIDRIPQGREVSVEREVFPA
LLADGDCKIYGYVDASYWRDMGTPEDFVRGSADLVRGIAPSPALRGHRGEQLVHDGAAVSPGALLI
GGTVVGRGAEIGPGTRLDGAVIFDGVRVEAGCVIERSIIGFGARIGPRALIRDGVIGDGADIGARCELL
SGARVWPGVFLPDGGIRYSSDV

20 >Rv3368c - TB.seq 3780334:3780975 MW:23734 SEQ ID NO:270

MTLNLSVDEVLT TTRS VRKRLDFDKVPRDVLMECLELALQAPTGSNSQGWQWVFVEDAAKKKAIA
DVYLANARGYL SGPAP EYPDGDTRGERMGRVRDSATYLAEHMHRAPVLLIPCLKGREDES AVGGVS
FWASL FPAVWSFCLALRSRGLGSCWTTLHLLDNGEHKVADVLGIPYDEYSQGGLLPIAYTQGIDFRP
25 AKRLPAESVTHWNGW

>Rv3382c lytB1 TB.seq 3796447:3797433 MW:34667 SEQ ID NO:271

MAEVFVGPVAQGYASGEVTVLLASPRSFCAGVERAIETVKRVLDVAEGPVYVRKQIVHNTVVVAELR
DRGAVFVEDLDEIPDPPPGAVVVFSAHGVSPAVRAGADERGLQVVDATCPLVAKVHAEARFAAR
30 GDTVVFIGHAGHEETEGTLGVAPRSTLLVQTPADVAALNLPEGTQLSYLTQTTLALDETADVIDALRA
RFPTLGQPPSEDICYATTNRQALQSMVGECDVVLVIGSCNSSNSRRLVELAQRSGTPAYLIDGPDDI
EPEWLSSVSTIGVTAGASAPPRLVGQVIDALRGYASITVVERSIAETETVRFGLPKQVRAQ

>Rv3418c groES 10 kD chaperone TB.seq 3836985:3837284 MW:10773 SEQ ID NO:272

35 VAKVNIKPLEDKILVQANEAETTTASGLVIPDTAKEKPQEGTVVAVGPGRWDEDEGEKRIPLDVAEGDT
VIYSKYGGTEIKYNGEEYLILSARDVLAVVSK

>Rv3423c alr TB.seq 3840193:3841416 MW:43357 SEQ ID NO:273

VKRFWENVGKPNDTTDGRGTTSLAMTPISQTPGLLAEAMVDLGAIEHNVRVLREHAGHAQLMAVVK
ADGYGHGATRVAQTALGAGAAELGVATVDEALALRADGITAPVLAWLHPPGIDFGPALLADVQVAVS
SLRQLDELLHAVRRTGRTATVTVKVDTGLNRNGVGPAQFPAMLTALRQAMAEDAVRLRGLMSHMV
5 YADKPDDSINDVQAQRFTAFLAQAREQGVRFVAHLSNSSATMARPDLTDFDLVRPGIAVYGLSPVPA
LGDMGLVPAMTVKCAVALVKSIRAGEGVSYGHTWIAPRDTNLALLPIGYADGVFRSLGGRLEVLINGR
RCPGVGRICMDQFMVDLGPGLDVAEGDEAILFGPGIRGEPTAQDWADLVGTIHYEVTSRPRGRITR
TYREAENR

10 >Rv3490 otsA [alpha],-trehalose-phosphate synthase TB.seq 3908232:3909731 MW:55864
SEQ ID NO:274

MAPSGGQEAQICDSETFGDSDFVNVANRLPVDLERLPDGSTTWKRSPGGLVTALEPVLRRRRGAW
VGWPGVNDDGAEPDLHVLDPGPIIQDELELHPVRLSTTDIAQYYEGFSNATLWPLYHDVIVKPLYHRE
WWDRYVDVNQRFAEASRAAAHGATVWVQDYQLQLVPMKMLRMLRPDLTIGFFLHIPFPPVELFMQ
15 MPWRTEIIQGLLGADLVGFHLPGGAQNFLILSRRLVGTDTSRGTVGVRSRFGAAVLGSRTIRVGAFPI
SVDSGALDHAARDNRIRRRAREIRTELGNPRKILLGVDRLDYTKGIDVRLKAFSELLAEGRVKRDDTV
VVQLATPSRERVESYQTLRNDIERQVGHINGEYGEVGHVPVHYLHRPAPRDELIAFFVASDVMLVTP
LRDGMNLVAKEYVACRSDLGGALVLSEFTGAAELRHAYLVNPHDLEGVKDGIEEALNQTEEAGRR
RMRSLLRRQVLAHDVDRWAQSFLDALAGAHPRGQG

20 >Rv3598c lysS lysyl-tRNA synthase TB.seq 4041423:4042937 MW:55678 SEQ ID NO:275

VSAADTAEDLPEQFRIRRDKRARLLAQGRDPYPVAVPRTHTLAEVRAAHPDLPIDTATEDIVGVAGRV
IFARNSGKLCFATLQDGDGTQLQVMISLDKVGQAALDAWKADVDLGDIVYVHGAVISSRRGELSULA
DCWRIAASLRPLPVAHKEMSEESRVRQRYVDLIVRPEARAVARLRIAVVRAIRTAQQRRGFLEVETP
25 VLQTLAGGAAARPFATHSNALDIDLYLRIAPELFLKRCIVGGFDKVFELNVRFRNEGADSTHSPEFSM
LETYQTYGTYDDSAVVTRELIQEVADEAIGTRQLPLPDGSVDIDGEWATIQMYPSSLVALGEEITPQT
TVDRLRGIADSLGLEKDPAIHDNRGFGHGKLIELWERTVGKSLSAPT FVKDFPVQTTPLTRQHR SIP
GVTEKWDLYLRGIELATGYSELSDPVVQRERFADQARAAAAGDDEAMVLDEDFLAALEYGMPPCTG
TGMGIDRLLSLTGLSIRETVLFPIVRPHSN

30 >Rv3600c - similar to Bacillus subtilis protein YacB TB.seq 4043041:4043856 MW:29274
SEQ ID NO:276

VLLAIDVRNTHTVVGLLSGMKEHAKVVQQWRIRTESEVTADELALTIDGLIGEDSERLTGTAALSTVPS
VLHEVRIMLDQYWPSVPHVLIEPGVVRTGIPLLDNPKEVGADRIVNCLAAYDRFRKAAIIVDFGSSICV
35 DVVSAKGEFLGGAIAPGVQVSSDAAAARSALRRVELARPRSVVGKNTVECMQAGAVFGFAGLV DG
LVGRIREDVSGFSVDHDAIVATGHTAPLLLPELHTVDHYDQHLTLQGLRLVFERNLEVQRGR LKTAR

>Rv3606c folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase TB.seq

4048181:4048744 MW:20732 SEQ ID NO:277

MTRVVL SVGSNLGDRLARLRSVADGLGDALIAASPIYEADPWGGVEQQGFLNAVLIADDPTCEPREW
LRR AQEFERAAGRVRGQRWGPRNLDVDLIACYQTSATEALVEVTARENHLLPHPLAHLRAFLIPW
5 IAVDPTAQLTVAGCPRPVTRLLAELEPADRDSVRLFRPSFDLNSRHPVSRAPES

>Rv3607c folX may be involved in folate biosynthesis TB.seq 4048744:4049142 MW:14553

MADRIELRGLTVHGRHGVYDHERVAGQRFVIDVTWIDLAEAA NSDDLADTYDYVRLASRAAEIVAG
PPRKLIETVGAEIADHVMDDQRVHAVEVAVHKPQAPIPQTFDDVAVVIRRSRRGGRGWVVPAGGAV

10 >Rv3608c folP dihydropteroate synthase TB.seq 4049138:4049977 MW:28812 SEQ ID NO:278

VSPAPVQVMGVLNVTDDSFSDGGCYLDLDDAVKHGLAMAAAGAGIVDVGGESSRPGATRVDPAVE
TSRVIPVVKELAAQGITVSIDTMRADVARAALQNGAQMVNDVSGGRADPAMGPLLAEADVPWVLMH
WRAVSADTPHVPVRYGNVVAEVRADLLASVADAVAAGVDPARLVLDPLGLFAKTAQHNWAILHALP
ELVATGIPVLVGASRKRLGALLAGPDGVMRPTDGRDTATAVISALAALHGAWGVRVHDVRASVDAL
15 KVVEAWMGAERIERDG

>Rv3609c folE GTP cyclohydrolase I TB.seq 4049977:4050582 MW:22395 SEQ ID NO:279

MSQLDSRSASARIRVFDQQRAEAAVRELLYAIGEDPDRDGLVATPSRVARSYREMFAGLYTDPDSVL
NTMFDEHDDELVLVKEIPMYSTCEHHLVAFHGVAVHGYIPGDDGRVTGLSKIARLVLYAKRPQVQE
RLTSQIADALMKKLDPRGVIVIEAEHLCMAMRGVRKPGSVTTTSAVRGLFKTNAASRAEALDLILRK

20 >Rv3610c ftsH inner membrane protein, chaperone TB.seq 4050601:4052880 MW:81987

MNRKNVTRTITAI VVLLGWSFFYFSDDTGRGYKPVDT SVAITQINGDNVKS AQIDDREQQLRLILKKG
NNETDGSEKVITKYPTGYAVDLFNALSAKNAKVSTVNQGSILGELLVYVLP LLLLVLGLFVMFSRMQG
GARMGFGFGKSRAKQLSKDMPKTTFADVAGVDEAVEELYEIKDFLQNPSRYQALGAKIPKGVLLYGP
PGTGKTLARAVAGEAGVPFFTISGSDFVEMFVGASRVRDLFEQAKQNSPCIIFVDEIDAVGRQR
25 GAGLGGGHDEREQTLNQLLVEMDGF GDRA GVILIAATNRPDILDPALLRPGRFDRQIPVSNPDLAGR
RAVLRVHSGKGPMAADADLDGLAKRTVGMTGADLANVINEAALLTARENGTVITGPAL EEA VDRVIG
GPRRKGR IISEQEKKITAYHEGGHTLA AWAMPDIEPIYKV TILARGRTGGH AVAVPEEDKGLRTRSEMI
AQLVFAMGGRAAEELVFREPTTGAVSDIEQATKIARSMVTEFGMSSKLGAVKYGSEHGDPFLGR TM
GTQPDYSHEVAREIDEEVRKLIEAAHTEAWEILTEYRDVLDTLAGELLEKETLHRPELESIFADVEKRP
30 RLTMFDDFGGRIPSDKPKPIKTPGELAIERGEPWPQVPPEPAFKAAIAQATQAAEAARSDAGQTGHGA
NGSPAGTHRSGDRQYGSTQPDY GAPAGWHAPGWPPRSSHRPSYSGEPAPTYPGQPYPTGQADP
GSESSAEQDDEVSR TKPAHG

>Rv3671c - TB.seq 4112322:4113512 MW:40722 SEQ ID NO:280

MTPSQWLDIAVLAVAFIAAISGW RAGALGSMLSFGGVLLGATAGVLLAPHIVSQISAPRAKLFAALFLIL
35 ALVVVGEVAGVVLGRAVRGAIRNRPIRLIDSVIGVGVQLVVVLTAAWLLAMPLTQSKEQPELAAAVKG
SRVLARVNEAAPTWLKTVPKRLSALLNTSGLPAVLEPFSRTPVIPVASPDALVNNPVVAATEPSVVKI
RSLAPRCQKVLEGTGFVISPD RVM TNAHVVAGSNNVT VYAGDKPFEATVVS YDPSVDVAILAVPHLP

PPPLVFAAEPAKTGADVVLGYPPGGNFTATPARIREAIRLSGPDYGDPEPVTRDVYTIRADVEQGD
SGGPLIDLNGQVLGVVFGAAIDDAETGFVLTAGEVAGQLAKIGATQPVGTGACVS

>Rv3682 ponA2 TB.seq 4121913:4124342 MW:84637 SEQ ID NO:281

MPERLPAAITVLKLAGCCLLASVVATALTFPFAGGLGLMSNRASEVVANGSAQLLEGQVPAVSTMVD
5 AKGNTIAWLYSQRRFEVPSDKIANTMKLAIVSIEDKRFADHSGVDWKGTLTGLAGYASGDLDTRGGS
TLEQQYVKNYQLLVTAQTDAAEKRAAVETTPARKLREIRMALTDKTFTKSEILTRYLNLVSFGNNSFG
VQDAAQTYFGINASDLNWQQAALLAGMVQSTSTLNPYTPNPDGALARRNVVLDTMENLPGAEALR
AAKAEPLGVLPQPNELPRGCIAGDRAFFCDYVQEYLSRAGISKEQVATGGYLIRTTLDPEVQAPVKA
AIDKYASPNLAGISSVMSVIKPGKDAHVKLAMASNRKYGLDLEAGETMRPQPFSLVGDGAGSIFKIFT
10 TAAALDMGMGINAQLDVPPRFQAKGLGSGGAKGCPKETWCVVNAGNYRGS MNVTDALATSPNTAF
AKLISQVGVGRAVDMAIKLGLRSYANPGTARDYNPDSNESLADFVKRQNLGSFTLGPIELNALELSNV
AATLASGGVWCPPNPIDQLIDRNGNEVAVTTETCDQVVPAGLANTLANAMSKDAVGS GTAAGSAGA
AGWDLPMMSGKTGTTEAHSAGFVGFTNRYAAANYIYDDSSSPTDLCSGPLRHCGSGDLYGGNEPS
RTWFAAMKPIANNFGEVQLPPTDPRYVDGAPGSRVPSVAGLDVDAARQLKDAGFQVADQTN SVN
15 SSAKYGEVVGTS PSQGQTIPGSIVTIQISNGIPPAPPPPPPLPEDGGPPPPVGSQVVEIPGLPPIITILLAP
PPPPPPP

>Rv3721c dnaZX DNA polymerase III,[gamma] (dnaZ) and t (dnaX) TB.seq 4164995:4166728
MW:61892 SEQ ID NO:282

VALYRKYPASFAEVVGQEHVTAPLSVALDAGRINHAYLFSGPRGCGKTSSARILARSLNCAQGPTA
20 NPCGVCESCVSLAPNAPGSIDVVELDAASHGGVDDTRELDRAFYAPVQSRYRVFIVDEAHMVTTA
GFNALLKIVEEPPEHLIFATTEPEKVLPTIRSRTTHYPFRLLPPRTMRALLARICEQEGVVDDAVYP
LVIRAGGGSPRDTLSVLDQLLAGAADTHV TYTRALGLLGVT DVALIDDAVDALAACDAAALFGAIESVI
DGGHDPRRFATDLLERFRDLIVLQSVPAASRGVVDAPEDALDRMREQAARIGRATLTRYAEVVQA
GLGEMRGATAPRLLLEVVCARLLLPSASDAESALLQRVERIETRLDMSIPAPQAVPRPSAAAAEPKHQ
25 PAREPRVLAPTPASSEPTVAAVRSMWPTVRDKVRLRSRTTEVMLAGATVRALEDNTLVLT HESAPL
ARRLSEQRNADVLAELKDALGVNWRVRCETGEPAAAASPVGGGANVATAKAVNPAPTANSTQRD
EEEHMLAEAGRGDPSPRRDPEEVALELLQNELGARRIDNA

>Rv3783 - TB.seq 4229255:4230094 MW:32337 SEQ ID NO:283

MTFMDAQASFQTQSRTLARVRGDLVDGFRRHFWLHLGWQDIKQRYRRSVLGPFWITIATGTTAVA
30 MGGLYSKLFRELESEHLPYVTLGLIVWNLINAAILDGAEVFVANEGLIKQLPAPLSVHVYRLVWRQMIF
FAHNIVYFVIAIIFPKPWSWADLSFLPALALIFLNCVWVSLCFGILATRYRDIGPLLFSVVQLFFMTPII
WNDETLRRQGAGRWSSIVELNPLLHYLDIVRAPLLGAHQELRHWLVVLTVVGWMLA AFAMRQYR
ARVPYWV

>Rv3789 - TB.seq 4235371:4235733 MW:13378 SEQ ID NO:284

MRFVVTGGLAGIVDFGLYVVLYKVAGLQVDLSKAISFIVGTITAYLINRRWTFQAEPSTARFVAVMLLY
35 GITFAVQVGLNHLCLALLHYRAWAIPVAFVIAQGTATVIN FIVQRAVIFRIR

>Rv3790 - TB.seq 4235776:4237158 MW:50164 SEQ ID NO:285

MLSVGATTTATRLTGWGRTPASVANVLRTPDAEMIVKAVARVAESGGGRGAIARGLGRSYGDNAQN
GGGLVIDMTPLNTIHSIDADTKLVDIDAGVNLDQLMKAALPFGLWVPVLPGTRQVTVGGAIACDIHGK
NHHSAGSFGNHVRSMDLLTADGEIRHLTPTGEDAELFWATVGGNGLTGIIMRATIEMTPTSTAYFIAD
GDVTASLDETIALHSDGSEARYTYSSAWFDAISAPPKLGRAAVSRGRLATVEQLPAKLRSEPLKFDAP
5 QLLTLPDVPFNPGLANKYTFGPIGELWYRKSGTYRGKVQNLTKFYHPLDMFGEWNRAYGPAGFLQYQ
FVIPTAEVDEFKKIIGVIAQSGHYSFLNVFKLFGPRNQAPLSFPIPGWNICVDFPIKDGLGKFVSELDRL
VLEFGGRLYTAKDSRTTAETFHAMYPRVDEWISVRRKVDPLRVFASDMARRLELL

>Rv3791 - TB.seq 4237162:4237923 MW:27470 SEQ ID NO:286

MVLDAVGNPQTVLLGGTSEIGLAICERYLHNSAARIVLACLPDDPRREDAAAAMKQAGARSVELIDF
10 DALDTDSPKMIIEAASFSGGDVDVAIVAFGLLGDAEELWQNQRKAVQIAEINYTAAVSVGVLLAEKMR
AQGFQGIAMSSAAGERVRRANFVYGSTKAGLDGFYGLSEALREYGVRVLVIRPGQVRTRMSAHLK
EAPLTVDKKEYVANLAVTASAKGKELWAPAAFVMMVLRHIPRSIFRKLPI

>Rv3794 embA TB.seq 4243230:4246511 MW:115694 SEQ ID NO:287

VPHDGNERSHRIARLAAVSGIAGLLLCGIVPLLPVNQTTATIFWPQGSTADGNITQITAPLVSGAPRA
15 LDISIPCSAIATLPANGGLVLSTLPAGGVDTGKAGLFVRANQDVTWVAFRDSVAAVAARSTIAAGGCS
ALHIWADTGGAGADFMGIPGGAGTLPPEKKPQVGGIFTDLKVGAPGLSARVDIDTRFITTPGALKKA
VMLLGVLAVLVAMVGLAALDRLSRGRTLRLDWLTRYRPRVRVGFASRLADA AVIATLLLWHVIGATSS
DDGYLLTVARVAPKAGYVANYRYFGTTEAPFDWYTSVLAQLAAVSTAGVWMRLPATLAGIACWLIV
SRFVLRRLGPGPGGLASNRVAVFTAGAVFLSAWLPFNNGLRPEPLIALGVLVTWVVERSIALGRLAP
20 AAVAIIVATLTATLAPQGLIALPLLTGARAIQRIRRRRATDGLLAPLAVLAAALSLITVVFRDQTLATV
AESARIKYKVGTIAWYQDFLRYFLTVESNVEGSMSRRFAVLVLLFCLFGVLVLLRRGRVAGLASG
PAWRLIGTTAVGLLLLFTPTKWAVQFGAFAGLAGVLGAVTAFTFARIGLHSRRNLTYVTALLFVLA
WATSGINGWFYVGNYPVWYDIQPVIAHPVTSMFLTLSILTGLLAAWYHFRMDYAGHTEVKDNR
NRILASTPLLVAIVMAGEVGSMKAAVFRYPLYTTAKANLTALSTGLSSCAMADDVLAEPDPNAGM
25 LQVPVPGQAFGPDGGLGSPVGFKEGPGVGEDLKSDPVVSKPGLVNSDASPKNPNAITDSAGTAGG
KGPVGINGSHAALPFGLDPARTPVMGSYGENNLAATATSAWYQLPPRSPDRPLVVSAAGAIWSYK
EDGDFIYGQSLKLQWGVTPGDGRIQPLGQVFPIDIGPQPAWRNLRFPLAWAPPEADVARIVAYDPNL
SPEQWFAFTPPRVPVLESLQRLIGSATPVLMDIATAANFPCQRPFSEHLGIAELPQYRILPDHKQTAA
SSNLWQSSSTGGPFLFTQALLRTSTIATYLRGDWYRDWGSVEQYHRLVPADQAPDAVVEEGVITVP
30 GWGRPGPIRALP

>Rv3795 embB TB.seq 4246511:4249804 MW:118023 SEQ ID NO:288

MTQCASRRKSTPNRAILGAFASARGTRWVATIAGLIGFVLSVATPLLVPVQTTAMLDWPQRGQLGSV
TAPLISLTPVDFTATVPCDVVRAMPPAGGVVLGTAPKQKGDANLQALFVVVSAQRVDVTDNRVILS
VPREQVTSPQCQRIEVTSTHAGTFANFVGLKDPSGAPLRSGFPDNLRPQIVGVFTDLTGPAAPPGLA
35 VSATIDTRFSTRPTTLKLLAIGAIVATVVALIALWRLDQLDGRGSIAQLLLRPFRRPASSPGGMRRILPAS
WRTFTLTDAVVIFGFLWHVIGANSSDDGYILGMARVADHAGYMSNYFRWFGSPEDPFGWYYNLLA
LMTHVSDASLWMRLPDLAAGLVCWLLLSREVLPRLGPAVEASKPAYWAAAMVLLTAWMPFNNGLR

PEGIIALGSLVTYVLIERSMRYSRTPAALAVTAAFTLGVQPTGLIAVAALVAGGRPMLRILVRRHRLV
GTLPLVSPMLAAGTVILTVVFADQTLSTVLEATRVRKIGPSQAWYTENLRYYYLILPTVDGSLSRFRG
FLITALCLFTAVFIMLRKRIPSVARGPAWRLMGVIFGTMFFLMFTPTKWWHHFGLFAAVGAAMAALT
TVLVSPSVLRWSRNRMAFLAALFFLLALCWATTNGWWYVSSYGVPFNSAMPKIDGTVSTIFFALFAI
5 AAGYAAWLHFAPRGAGEGRLIRALTAPVPIVAGFMAAVFVASMVAGIVRQYPTYSNGWSNVRAFV
GGCGLADDVLVEPDTNAGFMKPLDGDGSGSWGPLGPLGGVNPVGFTPNGVPEHTVAEAIMKPNQP
GTDYDWDAPTKLTSPGINGSTVPLPYGLDPAHVPLAGTYTTGAQQQSTLWSAWYLLPKPDDGHPLV
VWTAAGKIAGNSVLHGYPGQTVVLEYAMPGPAGALVPAGRMVPDDLYGEQPKAWRNLRFAKAMP
ADAVAVRVVAEDLSLTPEDWIAVTPPRVPDLRSLQEYVGSTQPVLLDWAVGLAFPCQQPMLHANGIA
10 EIPKFRITPDYSAKKLDTDWEDGTNGLLGITDLLLRAHVMATYLSRDWARDWGSLRKFDLVDAP
PAQLELGTATRSGLWSPGKIRIGP

>Rv3834c serS seryl-tRNA synthase TB.seq 4307655:4308911 MW:45293 SEQ ID NO:289
VIDLKLLRENPDVRRSQLSRGEDPALVDALLTADAARRAVISTADSLRAEQKAASKSVGGASPEERP
PLLRRAKELAEQVKAAEADEVEAEAAFTAHLAISNVIVDGVPAAGGEDDYAVLDVVGEPSYLENPKD
15 HLELGESLGLIDMQRGAKVSGSRFYFLTGRGALLQLGLLQLALKLAVDNGFVPTIPVLRPEVMVGT
GFLGAHAEEVYRVEGDGLYLVGTSEVPLAGYHSGEILDLSRGPLRYAGWSSCFRREAGSHGKDTRG
IIRVHQFDKVEGFVYCTPADAHEHERLLGWQRQMLARIEVPYRVIDVAAGDLGSSAARKFDCEAWI
PTQGAYRELTSTSNCTTFQARRLATRYRDASGKPQIAATLNGTLATTRWLVAILENHQRPDGSVRVP
DALVPFVGVEVLEPVA

20 >Rv3907c pcnA polynucleotide polymerase TB.seq 4391631:4393070 MW:53057 SEQ ID NO:290
VPEAVQEADLLTAAVALNRHAALLRELGSVFAAAGHELYLVGGSVRDALLGRLSPDLDTTARPE
RVQEIVRPWADAVWDTGIEFGTVGVGKSDHRMEITTFRADSVDVSRHPEVRFGDCLEGDLVRRDF
TTNAMAVRVTATGPGEFLDPLGGLAALRAKVLDTAAPSFSFGDDPLRMLRAARFVSQLGFAVAPR
VRAAIEEMAPQLARISAERVAEELDKLLVGEDPAAGIDLMVQSGMGAVVLPEIGGMRMAIDEHHQHK
25 DVYQHSLTVLRQAIALEDDGPDVLVLRWAALLHDIGKPATRRHEPDGGVSFHHHEVVGAKMVRKMR
ALKYSKQMIDDISQLVYLHLRFHGYGDGKWTDASVRRYVTDAGALLPRLHKLVRADCTTRNKRRAR
LQASYDRLEERIAELAAQEDLDRVRPDLGDNQIMAVLDIPAGPQVGEAWRYLKELRLERGPLSTEEA
TTELLSWWKSRRGNR

30 A number of embodiments of the invention have been described. Neverthe-
less, it will be understood that various modifications may be made without departing from
the spirit and scope of the invention. Accordingly, other embodiments are within the scope
of the following claims.

WHAT IS CLAIMED IS:

1. A method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug comprising the following steps:

(a) providing a first nucleic acid or a polypeptide sequence that is known to be a drug target;

(b) providing at least one algorithm selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method, wherein the algorithm is capable analyzing a functional relationship between nucleic acid or polypeptide sequences; and

(c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

2. A method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism comprising the following steps:

(a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism;

(b) providing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

(c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

3. The method of claim 1 or claim 2, wherein the drug is an anti-microbial drug.

4. The method of claim 1 or claim 2, wherein the first nucleic acid or a polypeptide sequence is derived from a pathogen.

5. The method of claim 4, wherein the pathogen is a microorganism.

6. The method of claim 1 or claim 2, wherein the microorganism is *Mycobacterium tuberculosis* (MTB).

7. The method of claim 1 or claim 2, wherein the plurality of sequences used to identify a second sequence comprises a database of the gene sequences of an entire genome of an organism.

8. The method of claim 1 or claim 2, wherein the plurality of sequences used to identify a second sequence comprises a database of the gene sequences derived from a pathogen.

9. The method of claim 1 or claim 2, wherein the “phylogenetic profile” method algorithm comprises

(a) obtaining data, comprising a list of proteins from at least two genomes;

(b) comparing the list of proteins to form a protein phylogenetic profile for each protein, wherein the protein phylogenetic profile indicates the presence or absence of a protein belonging to a particular protein family in each of the at least two genomes based on homology of the proteins; and

(c) grouping the list of proteins based on similar profiles, wherein proteins with similar profiles are indicated to have a functional relationship.

10. The method of claim 9, wherein the phylogenetic profile is in the form of a vector, matrix or phylogenetic tree.

11. The method of claim 9, comprising determining the significance of homology between the proteins by computing a probability (p) value threshold.

12. The method of claim 11, wherein the probability is set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in the first organism's genome and M in all other genomes.

13. The method of claim 9, wherein the presence or absence is by calculating an evolutionary distance.

14. The method of claim 13, wherein the evolutionary distance is calculated by:

- (a) aligning two sequences from the list of proteins;
- (b) determining an evolution probability process by constructing a conditional probability matrix: $p(aa \rightarrow aa')$, where aa and aa' are any amino acids, said conditional probability matrix being constructed by converting an amino acid substitution matrix from a log odds matrix to said conditional probability matrix;
- (c) accounting for an observed alignment of the constructed conditional probability matrix by taking the product of the conditional probabilities for each aligned pair during the alignment of the two sequences, represented by $P(p) = \prod_n p(aa_n \rightarrow aa'_n)$; and
- (d) determining an evolutionary distance α from powers equation $p' = p^\alpha(aa \rightarrow aa')$, maximizing for P .

15. The method of claim 14, wherein the conditional probability matrix is defined by a Markov process with substitution rates, over a fixed time interval.

16. The method of claim 14, where the conversion from an amino acid substitution matrix to a conditional probability matrix is represented by:

$$P_B(i \rightarrow j) = p(j) 2^{\frac{\text{BLOSUM62}_{ij}}{2}},$$

where BLOSUM62 is an amino acid substitution matrix, and $P(i \rightarrow j)$ is the probability that amino acid i is replaced by amino acid j through point mutations according to BLOSUM62 scores.

17. The method of claim 16, where P_j 's are the abundances of amino acid j and are computed by solving a plurality of linear equations given by the normalization condition that:

$$\sum_i P_B(i \rightarrow j) = 1.$$

18. The method of claim 1 or claim 2, wherein the “physiologic linkage” method algorithm identifies proteins and nucleic acids that participate in a common functional pathway.

19. The method of claim 1 or claim 2, wherein the “physiologic linkage” method algorithm comprises identifies proteins and nucleic acids that participate in the synthesis of a common structural complex.

20. The method of claim 1 or claim 2, wherein the “physiologic linkage” method algorithm comprises identifies proteins and nucleic acids that participate in a common metabolic pathway.

21. The method of claim 1 or claim 2, wherein the “domain fusion” method algorithm comprises

(a) aligning a first primary amino acid sequence of multiple distinct non-homologous polypeptides to second primary amino acid sequence of a plurality of proteins; and

(b) for any alignment found between the first primary amino acid sequences of all of such multiple distinct non-homologous polypeptides and at least one protein of the second primary amino acid sequences, outputting an indication identifying the aligned second primary amino acid sequence as an indication of a functional link between the aligned first and second polypeptide sequences.

22. The method of claim 21, wherein the aligning is performed by an algorithm selected from the group consisting of a Smith-Waterman algorithm, Needleman-Wunsch algorithm, a BLAST algorithm, a FASTA algorithm, and a PSI-BLAST algorithm.

5 23. The method of claim 21, wherein the multiple distinct non-homologous polypeptides are obtained by translating a nucleic acid sequence from a genome database.

10 24. The method of claim 21, wherein the plurality of proteins have a known function.

25. The method of claim 21, wherein at least one of the multiple distinct non-homologous polypeptides has a known function.

15 26. The method of claim 21, wherein at least one of the multiple distinct non-homologous polypeptides has an unknown function.

20 27. The method of claim 21, wherein the alignment is based on the degree of homology of the multiple distinct non-homologous polypeptides to the plurality of proteins.

25 28. The method of claim 21, further comprising determining the significance of the aligned and identified second primary amino acid sequence by computing a probability (p) value threshold.

30 29. The method of claim 28, wherein the probability threshold is set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in a first organism's genome and M in all other genomes.

30. The method of claim 21, further comprising filtering excessive functional links between one first primary amino acid sequence of multiple distinct non-

homologous polypeptides and an excessive number of other distinct non-homologous polypeptides for any alignment found between the first primary amino acid sequences of the distinct non-homologous polypeptides and at least one of the second primary amino acid sequences of the plurality of proteins.

5

31. A computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, the computer program product comprising instructions for causing a computer system to be capable of:

10 (a) inputting a first nucleic acid or a polypeptide sequence that is known to be a drug target;

(b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

15

(c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

20

32. A computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism, the computer program product comprising instructions for causing a computer system to be capable of:

25 (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism;

(b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

30

(c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

33. A computer system, comprising:

- (a) a processor; and
- (b) a computer program product as set forth in claim 31 or claim 32.

ABSTRACT

**DETERMINING THE FUNCTIONS AND INTERACTIONS OF
PROTEINS BY COMPARATIVE ANALYSIS**

5

10

15

20

The invention provides novel methods for characterizing the function of nucleic acids and polypeptides. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism. The characterization is based on use of methods of the invention comprising algorithms that can identify functional relationships between diverse sets of non-homologous nucleic acid and polypeptide sequences. The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism. The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a computer system, comprising a processor and a computer program product of the invention.

10061607.doc

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

